

BACTERIOSTATIC FARRIC SOFTENER CONCENTRATE INHIBITS THE GROWTH OF YANY BACTERIA

SAIL BACTEPIOSTATIC rAudic SOFTENER contains a pacteria control agent which is deported on fabrics when rinsed and directed. When conditions for bacteria growth are present - dampness and warmth - this bacteria control agent inhibits the growth of harmful hacteria such as staphlococcus aureus. Effective bactorin control activity is mucht ined until washed out SAIL BACTER IOSTATIC FABRIC SOFTENER will effectively inhibit the growth of aminonia producing organisms bacillus ammoninnenes, which act on urine on diapers to produce ammonia.

SAIL BACTERIOSTATIC FABRIC SOFTENER is recommended for use on all washables Diapers are left soft and more absorbent, eliminating chafing due to harsh diapers. Towels, blankets, sweaters, sheets, pillow cases and bed spreads are left softer fluffier and fresher and easier to manage. Eliminates static cling" when used on nylon and other synthetic fabrics. SAIL BACTERIOSTATIC FABRIC SOFTENER contains a brightening agent which brightens colored fabrics and whitens whites. Ironing time is reduced some clothes require little or no

DIRECTIONS: Use SAIL BACTERIOSTATIC FABRIC SOFTENER in the last rinse only. DO NOT POUR DIRECTLY ON TO FABRICS - add to rinse water only. Do not mix with soop, detergent, bluing or bleach. AUTOMATIC WASHERS: After washing cycle, set machine dial on rinse cycle and add 2 ounces 2 capfuls of SAIL BACTERIOSTATIC FABRIC SOFTENER to the average 8 to 10 lb. wash, in 15 gallons of rinse water TUB WASHERS Add 2 ounces 2 captuls of SAIL BACTERIOSTATIC FABRIC SOFTENER to final rinse water, 10 to 15 gallons of rinse water, and agitate for about 5 minutes then wring out as usual. HAND WASHING: Use one to two teaspoons to the final ruise water in the sink, 1 to 2 gallons of rinse water, after washing small load by hand. Allow to soak for about 5 minutes, then wring out by hand.

CAUTION: Avoid contamination of foods. Harmful if swallowed. Avoid getting in eyes or on skin. In case of contact, flush with water. If irritation persists get medical attention.

> The Great Atlantic & Pacific Tea Company, Inc. New York, N.Y. 10017 Distributor USDA Registration No. 10391-8



INHIBITS THE GROWTH OF MANY BACTERIA

ACTIVE INGREDIENTS: n-Alkyl 60% C14, 30% C16, 5% C12, 5% C10) Dimethyl Benzy I Amonium Chloride n Alkyl 68% C 12, 32% C 14,

0.8%

0.8%

98.4%

INERT INGREDIENTS:

Dimethyl Ethylbenzyl Ammonium chloride

CAUTION: KEEP OUT OF REACH OF CHILDREN See back panel for additional cautions. 33 FL. OZ. (1 QT., 1 OZ.)

ACCEPTED WITH COMMENTS

ACCEPTED NOV 24 1971 UNDER THE FEDERAL INSECT OF FUNDICIDEI AND RODENTICIDE