

GENERAL INFORMATION: This Bromacil Weed Killer is a water soluble liquid to be mixed in water and applied as a spray on non-cropland areas. It is an effective general herbicide for control of brush and many annual and perennial weeds, and is particularly useful for control of perennial grasses. Effects are slow to appear and may not become apparent until the chemical has been carried into the root zone of the weeds by moisture. The degree of control and duration of effect will vary with the amount of chemical applied, soil type, rainfall, and other conditions. Non-volatile, non-flammable, and non-corrosive to metals except aluminum. Do not use with aluminum spray nozzles.

DIRECTIONS: For weed control on small non-crop areas, dilute Bromacil Weed Killer with water to five times its original volume, mix well and apply solution with a hand sprayer or sprinkling can. Apply just before or during the period of active growth of plants to be controlled. If dense growth is present, results will be improved if vegetation is removed before treatment. Do not apply when ground is frozen.

Before spraying, calibrate equipment to determine quantity of water necessary to uniformly cover measured area to be treated. Measure the proper amount of Bromacil Weed Killer and mix into the necessary volume of water. After mixing thoroughly in the spray tank, agitation of the spray solution is not required.

Use a fixed-boom power sprayer properly calibrated to a constant speed and rate of delivery. For application with a hand-gun sprayer, use at least 200 gals. spray per acre. For treating small areas, a tank-type hand sprayer or sprinkling can may be used.

WEED CONTROL: To control most weeds for an extended period of time on non-cropland areas such as RAILROAD, HIGHWAY AND PIPELINE RIGHT OF WAYS, PETROLEUM TANK FARMS, LUMBERYARDS, STORAGE AREAS, AND INDUSTRIAL PLANT SITES:

Apply 15 to 30 gals. Bromacil Weed Killer per acre to control ANNUAL WEEDS and GRASSES such as foxtail, ryegrass, wild oats, crabgrass, bromegrass, ragweed, lambsquarters, puncturevine, orchardgrass and turkey mullein. When applied just prior to or after emergence of annuals, rates as low as 7 1/2 gal. per acre control many annual weeds and grasses in low rainfall areas and give short term control in higher rainfall areas.

Apply 30 to 60 gals. Bromacil Weed Killer per acre to control PERENNIAL WEEDS and GRASSES such as smooth brome, Bahiagrass, bluegrass, redtop, purpletop, quackgrass, broomsedge, aster, dandelion, dog fennel, goldenrod, plantain and wild carrot. In areas with low or seasonal rainfall, rates as low as 22 gal. per acre control many perennial weeds and grasses.

Apply 60 to 120 gals. Bromacil Weed Killer per acre to control JOHNSON GRASS; use at the same rate for OTHER HARD-TO-KILL PERENNIAL WEEDS and GRASSES such as Bermudagrass, Dallisgrass, nutsedge, Vaseygrass, saltgrass, bouncingbet, dogbane, bracken fern and horsetail. Where limited rainfall (usually less than 4 inches) occurs during the active growth period, such as some areas of the West, Bromacil Weed Killer will not provide satisfactory control of hard-to-kill, deep-rooted perennial weeds such as Johnsongrass.

Use the higher levels of the dosage ranges on absorptive soils (usually those high in organic matter or carbon.) Retreatment—Apply 7 1/2 to 30 gals. per acre when annual weeds and grasses reappear on sites where weed growth has been controlled.

For Small Areas — 30 fl. oz. of Bromacil Weed Killer per 250 sq. ft. is approximately 40 gals. per acre.

NO GROW

BROMACIL WEED KILLER

(WATER-SOLUBLE LIQUID)

1 Gallon contains 0.168 pounds Bromacil

ACTIVE INGREDIENT:

Lithium salt of bromacil* (5-bromo-3-sec-butyl-6-methyluracil) 2.00%

INERT INGREDIENTS: 98.00%

*U.S. Pat. 3,352,862

Net Contents: 5 Gallons

EPA Reg. No. 257-289

EPA Est. 257-CA-1;MD-1

CAUTION: Keep Out Of Reach Of Children.

CAUTIONS: HARMFUL OR FATAL IF SWALLOWED. CAUSES EYE IRRITATION. MAY IRRITATE NOSE, THROAT AND SKIN.

DO NOT GET IN EYES. AVOID CONTACT WITH SKIN AND CLOTHING. AVOID BREATHING SPRAY MIST. WASH THOROUGHLY AFTER HANDLING. IN CASE OF CONTACT, FLUSH EYES OR SKIN WITH PLENTY OF WATER. FOR EYES, GET MEDICAL ATTENTION.

DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

FULD-STALFORT, INC.
HAVRE de GRACE, MARYLAND 21078
LOS ANGELES, CALIFORNIA 90013

THE FEDERAL BUREAU OF INVESTIGATION AND IDENTIFICATION ACT FOR ECONOMIC POWER REGISTER.