

L E DISINFECTANT

PROFESSIONAL PRODUCTS

Directions

CELLO LEMON DISINFECTANT is intended to be used on hard surfaces such as floors, walls, and woodwork in clinics restaurants, hospitals, schools, stores, and factories where positive disinfection and deodorizing is required.

Remove gross filth and heavy soil deposits before applying this disinfectant. Dilute CELLO LEMON DISINFECTANT using 2 oz. of disinfectant per gallon of water

Thoroughly wet areas to be disin. Individual with a mop or other applicator and allow 10 minutes contact time for maximum kill. CELLO L'EMON DISINFECTANT is non-selective and is equally effective against Salmonella typhosa, Staphylococcus aureus and Salmonella choleraesuis. Iso effective against the pathogenic fungi, Trichophyton interdigitale, at this dilution.

For hospitals and clinical disinfection and to disinfect Pseudomonas, use 3 oz. of CELLO LEMON DISINFECTANT per gallon. Where maximum deodorizing effect is to be obtained, leave solution for extended periods of contact time before mopping up. This disinfectant, when not mopped off, has residual bacteriostatic activity in the presence of moisture.

Authorized by the USDA for use in federally inspected meat and poultry plants.

Do not mix with soap or amonic solutions.

STATEMENT OF QUALITY: CELLO LEMON DISINFECTANT is guaranteed to meet A.O.A.C. Use Dilution Confirmation Test against Salmonella choleraesuis, Staphylococcus aureus, Pseudomonas aeruginosa, when tested in accordance with A.O.A.C. official methods in stated use dilutions. DANGER: Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes or on skin. Protect eyes and skin when handling concentrated product. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact with the eyes, flush with plenty of clear water for at least 15 minutes and get immediate medical attention. In case of skin contact, flush off immediately with plenty of water. Remove and wash contaminated clothing before reuse.

If swallowed, promptly drink a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call physician immediately

STORAGE AND DISPOSAL

Store only in tightly closed, original container In a secure area inaccessible to children. Do not contaminate water, food, or feed by storage or disposal Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a vollation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance. Do not reuse empty container. Triple rinse empty container with water. Return metal drums to reconditioner or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated, or if allowed by local authorities, by burning. If burned, stay out of smoke.

INGREDIENT STATEMENT: HAZARDOUS INGREDIENTS: n-Alkyl (60% C₁₄, 30% C 16, 5% C₁₂. 5% C₁₈) dimethyl benzyl ammonium chloride (CAS #68391-01-5). n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chloride (CAS #68956-72-6).

OTHER INGREDIENTS: Water (CAS #7732-18-5), Nonylphenoxypoly(ethyleneoxy)ethanol (CAS #9016-45-9), Sodium Carbonate (CAS #497-19-8).

Made for Professional Use Only

ACTIVE INGREDIENTS.

n Alkyt (60% C₁₄, 30% C is 5% C₁, 5% C₁₈)

Dimethyl Benzyl Ammonium Chloride

n Alkyl (66% C₁₇, 32% C₁₈) Dimethyl Ethylbenzyl Ammonium Chloride

NERT INGREDIENTS:

96 80%

TOTAL

EPA Reg. No. 257-317

EPA Est. 257-MD-1

DANGER: KEEP OUT OF REACH OF CHILDREN.
See Above for Additional Precautionary Statements and First Aid.

Grow Group, Inc.

MADE FOR PROFESSIONAL USE ONLY

55 GALLONS

Havre de Grace, MD 21078

Ft. Worth, TX 76119

Santa Fe Springs, C4 90670