PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush ξ or skin with plenty of water. Obtain medical accustion if irritation persists.

Do not contaminate food or feed stuff. In commercial facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in meat packing plants, bakeries and food processing plants, wash all equipment, benches, shelving, etc., where exposed food will be handled with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or washed thorougnly before use.

Remove pets, pirds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Do not store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a mer inconsistent with its labeling

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place Keep container closed.

PESTICIDE DISPOSAL: Pesticide or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

CONTAINER DISPOSAL

a) Containers of 30 gallons or more reseal container

and offer for reconditioning, or b) All containers triple rinse (or equivalent) and

offer for recycling, reconditioning or disposal in approved landfill, or bury in a safe place GENERAL. Consult Federal, State or Local authorities

for approved alternative procedures

DIPART CONCENTRATED

KILLS: AMERICAN ROACHES/ORIENTAL ROACHES/GERMAN ROACHES/FLIES/MOSQUITOES & SMALL FLYING MOTHS

For Use in the Nome, and Non-Food and Food Areas of: Food Processing Plants, Schools, Warehouses, Office Buildings, Theaters, Garages, Hotels, Motels, Kennels, and Hospitals

ACTIVE INGREDIENTS:

d-trans Allethrin (ally) homolog of Cinerin I)	.50%
*Piperonyl butoxide, technical	1.00%
1N-octyl bicycloheptene dicarboximide	167%
Petroleum distillate	96.83%
TOTAL	100.00%

*Equivalent to .80% (butylcarbityl)(6-propylpiperonyl) either and .20% related compounds 1MGK 264, Insecticide Synergist

CAUTION : Keep Out Of Reach Of Children.

See Side Panel for Additional Precautionary Statements

13

NET CONTENTS: GALLONS

a GROW GROUP member CELLO COFTE 1254 OLJ POST Ra, Have de Græe Ma 2107R • 3011 939 1214



ROACHES/FLIES/MOSQUITOES & SMALL FLYING MOTHS For Use in the Home, and Non-Food and Food Areas of:

Food Processing Plants, Schools, Warehouses, Office Buildings, Theaters, Garages, Hotels, Motels, Kennels, and Hospitals

ACTIVE INGREDIENTS:

NET CONTENTS:

d-trans Allethrin (ally) homolog of Cinerin 1)	50°Ն
*Piperonyl butoxide, technical	1 00Գս
1N-octyl bicycloheptene dicarboximide	1.67%
Petroleum distillate	96.83%
TOTAL	100.00%

*Equivalent to .80% (butylcarbityl)(6 propylpiperonyl) either and 20% related compounds *MGK-264, Insecticide Synergist

CAUTION: Keep Out Of Reach Of Children.

See Side Panel for Additional Precautionary Statements

GALLONS

13

a GROW GROUP member

1354 Ord Post H., Havie de Grace Md. 21078 + (301) 939 1234

NOTE: When used in hospitals, patients should be removed prior to treatment. Ventilate for 2 hours after treatment. Do not return patients to room until after ventilation,

Space Spray to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Close room and shut off all air conditioning and ventilistion equipment. Apply with mechanical or compressed air sprayer or with fogger that gives small particle size Direct spray upwards toward upper corners of room and ceiling. Apply at the rate of 0.5 to 1.0 fluid oz. per 1,000 cubic ft, of space to be treated. Vacate room and leave closed for 10 to 15 minutes. Ventilate thoroughly prior to re-entry. Sweep up and destroy fallen insects. Repeat as necessary.

Contact or Surface Spray to Kill Cockroaches, Ants and Crickets: Apply with a sprayer that will give coarse wet droplets. Force spray into cracks and crevices in walls and floors, areas at base of machinety, behind cabinets, around pipes and openings, along baseboards and other insect harbourages. Use 1 gal of spray per 1,000 sq. ft. of surface to be treated. for ants, spray trails and all points of entry into building Spray ant nests directly with a soaking application in all cases, contact as many insects as possible with the spray. Repeat application as necessary for control.

To Kill Carpet Beetles: Directly spray as many insects as possible Spray both interior and exterior of up holstered furniture. Both thip and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture and wherever these insects are seen or suspected.

To Kill Bedbugs: Spray mattresses thoroughly, especially around seams and tufts. Spray bedstead, baseboards, floor boards and wall cracks and crevices. Allow spray to dry before contact. Repeat frequently To Kill Exposed Forms of Confused Flour Beetles, Sawtoothed Grain Beetles, Lesser Grain Borers and Rice Weevils: Find and destroy infested package goods. Remove all other items from pantry. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dried. Repeat as necessary.

To Kill Fleas: Remove and destroy animals bedding and spray sleeping quarters freely. Direct spray into cracks and crevices. Allow spray to dry and replace clean bedding. Do not spray animals directly. Repeat as necessary.

Treat dogs and cats with a registered Flee and Tick control product before allowing them to enter.

EPA Reg. N = 257 327

EP - En 257 MD 1

20430680

26