

DIRECTIONS

FOLIAGE STEM METHOD

For effective control, all leaves, stems and suckers must be thoroughly wet to ground line. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line.

BASAL BARK METHOD

Apply the herbicide to the basal bark of the plant. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line.

MODIFIED BASAL METHOD

During the early part of the spray season, apply the herbicide to the basal bark of the plant. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line.

POWERED KNAPSACK BASAL SPRAY

Mix the herbicide with water in a knapsack sprayer. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line.

RAILROAD ON-TRACK APPLICATION

Apply the herbicide to the basal bark of the plant. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line.

CUT SURFACE METHOD — Stump

Apply the herbicide to the cut surface of the stump. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line.

CUT SURFACE METHOD — Frill

Apply the herbicide to the frill of the stump. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line.

AERIAL APPLICATION

Apply the herbicide to the basal bark of the plant. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line.

Easy to control brush

Apply the herbicide to the basal bark of the plant. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line.

BRUSH CONTROL—FOREST MANAGEMENT

Aerial or Ground Conifer release

Apply the herbicide to the basal bark of the plant. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line.

Forest site preparation

Apply the herbicide to the basal bark of the plant. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line.

GENERAL INFORMATION

Apply the herbicide to the basal bark of the plant. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line. For effective control, all leaves, stems and suckers must be thoroughly wet to ground line.

WEED WOODY

Contains 1
of 2,4,5-T
woody pla
and along

CAUTION:
on right side pa

ACTIVE INGREDIENT
*2,4,5-Trichloro
**2,4-Dichloroph
INERT INGREDIENT
*2,4,5-Trichloro
or 2 pounds pe
**2,4-Dichloroph
or 2 pounds pe



