

SPECIAL WEED PROBLEMS

DIRECTIONS FOR SPECIAL WEED PROBLEMS IN PASTURES, FALLOW LAND, NON CROP AND CONSERVATION RESERVE PROGRAM AND CONSERVATION RESERVE ACREAGE

To control the following special weed problems in fallow land, non-crop areas or pastures apply the rates indicated at the recommended application time in sufficient spray volume by air or ground to obtain thorough and uniform coverage. Thorough and uniform coverage may require high volume ground spraying at 50 gallons per acre or more or aerial spraying at 10 gallons per acre or more when weed growth is dense. Adequate soil moisture for weed growth is essential for good control.

WEEDS	AMOUNT WEEDONE 638	WHEN TO SPRAY
Musk thistle	1 1/2-2 quarts	rosette stage spring or fall, use higher rate in fall.
Field bindweed	1 1/2-2 quarts	bud to full bloom
hoary cress	2 quarts	bud to full bloom
leafy spurge, russian knapweed	2 quarts	full bloom
camelthorn, lotus	2 quarts	bud to early bloom
Canada thistle	2 quarts	bud to early bloom in spring or summer
Canada thistle	1 1/2-2 1/2qts	6-8 inch high in fall, prior to a killing frost with good soil moisture. Do not till treated area within 7 days of treatment.
cattails, tule (hard-stem bulrush)	3 quarts	late spring to early summer when 4 to 6 feet tall; repeat in fall and following spring.
tansy ragwort	3 quarts	rosette stage up to early bloom
nutgrass	3 quarts	6 to 8 inches high, before bloom; repeat when regrowth is 6 to 8 inches high.

Refer to the restrictions and limitations for use on these sites.

ACCEPTED  
 10.2.1987  
 264-37

0175X, MASTER/2-5-67

BEST AVAILABLE COPY

264-37  
 113

\*2,4-dichlorophenoxyacetic acid . . . . . 13.8%  
\*\*2,4-dichlorophenoxyacetic acid, butoxyethyl ester . . . . . 24.5%

INERT INGREDIENTS: . . . . . 61.7%

\*Isomer specific by AOAC method No. 6.D01-5

\*\*Total 2,4-dichlorophenoxyacetic acid equivalent 30.8% by weight  
or 2.8 pounds per gallon.

EPA Reg. No. 264-37AA

EPA Est. No. 264-M0-01

---

KEEP OUT OF REACH OF CHILDREN

DANGER

PELIGRO

PRECAUTIONARY STATEMENTS: See inside booklet.

PRECAUTION AL USARIO: Si usted no lee ingles, no use este  
producto hasta que la etiqueta le haya sido explicado ampliamente.

(TRANSLATION: TO THE USER: If you cannot read English, do not use  
this product until the label has been fully explained to you.)

---

For Emergency Information ONLY Call 24 Hours A Day 1-800-521-8235

For Product Handling, Use and General Information Call 1-800-334-9745

---

©RHONE-POULENC AG COMPANY,  
P.O. BOX 12014, T.W. ALEXANDER DRIVE  
RESEARCH TRIANGLE PARK, N.C. 27709

WEEDONE is a registered trademark of RHONE-POULENC NEDERLAND B.V.

**BEST AVAILABLE COPY**

## PRECAUTIONARY STATEMENTS

### DANGER

### HAZARD TO HUMANS AND DOMESTIC ANIMALS

Causes irreversible eye damage. Do not get in eyes or on clothing. Wear goggles, face shield or safety glasses when handling concentrates. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash separately before reuse. Harmful if swallowed or absorbed through the skin. Avoid breathing spray mist.

### STATEMENT OF PRACTICAL TREATMENT

If in eyes, hold eyelid open and flush with a steady stream of water for at least 15 minutes. Get medical attention, preferably an OPHTHALMOLOGIST. If swallowed give two or three glasses of water to drink. DO NOT induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

This product contains petroleum distillates. If large amounts, greater than 1 mg/kg body weight have been ingested, the stomach should be evacuated by gastric intubation with the aid of a cuffed endotracheal tube to prevent aspiration of petroleum distillates. After removal of stomach contents, wash stomach by instilling 30-50 g. of activated charcoal in 3-4 ounces of water through the stomach tube and again remove stomach contents. Avoid oily laxatives.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not apply WEEDONE® 638 Broadleaf Herbicide through any type of irrigation system.

Do not contaminate water used for irrigation or domestic purposes. Do not apply when weather conditions favor drift from treated areas. Avoid spray drift to susceptible plants such as cotton, beans, peas, ornamentals, and most vegetables, as injury may occur. Coarse sprays are less likely to drift.

Under very high temperature, vapors from this product may injure susceptible plants in the immediate vicinity. Do not use in or near a greenhouse.

Do not use this product for purposes other than those recommended on this label.

[Faint, illegible text]