

DIRECTIONS FOR USE

WHEAT, BARLEY, RYE, OATS	PINTS PER ACRE	GALLONS WATER PER ACRE	DIRECTIONS
Winter Grain			
Annual and biennial weeds	1-2*	8 or more	Apply after grain is fully tillered (about 4-8" high) but not forming joints in the stem.
Perennial broadleaf weeds	1-2*	8 or more	Apply when weeds are near bud stage. Do not spray grain in boot to dough stage.
Spring Grain			
Annual broadleaf weeds	1-2*	8 or more	Apply after grain is fully tillered (about 4-8" high) but not forming joints in the stem.
Perennial broadleaf weeds	1-2*	8 or more	Apply when weeds are near bud stage. Do not spray grain in boot to dough stage.

*Use the lower rate if small annual and biennial weeds are the major problem. Use the higher rate if perennial weeds or annual and biennial weeds are present which are in the hard to kill categories as determined by local experience. The higher rates increase the risk of grain injury and should be used only where the weed control problem justified the grain damage risk.

Do not forage or graze treated grain fields within 2 weeks after treatment with 2,4-D. Do not feed treated straw to livestock.

WEEDS IN FALLOW LAND, GRASS PASTURES	1 $\frac{1}{3}$ to 2 $\frac{2}{3}$ pints	For annual broadleaf weeds. Spray when these weeds are young and growing vigorously.
	2 $\frac{2}{3}$ to 4 pints	For perennial broadleaf weeds. Spray when these weeds are actively growing and near the bud stage. Repeat applications may be needed for complete control. Do not graze dairy animals for seven days after spraying pastures with this product.

Do not plant any crop in fallow land until 3 months after treatment or until the chemical has disappeared from the soil.

Aerial spraying is a specialized job. Secure qualified technical guidance and employ a competent, reliable applicator. Become familiar with state laws governing the use of herbicides.

TO PREPARE A SPRAY: Add one-half the required amount of water to the spray tank, then add this product with agitation and finally the balance of water with continued agitation. This product forms an emulsion in water, not a solution. This tends to separate on standing. Provide agitation to prevent such separation and insure a uniform spray mixture. Use enough water per acre to provide adequate coverage.

To convert local recommendations in terms of WEEDONE AERO CONCENTRATE E use the following table:

2,4-D Acid	3 lb	2 lb	1 lb	$\frac{1}{2}$ lb	$\frac{1}{4}$ lb
WEEDONE AERO CONCENTRATE E	4 pt	2 $\frac{2}{3}$ pt	1 $\frac{1}{3}$ pt	$\frac{2}{3}$ pt	$\frac{1}{3}$ pt

WEEDONE

AERO-CONCENTRATE E

BROADLEAF POSTEMERGENCE HERBICIDE

2,4-D Butyl Ester for Weed Control in Small Grains

CAUTION: Keep out of reach of children. See other cautions on right panel.

ACTIVE INGREDIENTS:

*2,4-Dichlorophenoxyacetic acid, butyl ester 77.1%

INERT INGREDIENTS:

*2,4-Dichlorophenoxyacetic acid equivalent 61.5% by weight or 6 pounds per gallon. 22.9%



AMCHEM PRODUCTS, INC.

First Name in Herbicide Research

AMBLER, PA ■ Clinton, IA ■ St. Joseph, MO ■ Fremont, CA

EPA Reg. No. 264-52

ACCEPTED WITH COMMENTS

WEEDONE

CONCENTRATE E

LEAF POSTEMERGENCE HERBICIDE

Butyl Ester for Weed Control All Grains

CAUTION: Keep out of reach of children. See other cautions on label.

INGREDIENTS:
Dichlorophenoxyacetic acid, butyl ester 77.1%

INGREDIENTS:
Dichlorophenoxyacetic acid equivalent 61.5% by weight
Inerts per gallon.

AMCH'EM BRAND

AMCH'EM PRODUCTS, INC.

First Name in Herbicide Research
AMBLER PA ■ Clinton, IA ■ St. Joseph, MO ■ Fremont, CA

EPA Reg. No. 264-52

GENERAL DIRECTIONS

WEEDONE AERO-CONCENTRATE E can be used in either airplane or ground equipment. For best results, uniform coverage is important.

WEEDONE AERO-CONCENTRATE E is formulated for use in water. Do not mix this product with ordinary oil. Use WEEDONE LV6 or WEEDONE AERO-CONCENTRATE 95 where an oil carrier is desired.

CONTROL THESE WEEDS

Annual and Biennial Weeds

- | | |
|--------------------|---------------------|
| beggarticks | morningglory |
| bull thistle | mustard |
| burdock | parsnip |
| cockle | peppergrass |
| cocklebur | pigweed |
| coffeeweed | prickly lettuce |
| floribunda (daisy) | primrose |
| frenchweed | radish (wild) |
| galinsoga | ragweed (common) |
| goatsbeard | Russian thistle |
| jimsonweed | smartweed |
| kochia | sowthistle (common) |
| knotweed | sunflower |
| lambsquarters | tumbleweed |
| lettuce (wild) | vervain |
| mallow | vetch |
| marshelder | wild carrot |

Perennial Weeds

- | | |
|----------------------|-------------------|
| artichoke | ironweed |
| aster | loco weed |
| Austrian field cross | nettle |
| bindweed | orange hawkweed |
| blue lettuce | plantain |
| Canada thistle | poverty weed |
| catnip | ragweed |
| chicory | sowthistle |
| dandelion | stinging nettle |
| docks | strawberry (wild) |
| dogbane | tan weed |
| goldenrod | toad flax |
| ground ivy | vervain |
| healall | wild garlic |
| hoary cross | wild onion |
| horsetail | wild sweet potato |

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes or clothing.

Do not contaminate water by disposal of wastes or washing of spray equipment.

This product is toxic to fish. Keep out of lakes, streams and ponds. Apply the product only as specified on the label. Do not contaminate water used for irrigation or domestic purposes. Do not apply when weather conditions favor drifts of spray from areas treated. Spray drift may injure cotton, beans, grapes, peas, tomatoes, ornamentals and many other desirable plants. Coarse sprays are less likely to drift. Do not use same spray equipment for other purposes.

Vapors from this product may injure highly sensitive plants already growing in the immediate vicinity or planted there two to three weeks after spraying. Do not use in a greenhouse. Do not store near fertilizers, seeds, insecticides or fungicides. May injure bentgrass, St. Augustine and clovers. Do not reuse container. Destroy in a safe place. Do not burn.

Do not use this product for purposes other than those recommended on this label.

WARRANTY

Amchem warrants that composition of this product conforms to the chemical description given in the ingredient statement and the product is suited for the purposes described when used according to directions. Because of the broad range of conditions which may be encountered with the use of this product, it is impossible to eliminate all risks, even though labeled directions are followed. Amchem therefore makes no other express or implied warranty, and in purchasing this product the Buyer agrees to assume the risks and, in the event of a claim, to look to the manufacturer for a refund of the purchase price of the product, not a change of Amchem's liability.