


WEEDONE CRAB GRASS KILLER



WEEDONE[®] CRAB GRASS KILLER


NET WT.

GRANULAR

4.3 LBS.

ACCEPTED
JUN 27 1975
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this product is registered under EPA Reg. No. 264-69

Comments



CAUTION: Keep Out of Reach of Children
See Back Panel for Additional Cautions

KILLS CRAB GRASS IN LAWNS AND SIMILAR TURF AREAS

WEEDONE CRAB GRASS KILLER is a dry formulation of Sodar that will kill crab grass (*Digitaria ischaemum* or *D. sanguinalis*, also called finger grass, summer crab, fall grass, pigweed grass) if 2 or more applications are made as directed.

This material can be applied with a garden sprayer, E-flow spreader, manufacturer's directions for application of dry crab grass killer.

This package contains enough for 1 application to 1500 square feet of lawn. Use WEEDONE CRAB GRASS KILLER as purchased, do not mix with water.

TREATS 1500 SQUARE FEET OF LAWN

ACTIVE INGREDIENTS: Disodium methylarsenate — hexahydrate 30%
INERT INGREDIENTS 70%
Total arsenic expressed as elemental, all in water-soluble form 77%

AMCHEM PRODUCTS, INC. AMBLER, PA.


EPA Reg No 264-69AA

WEEDONE CRAB GRASS KILLER

WEEDONE CRAB GRASS KILLER

WEEDONE®

CRAB GRASS KILLER



CENTER
LINE

The content of the 4 pound bag is enough for uniform over all treatment of 1500 sq. ft. (50 ft. x 30 ft.) of lawn or 200 pounds for each 750 sq. ft. The treatment should be repeated at least once in about 5 to 7 days. Repeat again if the crab grass is only prevented at the end of the second week or as new crab grass seedlings appear.

Early in the season when crab grass becomes trampled and tough, heavier rates are needed. Then cover only 750 sq. ft. of lawn with the 4 pounds of WEEDONE CRAB GRASS KILLER or 20 pounds for each 375 sq. ft. Repeat treatment in 5 to 7 days until results are obtained.

APPLICATION DIRECTIONS

Proper application is essential for best results. Be sure the correct amount of WEEDONE CRAB GRASS KILLER is applied to the area specified and that it is applied uniformly. Check your spreader's output by treating a small measured area. Crisscross from end to end and then from side to side until the proper amount of material is distributed evenly. Adjust the spreader setting as necessary.

When treating an entire lawn, mark off the area to be treated and cover it by crisscrossing in the same manner. Overlap wheel tracks to avoid missed or overdosed strips. If grass is wet, check hopper opening occasionally to be sure material is flowing freely.

Suggested spreader setting for a crisscross application.

Spreader	Width	Setting	
		Early Season	Late Season
Central	20"	7	8
Heritage House	20"	6	7
Lawn Beauty	24"	8	10
Scotts	24"	5	7
Scotts	20"	7	9

Adjust the spreader setting if necessary to cover specified area.

Be sure to shut off spreader when stopping or turning around.


The best time for controlling crab grass is generally late spring and early summer. Additional treatments may be needed later if crab grass continues to germinate. The particles of WEEDONE CRAB GRASS KILLER stick to crab grass best when the lawn is moist with dew, so application in evening or early morning is suggested.

Proper fertilization is essential for improving and maintaining a good turf. After crab grass is dead, apply fertilizer as recommended by your local dealer.

If grass is tall, mow first, but delay mowing for at least 3 days after each application. Do not water lawns for at least 48 hours after treatment and try to treat when rain is not expected for a day or so. Repeat treatment if rain falls within that period.

Avoid treatment during extreme drought, except where lawns are irrigated. Newly seeded lawns should not be treated until they have become established and been cut at least twice, then use only the early season rate.

Lawns of fine-leaved fescues should be treated only in early spring with no more than 4 pounds of WEEDONE CRAB GRASS KILLER per 1500 sq. ft.



The contents of this 4 1/2 pound bag is enough for uniform over-all treatment of 1500 sq. ft. (50 ft. x 30 ft.) of lawn or 20 pounds for each 750 sq. ft. This treatment should be repeated at least once in about 5 to 7 days. Repeat again if the crab grass is only yellowed at the end of the second week, or as new crab grass seedlings appear.

Late in the season when crab grass becomes branched and tough, heavier rates are needed -- then cover only 750 sq. ft. of lawn with the 4 1/2 pounds of WEEDONE CRAB GRASS KILLER or 20 pounds for each 375 sq. ft. Repeat treatment in 5 to 7 days until control is obtained.

APPLICATION DIRECTIONS

Proper application is essential for best results. Be sure the correct amount of WEEDONE CRAB GRASS KILLER is applied to the area specified and that it is applied uniformly. Check your spreader's output by treating a small measured area. Crisscross from end to end and then from side to side until the proper amount of material is distributed evenly. Adjust the spreader setting as necessary.

When treating an entire lawn, mark off the area to be treated and cover it by crisscrossing in the same manner. Overlap wheel tracks to avoid missed or overdosed strips. If grass is wet, check hopper opening occasionally to be sure material is flowing freely.

Suggested spreader setting for a crisscross application.

Spreader	Width	Setting	
		Early Season	Late Season
Central	20"	7	8
Heritage House	20"	6	7
Lawn Beauty	24"	8	10
Scotts	24"	5	7
Sears	20"	7	9

Adjust the spreader setting if necessary to cover specified area.

Be sure to shut off spreader when stopping or turning around.

The best time for controlling crab grass is generally late spring and early summer. Additional treatments may be needed later if crab grass continues to germinate. The particles of WEEDONE CRAB GRASS KILLER stick to crab grass best when the lawn is moist with dew, so application in evening or early morning is suggested.

Proper fertilization is essential for improving and maintaining a good turf. After crab grass is dead, apply fertilizer as recommended by your local dealer.

If grass is tall, mow first, but delay mowing for at least 3 days after each application. Do not water lawns for at least 48 hours after treatment and try to treat when rain is not expected for a day or so. Repeat treatment if rain falls within that period.

Avoid treatment during extreme drought, except where lawns are irrigated. Newly seeded lawns should not be treated until they have become established and been cut at least twice; then use only the early season rate.

Lawns of fine-leaved fescues should be treated only in early spring with no more than 4 1/2 pounds of WEEDONE CRAB GRASS KILLER per 1500 sq. ft.

In case of serious overdose or severe reaction during extreme high temperatures, water thoroughly. The discoloration is usually temporary and the desirable lawn grasses should recover.

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes, or clothing. Avoid breathing chemical dust and wash hands after using. Keep children and animals off treated areas until the chemical has washed into the soil. Do not contaminate water by cleaning equipment or disposal of waste.

Do not use on St. Augustine, carpet or centipede grass lawns.

Do not use on newly seeded lawns.

Do not reuse containers. Empty when empty.

Do not use this product for purposes other than those recommended on the label.

ANTIDOTE: If taken internally, induce vomiting and call a physician at once.

WARRANTY

Amchem warrants that composition of this product conforms to the chemical description given in the ingredient statement and the product is suited for the purposes described when used according to directions. Because of the broad range of conditions which may be encountered with the use of this product, it is impossible to eliminate all risks, even though label directions are followed. Amchem therefore makes no other express or implied warranty, and no agent of Amchem is authorized to do so. Buyer agrees in purchasing this product to assume the risks and in the event of damages arising from a breach of the warranty to accept refund of the purchase price of the product as full discharge of Amchem's liability.

Form No. 25888-9-71

AMCHEM PRODUCTS, INC. AMBLER, PA.

Fremont, Calif. St. Joseph, Mo.

ACCEPTED WITH COMMENTS