

INSIDE TOP COVER

SEE

DIRECTIONS FOR USE

50 packets .175 oz. (5 grams) each

# FUMASOL-C

For Professional Use

## Water-Soluble Anti-Coagulant Concentrate For Control of Rats and Mice

Do not remove packets from box except for immediate use

ACTIVE INGREDIENT:

Sodium salt of 3-(alpha-acetonyl-furfuryl)-4-hydroxycoumarin 1.2%

INERT INGREDIENTS: 98.8%

Keep Out of Reach of Children  
**CAUTION**  
See other precautions on side panel.

### AMCHEM PRODUCTS, Inc.

Ambler, PA Clinton, IA St. Joseph, MO Fremont, CA  
EPA Reg. No. 264-95 EPA Est. 34465-PA-1



#### PRECAUTIONARY STATEMENTS

Hazard to Humans, Domestic Animals and Wildlife

#### CAUTION

Harmful if swallowed. Avoid contact with skin, eyes or clothing. Avoid inhalation of powder while mixing solutions. The active ingredient of this product is an anticoagulant chemical. If FUMASOL-C, or solutions made from it are swallowed by humans, domestic animals, pets or wildlife (clotting ability of the blood may be reduced and bleed- ing result. In such cases, intravenous and oral administration of Vitamin K combined with blood transfusions may be indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin

#### ENVIRONMENTAL HAZARD

Keep away from any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### DIRECTIONS FOR USE

Baits should be placed in areas not accessible to children, pets, wildlife and domestic animals and in tamper proof bait boxes. FUMASOL-C solutions must be used in conjunction with tamper proof bait boxes when used out-of-doors. Apply this product only as specified on this label. It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL STATEMENT

Do not reuse container. Destroy in a safe place by crushing and burying in a pit located away from water supplies.

DIRECTIONS FOR USE

SEE

INSIDE TOP COVER

#### Water-Soluble Concentrate for Liquid Baiting

- Controls Norway Rats — Roof Rats — House Mice.
- Packaged in convenient pre-measured units expressly for the Professional Operator.
- Each packet contains just the proper amount for one quart of solution — no fuss, no waste.
- Instantly soluble — hard water or soft.
- Contains preservative to maintain solutions mold-free for extra days of useful life.
- Is easy — economical — effective to use.

#### WARRANTY

Amchem warrants that composition of this product conforms to the chemical description given in the ingredient statement and the product is suited for the purposes described when used according to directions. Because of the broad range of conditions which may be encountered with the use of this product, it is impossible to eliminate all risks, even though label directions are followed. Amchem therefore makes no other express or implied warranty, and no agent of Amchem is authorized to do so. Buyer agrees in purchasing this product to assume the risks and in the event of damages arising from a breach of the warranty to accept refund of the purchase price of the product as full discharge of Amchem's liability.

## FUMASOL-C PACKETS DIRECTIONS FOR USE

**PREPARATION OF SOLUTION:** Dissolve contents of a FUMASOL-C packet in one quart of water.

**PLACE BAIT SOLUTION** in chick founts, special purpose dispensers or tamper proof bait boxes. Use quart or pint quantities depending on the extent of rodent infestation. Mark containers so they will not be used by mistake for poultry drinking water. **PLACE SOLUTION** where rats and mice feed and water or where they travel and live. Bait solutions must be placed in cool, dark locations, and along walls or in corners.

**BAIT CONTINUOUSLY** and keep solution constantly available. Inspect each station regularly and replenish as necessary so continuity of drinking is not interrupted. FUMASOL solution must be available for at least 15 days.


**PROTECT BAIT** from children, pets and livestock. Do not place solutions where spillage would contaminate food or feed products.

**REPLACE SOLUTION** if it should become contaminated, molded, or otherwise unfit. FUMASOL-C contains a mold inhibitor and preservative to make solutions last longer.

**FOR RATS,** use one or two pint or quart bait placements at points of greatest activity. Look for such telltale signs as gnawing, tracks or trails, burrows, droppings or damage. An uninterrupted supply of bait must be available for at least 10 days.

**FOR MICE,** locate 1 pint of liquid at 8 to 10 ft. intervals where mice are active. An uninterrupted supply of bait must be maintained for at least 15 days.

**NOTE:** Target animals for FUMASOL-C rat and mousebait are: Norway rats—*Rattus norvegicus*; roof rats—*Rattus rattus*; house mouse—*Mus musculus*.



ONE PACKET  NET WEIGHT 5 GRAMS  
(.175 OZS.)

WATER-SOLUBLE ANTI-COAGULANT

Keep out of reach of children.  
**CAUTION**  
See other cautions on back of packet.

Active Ingredient:  
Sodium salt of 3-(alpha-acetonylfurfuryl)-  
-4-hydroxycoumarin ..... 1.2%  
Inert Ingredients: ..... 98.8%

**AMCHEM PRODUCTS, INC.**  
Ambler, PA. • Clinton, IA. • St. Joseph, MO. • Fremont, CA.  
EPA Reg. No. 264-95      EPA Est. 34465-PA-1

**CONTENTS** of this packet makes one quart of Rat & Mouse Bait solution. See carton label for instructions.  
**CAUTION:** Baits should be placed in areas not accessible to children, pets, wild life and domestic animals and in tamper proof bait boxes. If swallowed, FUMASOL may reduce clotting ability of blood. Vitamin K and blood transfusion, as with overdose of bishydroxycoumarin, are effective treatments. Do not reuse container. Destroy when empty.  
Form No. 3067-D 11-75

## DIRECTIONS FOR USE

**PREPARATION OF SOLUTION** — Mix 1 ounce (28.35 grams) of FUMASOL-C with 1 quart (946.35 ml) of water.

**PLACE BAIT SOLUTION** — Mix bait with special attractant or other material to prepare bait boxes, 1/2 quart or pint (118.3 ml) in size, to the extent of rodent infestation. Mark containers — they will not be used by mistake for poultry drinking water. **PLACE SOLUTION** in areas as indicated on label, where rodents are active. Bait solution should be prepared in 1 quart (946.35 ml) of water.

**BAIT CONTINUOUSLY** — Keep bait in containers available to rodents in stations and areas of infestation as necessary to maintain effective control of infestation. FUMASOL-C is a rodenticide available for use in all States.

**PROTECT BAIT** — Keep bait in protected containers. Do not place bait in areas where children, animals, poultry, birds, or feed are present.

**REPLACE SOLUTION** — Replace solution in bait boxes as needed. If solution is used in bait boxes, it may be used in other bait boxes.

**FOR RATS** — FUMASOL-C is a rodenticide for control of rats. It is effective against all species of rats. It is a contact poison and is effective against all species of rats. It is a contact poison and is effective against all species of rats.

**FOR MICE** — FUMASOL-C is a rodenticide for control of mice. It is effective against all species of mice. It is a contact poison and is effective against all species of mice.

**NOTE** — FUMASOL-C is a rodenticide for control of rats and mice. It is effective against all species of rats and mice. It is a contact poison and is effective against all species of rats and mice.

# FUMASOL-C

## Water Soluble Anticoagulant For Control of Rats and Mice

### ACTIVE INGREDIENT:

Sodium salt of 3-(alpha-acetyl-4-furfuryl)-4-hydroxycoumarin

1.2%

### INERT INGREDIENTS:

98.8%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See other precautions on right side panel



**AMCHEM PRODUCTS, INC.**

One Chem Center, Philadelphia, Pennsylvania 19106  
AMBLER, PA ■ P.O. Box 100, Jersey City, NJ 07310  
EPA Reg. No. 264-11A-1 ■ EPA Reg. No. 264-11A-2

© 1977 Amchem Products, Inc.

# UMASOL-G

## Water Soluble Anticoagulant for Control of Rats and Mice

**ACTIVE INGREDIENT:**  
 Sodium salt of 3-(alpha-acetyl-furfuryl)-4-hydroxycoumarin 1.2%

**INERT INGREDIENTS:** 98.8%

### KEEP OUT OF REACH OF CHILDREN

### CAUTION

See other precautions on right side panel



## AMCHEM PRODUCTS, INC.

Equal Opportunity Employer  
 AMBLER, PA ■ Clinton, IA ■ St. Joseph, MO ■ Fontana, CA  
 EPA Est. No. 264-PA-1 EPA Reg. No. 264-95

Net Content: 1 lb. (454 g)

### PRECAUTIONARY STATEMENTS

#### CAUTION

Avoid contact with skin and eyes. Avoid breathing dust or fumes. Avoid contact with clothing. Wash hands thoroughly after handling. Do not eat, drink, or use tobacco while using this product. The active ingredient of this product is a coumarin derivative. Coumarin derivatives are known to cause liver damage in domestic animals. Avoid contact with domestic animals. Avoid contact with children. Avoid contact with pregnant women. Avoid contact with nursing infants. Avoid contact with birds. Avoid contact with fish and aquatic life. Avoid contact with bees. Avoid contact with beneficial insects. Avoid contact with aquatic life. Avoid contact with birds. Avoid contact with fish and aquatic life. Avoid contact with bees. Avoid contact with beneficial insects.

#### ENVIRONMENTAL HAZARD

Keep away from animals, especially children and pets. Do not use in areas where animals are present. Do not use in areas where children are present. Do not use in areas where pets are present. Do not use in areas where children are present. Do not use in areas where pets are present.

#### DIRECTIONS FOR USE

Use only as directed. Do not use in areas where children are present. Do not use in areas where pets are present. Do not use in areas where children are present. Do not use in areas where pets are present. Do not use in areas where children are present. Do not use in areas where pets are present.

Keep out of reach of children. Do not use in areas where children are present. Do not use in areas where pets are present. Do not use in areas where children are present. Do not use in areas where pets are present.

#### STORAGE AND DISPOSAL STATEMENT

Store in original container. Do not use in areas where children are present. Do not use in areas where pets are present. Do not use in areas where children are present. Do not use in areas where pets are present.

#### WARRANTY

AMCHEM warrants that this product is free from adulteration and contains the amount of active ingredient stated on the label. AMCHEM does not warrant that this product will perform as represented on the label. AMCHEM does not warrant that this product will be effective against all rats and mice. AMCHEM does not warrant that this product will be effective against all rats and mice. AMCHEM does not warrant that this product will be effective against all rats and mice.