

DIRECTIONS FOR USE—AERIAL APPLICATION

WEEDS IN CROPS	AMOUNT PER ACRE WEEDONE AERO- CONCENTRATE 96	DIRECTIONS
Spring Seeded Wheat, Barley, Rye	1/3 pint	For annual broadleaf weeds. Spray after grain is fully tillered (about 4 to 6 inches tall) but before it is in the boot stage.
	1/3 to 2/3 pint	For perennial broadleaf weeds. Spray after grain is fully tillered (about 4 to 6 inches tall) and when weeds are nearing the bud stage. Do not spray grain in the boot to dough stage.
Fall Seeded Wheat, Rye	1/3 to 2/3 pint	Use the lower rate where annual broadleaf weeds are the problem. Spray in the spring before grain is in the boot to dough stage. Do not forage or graze treated grain fields within two weeks after treatment with this product. Do not feed treated straw to livestock.

WEEDS IN FALLOW LAND, GRASS PASTURES

1-1/3 to 2-2/3 pints	For annual broadleaf weeds. Spray when these weeds are young and growing vigorously.
2-2/3 to 3 pints	For perennial broadleaf weeds. Spray when these weeds are actively growing and near the bud stage. Do not graze livestock for seven days after spraying pastures with this product.

Do not plant to any crop until 3 months after treatment or until chemical has disappeared from the soil.
Do not apply when grass is in the boot to milk stage. Do not apply to newly seeded areas or after heading begins. Do not apply to pastures underseeded to clover, alfalfa, or to bent or susceptible grass pastures.

Aerial spraying is a specialized job. Secure qualified technical guidance and employ a competent, reliable applicator. Become familiar with state laws governing the use of herbicides.

TO PREPARE A SPRAY: Add one-half the required amount of oil to the spray tank, then add this product with agitation and finally the balance of the oil with continued agitation. Do not let water get into the product or the finished mixture. Use in enough oil for proper coverage.


To convert local recommendations into terms of WEEDONE AERO-CONCENTRATE 96, use the following table:

2,4-D Acid	3 lb.	2 lb.	1 lb.	1/2 lb.	1/4 lb.
WEEDONE AERO- CONCENTRATE 96	4 pt.	2-2/3 pt.	1-1/3 pt.	2/3 pt.	1/3 pt.

WEEDONE AERO-CONCENTRATE 96

2,4-D Butyl Ester for Weed Control in Small Grains.

Use in Oil Only



CAUTION: Keep out of reach of children. See other cautions on right panel.

ACTIVE INGREDIENTS:

*2,4-Dichlorophenoxyacetic acid, butyl ester 77.7%

INERT INGREDIENTS:

*2,4-Dichlorophenoxyacetic acid equivalent 62.0% by weight or 6 pounds per gallon. 22.3%

WEEDONE AERO-CONCENT ester. Special penetrants h WEEDONE AERO-CONCENT water sprays. Where water

CONTROL THESE

Annual and Bienn

- | | |
|----------------|-----------------|
| beggarticks | knotweed |
| bull thistle | lambquarter |
| burdock | mallow |
| cockle | marshelder |
| cocklebur | morningglory |
| coffeeweed | mustard |
| daisy fleabane | parsnip |
| frenchweed | peppergrass |
| galinsoga | pigweed |
| goatsbeard | prickly lettuce |
| jimsonweed | primrose |
| kochia | ragweed |

Perennial We

- | | |
|---------------------|--------------|
| artichoke | goldenrod |
| aster | ground ivy |
| Austrian fieldcress | Healall |
| bindweed | hoary cress |
| blue lettuce | horsetail |
| Canada thistle | ironweed |
| catnip | locoweed |
| chicory | nettles |
| dandelion | orange hawk |
| docks | plantains |
| dogbane | poverty weed |



AMCHEM PRODUCTS, INC.


First Name in Herbicide Research
AMBLER, PA. ■ Clinton, Iowa ■ St. Joseph, Mo. ■ Fremont, Calif.
EPA Reg. No. 264-108

WEEDONE[®]

AERO-CONCENTRATE 96

2,4-D Butyl Ester for Weed Control in Small Grains.

Use in Oil Only



CAUTION: Keep out of reach of children. See other cautions on right panel.

ACTIVE INGREDIENTS:

*2,4-Dichlorophenoxyacetic acid, butyl ester 77.7%

INERT INGREDIENTS:

*2,4-Dichlorophenoxyacetic acid equivalent 62.0% by weight or 6 pounds per gallon. 22.3%



AMCHEM PRODUCTS, INC.

First Name in Herbicide Research
 AMBLER, PA. ■ Clinton, Iowa ■ St. Joseph, Mo. ■ Fremont, Calif.
 EPA Reg. No. 264-108

GENERAL DIRECTIONS

WEEDONE AERO-CONCENTRATE 96 contains 6 pounds of 2,4-D acid equivalent per gallon as the butyl ester. Special penetrants have been added to increase its effectiveness.

WEEDONE AERO-CONCENTRATE 96 is formulated to mix in oil. It should not be used in water or oil-water sprays. Where water or oil-water carriers are required, use WEEDONE CONCENTRATE 48.

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes or clothing.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate any body of water by disposal of waste or washing of spray equipment. Do not contaminate water used for irrigation or domestic purposes. Do not apply when weather conditions favor drift of spray from areas treated.

Spray drift may injure cotton, beans, grapes, peas, tomatoes, ornamentals and many other desirable plants. Coarse sprays are less likely to drift. Do not use same spray equipment for other purposes.

Vapors from this product may injure highly sensitive plants already growing in the immediate vicinity or planted there two to three weeks after spraying. Do not use in a greenhouse. Do not store near fertilizers, seeds, insecticides or fungicides.

Do not reuse container. Destroy in a safe place. Do not burn.

Do not use this product for purposes other than those recommended on this label.

WARRANTY

Amchem warrants that composition of this product conforms to the chemical description given in the ingredient statement and the product is suited for the purposes described when used according to directions. Because of the broad range of conditions which may be encountered with the use of this product, it is impossible to eliminate all risks, even though label directions are followed. Amchem, therefore, makes no other express or implied warranty, and no agent of Amchem is authorized to do so. Buyer agrees, in purchasing this product, to assume the risks, and in the event of damages arising from a breach of the warranty, to accept refund of the purchase price of the product as full discharge of Amchem's liability.

CONTROL THESE WEEDS

Annual and Biennial Weeds

- | | | |
|----------------|-----------------|-----------------|
| beggarticks | knotweed | Russian thistle |
| bull thistle | lambsquarters | smartweed |
| burdock | mallow | sowthistle |
| cockle | marshelder | sunflower |
| cocklebur | morningglory | tumbleweed |
| coffeeweed | mustard | vervain |
| daisy fleabane | parsnip | vetch |
| frenchweed | peppergrass | wild carrot |
| galinsoga | pigweed | wild lettuce |
| goatsbeard | prickly lettuce | wild radish |
| jimsonweed | primrose | |
| kochia | ragweed | |

Perennial Weeds

- | | | |
|---------------------|-----------------|------------------|
| artichoke | goldenrod | ragweed |
| aster | ground ivy | sowthistle |
| Austrian fieldcress | Healall | stinging nettles |
| bindweed | hoary cress | tanweed |
| blue lettuce | horsetail | toadflax |
| Canada thistle | ironweed | vervain |
| catnip | locoweed | water hemlock |
| chicory | nettles | wild garlic |
| dandelion | orange hawkweed | wild onion |
| docks | plantains | wild strawberry |
| dogbane | poverty weed | wild sweetpotato |

DIRECTIONS FOR USE—AERIAL APPLICATION

WEEDS IN CROPS	AMOUNT PER ACRE WEEDONE AERO- CONCENTRATE 96	DIRECTIONS
Spring Seeded Wheat, Barley, Rye	1-3 pint	For annual broadleaf weeds. Spray after grain is fully tilled, about 4 to 6 inches tall, but before the boot stage.
	1-3 to 2-3 pint	For perennial broadleaf weeds. Spray after grain is fully tilled, about 4 to 6 inches tall, and when weeds are nearing the bud stage. Do not graze pastures in the boot to dough stage.
Fall Seeded Wheat, Rye	1-3 to 2-3 pint	Use the lower rate where annual broadleaf weeds are the problem. Spray in the spring before grain in the boot to dough stage. Do not forage or graze treated grain fields within two weeks after treatment with this product. Do not feed treated straw to livestock.

WEEDS IN FALLOW LAND, GRASS PASTURES	AMOUNT PER ACRE WEEDONE AERO- CONCENTRATE 96	DIRECTIONS
	1-1.3 to 2-2.3 pints	For annual broadleaf weeds. Spray when these weeds are young and growing vigorously.
	2-2.3 to 3 pints	For perennial broadleaf weeds. Spray when these weeds are actively growing and near the bud stage. Do not graze livestock for seven days after spraying pastures with this product.

Do not plant to any crop until 3 months after treatment. Do not graze pastures until weeds have disappeared from the soil.
Do not apply when grass is in the boot to milk stage. Do not apply to wheat, barley or rye after heading begins. Do not apply to pastures under development or to pastures with a high percentage of legume pastures.

Aerial spraying is a specialized job. Secure qualified technical guidance and employ a competent, reliable applicator. Become familiar with state laws governing the use of herbicides.

TO PREPARE A SPRAY: Add the herbicide to the required amount of water in a tank. Then add this product with agitation and shake the solution thoroughly. Do not let water get into the product or the finished mixture. Use in accordance with proper coverage.

To convert local recommendations into terms of WEEDONE AERO CONCENTRATE 96, use the following table:

2,4-D Acid	3 lb	2 lb	1 lb	1/2 lb	1/4 lb
WEEDONE AERO CONCENTRATE 96	4 pt	2-2.3 pt	1-1.3 pt	2-3 pt	1-3 pt

WEEDONE AERO-CONCENTRATE

2,4-D Butyl Ester for Weeds
Control in Small Grains.

Use in Oil Only

CAUTION: Keep out of reach of children.
See right panel.

ACTIVE INGREDIENTS:
*2,4-Dichlorophenoxyacetic acid, butyl ester

INERT INGREDIENTS:
*2,4-Dichlorophenoxyacetic acid equivalent
pounds per gallon.



AMCHEM PRODUCTS
First Name in Herbicide Research
AMBLER, PA. ■ Clinton, Iowa ■
EPA Reg. No. 264-108

WEEDONE

D-CONCENTRATE 96

Butyl Ester for Weeds
 in Small Grains.
 Oil Only

Keep out of reach of children. See other cautions.

INGREDIENTS:
 2,4-Dichlorophenoxyacetic acid, butyl ester 77.7%
INGREDIENTS: 22.3%
 2,4-Dichlorophenoxyacetic acid equivalent 62.0% by weight or 6 per gallon.

AMCHEM PRODUCTS, INC.
 First Name in Herbicide Research
 AMBLER, PA. ■ Clinton, Iowa ■ St. Joseph, Mo ■ Fremont, Calif
 EPA Reg. No. 264-108



GENERAL DIRECTIONS

WEEDONE AERO-CONCENTRATE 96 contains 6 pounds of 2,4-D acid equivalent per gallon as the butyl ester. Special penetrants have been added to increase its effectiveness. WEEDONE AERO-CONCENTRATE 96 is formulated to mix in oil. It should not be used in water or oil-water sprays. Where water or oil-water carriers are required, use WEEDONE CONCENTRATE 48.

CONTROL THESE WEEDS

Annual and Biennial Weeds

- | | | |
|----------------|-----------------|-----------------|
| beggarticks | knotweed | Russian thistle |
| bull thistle | lambs quarters | smartweed |
| burdock | mallow | sowthistle |
| cockle | marshelder | sunflower |
| cocklebur | morning glory | tumbleweed |
| yellowweed | mustard | vervain |
| Jasny theobane | parsnip | vetch |
| frenchweed | peppergrass | wild carrot |
| ginsoga | pigweed | wild lettuce |
| goosefoot | prickly lettuce | wild radish |
| greenweed | primrose | |
| kochia | ragweed | |

Perennial Weeds

- | | | |
|--------------------|-----------------|------------------|
| artichoke | goldenrod | ragweed |
| aster | ground ivy | sowthistle |
| Austrian fieldress | Healail | stinging nettles |
| bindweed | hoary cress | tanweed |
| blue lettuce | horsefall | toadflax |
| Canada thistle | ironweed | vervain |
| catnip | locoweed | water hemlock |
| chicory | nettles | wild garlic |
| dandelion | orange hawkweed | wild onion |
| docks | plantain | wild strawberry |
| dogbane | poverty weed | wild sweetpotato |

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes or clothing.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate any body of water by disposal of waste or washing of spray equipment. Do not contaminate water used for irrigation or domestic purposes. Do not apply when weather conditions favor drift of spray from areas treated.

Spray drift may injure cotton, beans, grapes, peas, tomatoes, ornamentals and many other desirable plants. Coarse sprays are less likely to drift. Do not use same spray equipment for other purposes.

Vapors from this product may injure highly sensitive plants already growing in the immediate vicinity or planted there two to three weeks after spraying. Do not use in a greenhouse. Do not store near fertilizers, seeds, insecticides or fungicides.

Do not reuse container. Destroy in a safe place. Do not burn.

Do not use this product for purposes other than those recommended on this label.

WARRANTY

Amchem warrants that composition of this product conforms to the chemical description given in the ingredient statement and that product is suited for the purpose described when used according to directions. Because of the broad range of conditions which may exist in connection with the use of this product, Amchem does not warrant that it will, even though label directions are followed. Amchem therefore makes no other express or implied warranty and the buyer of this product is authorized to do so. Buyer agrees in purchasing this product to assume the risk of the product's performance and to hold Amchem harmless from the claims of the warranty, except for the purchase price of the product as full discharge of Amchem liability.