



DIRECTIONS

To control mixed brush on utility rights-of-way, spray in the spring after hardwoods have developed full sized leaves.

Where root suckering species such as sumac, sassafras, ailanthus, locust, and black gum predominate, mix 3 gallons of ENVERT-T with 9 gallons of water for each acre to be sprayed.

Where hard-to-kill species such as red maple, ash, basswood, elm or oak are present, mix 5 to 6 gallons of ENVERT-T with 15 to 18 gallons of water for each acre to be sprayed.

Where brush is very dense and tall (25' to 30'), better results will be obtained by increasing the rate and volume to 10

gallons of ENVERT-T in 30 gallons of water per acre.

Apply through AMCHEM'S Spra-Disk® mounted on a helicopter.

Note: Better control of conifers will be obtained by using ENVERT-DT.

Always add water to ENVERT-T, never the reverse.

Aerial spraying is a specialized job. Secure qualified technical guidance for each job and employ a competent, reliable applicator. Become familiar with state laws governing the application of herbicides. Do not use aerial spraying in areas where possible drift may injure valuable crops or plants.

ENVERT-T

An "invert emulsion" formulation of 2,4,5-T. For controlling brush on utility rights-of-way with aerial applications.

CAUTION: Keep out of reach of children. See other cautions on right panel.

ACTIVE INGREDIENTS:

*2,4,5-Trichlorophenoxyacetic Acid, Butoxyethanol Ester 30.5%

INERT INGREDIENTS: 66.5%

*2,4,5-Trichlorophenoxyacetic Acid equivalent 24.3% by weight or 2 pounds per gallon.



AMCHEM PRODUCTS, INC.

First Name in Herbicide Research
AMBLER, PA. ■ Clinton, Iowa ■ St. Joseph, Mo. ■ Fremont, Calif.

EPA Reg. No. 264-125

GENERAL INFORMATION

When mixed properly, ENVERT-T makes an "invert emulsion", a thicker, more viscous spray mixture than standard water, oil or oil-water mixtures used in aerial spraying.

For maximum control of drift, ENVERT-T should be applied through AMCHEM's Spra Disk mounted on a helicopter.

MIXING SPRAYS: Add the proper amount of ENVERT-T to the mixing tank. While agitating, add the required amount of water. Always add water to ENVERT-T, never the reverse. Mechanical paddle agitators that operate independently of the pump should be used. Re-circulate through the by-pass valves until the thick emulsion is obtained. To transfer the spray mixture from mixing trucks to aircraft tanks, use a positive displacement pump with 1½ to 2 inch hose fittings on both the suction and discharge end.

U.S. Patents 2,390,841 and 2,343,297

WARRANTY

Amchem warrants that composition of this product conforms to the chemical description given in the ingredient statement and the product is suited for the purposes described when used according to directions. Because of the broad range of conditions which may be encountered with the use of this product, it is impossible to eliminate all risks, even though label directions are followed. Amchem therefore makes no other express or implied warranty, and no agent of Amchem is authorized to do so. Buyer agrees in purchasing this product to assume the risks and in the event of damages arising from a breach of the warranty to accept refund of the purchase price of the product as full discharge of Amchem's liability.

Form No. 1728E 7/73 2M TC

Printed in U.S.A.

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes, or clothing. In case of eye contact, flush with water for at least 15 minutes. In case of skin contact wash with soap and plenty of water. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARD

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate irrigation ditches or water used for irrigation or domestic purposes. Do not apply when weather conditions favor drift from treated areas. Do not use in a greenhouse. Do not use same spray equipment for other purposes. Do not use around the home, in parks or recreation areas. Do not graze dairy animals on treated areas within 6 weeks after application. Do not graze meat animals on treated areas within 2 weeks of slaughter.

PROTECTION STATEMENTS

Do not apply ENVERT-T directly to, or otherwise permit it to come in contact with cotton, okra, grapes, tomatoes, fruit trees, vegetables, flowers or other desirable crop or ornamental plants which are susceptible to 2,4,5-T herbicide. Do not permit spray mist to drift onto susceptible plants since very small quantities of the 2,4,5-T can cause severe injury during the growing or dormant periods.

Drift from aerial application may be reduced by: (1) applying as near to the target as possible in order to obtain coverage; (2) by applying 12 or more gallons of spray per acre; (3) by using 20 pounds pressure or less at the nozzle tips; (4) by using nozzles which produce a coarse spray pattern; (5) by spraying only when the wind velocity is less than 5 miles per hour; and (6) by spraying when there is not possibility for a temperature inversion at time of spraying.

Applications by aircraft, should be carried out only when there is no hazard from spray drift. Do not apply near cotton, grapes, tomatoes or near desirable 2,4,5-T susceptible crop or ornamental vegetation.

STORAGE AND DISPOSAL STATEMENTS

Do not store near fertilizers, seeds insecticides or fungicides. Do not reuse containers. Dispose empty containers by puncturing and burying, in non-cropland, away from water supplies, and follow official federal and local recommendations for container disposal. Do not burn.

Local conditions may affect the use of herbicides. Consult your State Agriculture Experiment Station, Farm Advisors, or Extension Weed Specialists for advice in selecting treatment from this label to best fit local conditions.

Be sure that use of this product conforms to all applicable laws, rules and regulations. Certain states have restrictions pertaining to application distances from susceptible crops. The applicator should follow these laws, rules or regulations exactly. Apply this product only as specified on this label.

WARRANTY

Amchem warrants that composition of this product conforms to the chemical description given in the ingredient statement and the product is suited for the purposes described when used according to directions. Because of the broad range of conditions which may be encountered with the use of this product, it is impossible to eliminate all risks, even though label directions are followed. Amchem therefore makes no other express or implied warranty, and no agent of Amchem is authorized to do so. Buyer agrees in purchasing this product to assume the risks and in the event of damages arising from a breach of the warranty to accept refund of the purchase price of the product as full discharge of Amchem's liability.

Form No. 1729E 7/73 2M TC

Printed in U.S.A.