

DIRECTIONS FOR USE

The effectiveness of this spray to prevent apple drop depends upon good spray coverage and having foliage free from mite damage, magnesium deficiency, frost injury and severe scab infection.

McINTOSH: For Immediate Market. Apply about 7 to 8 days before harvest drop normally begins. Use $\frac{1}{2}$ pint in 100 gallons of water (20 ppm). Pick fruit at proper maturity, but do not let fruit over ripen on trees. **Fruit to be Stored.** Apply spray 4 to 5 days before harvest drop normally begins. Use $\frac{1}{2}$ pint in 200 gallons of water (10 ppm). This should control drop for 2 weeks. Fruit should be picked before chemical has lost its effectiveness.

SUMMER VARIETIES: For varieties such as Early McIntosh, Melton and Wealthy, apply spray 2 weeks before harvest. Use $\frac{1}{2}$ pint in 100 gallons of water. For Williams, Early Red, use $\frac{1}{2}$ pint in 200 gallons of water and apply 2 weeks before harvest.

FALL VARIETIES: For Baldwin, Rome, Jonathan, Delicious, Spy, York and Staymen, apply spray about 2 weeks before harvest. Use $\frac{1}{2}$ pint in 100 gallons of water.

USE IN SPEED SPRAYERS: This material has been used successfully in speed sprayers both in a concentrate or dilute form. For effective spraying of this chemical with a speed sprayer, contact your local agricultural authorities.

PRECAUTIONS:

1. Time your sprays properly and use correct concentrations.
2. Do not apply more than 14 days before harvest.
3. Do not use more than one application per tree.
4. Harvest fruit when properly mature. Do not allow to become over ripe.

Form No. 996E -- 169PL

Printed in U.S.A.

USDA Reg. No. 264-150

WARRANTY: Amchem warrants that composition of this product conforms to the chemical description given in the ingredient statement and the product is suited for the purposes described when used according to directions. Because of the broad range of conditions which may be encountered with the use of this product, it is impossible to eliminate all risks, even though label directions are followed. Amchem therefore makes no other express or implied warranty, and no agent of Amchem is authorized to do so. Buyer agrees in purchasing this product to assume the risks and in the event of damage arising from a breach of the warranty to accept refund of the purchase price of the product or full discharge of Amchem's liability

NET CONTENTS $\frac{1}{2}$ PINT

FRUITONE[®]T

For Control Of
PRE HARVEST DROP OF APPLES

ACTIVE INGREDIENTS: 5.3%

*Triethanolamine salt of silvex (2-(2,4,5-Trichlorophenoxy) propionic acid)

INERT INGREDIENTS: 94.7%

*Equivalent to 3.4% silvex (2-(2,4,5-Trichlorophenoxy) propionic acid) by weight or 121 grams per gallon

CAUTION: Keep out of reach of children.
See other cautions below.

Harmful if swallowed. Avoid contact with skin, eyes or clothing.

Avoid spray drift to susceptible plants as this product may injure beans, peas, tomatoes and many ornamental plants. Do not use the same spray equipment for other purposes unless thoroughly cleaned. Do not store near fertilizers, seeds, insecticides, or fungicides. Do not contaminate water used for domestic or irrigation purposes.

Do not reuse container. Destroy when empty.

Do not use this product for purposes other than those recommended on this label.



AMCHEM PRODUCTS, INC.

Agricultural Chemicals Division • AMBLER, PENNA.

ACCEPTED

JUN 26 1969

UNDER THE FEDERAL INSECTICIDE,
FUNGICIDE AND RELATED PRODUCT ACT
FOR ECONOMIC INTEGRATION OF THE
UNITED STATES, CANADA AND MEXICO
TO WHICH NO COMMENTS.

26-1-150