


Revised FENAC GRANULAR Label

U.S.D.A. Reg. No. 264-160

August 22, 1967

Page 1.



10 Pounds

Net Weight

AMOMEN

### FENAC GRANULAR

Controls bindweed, other perennial broadleaf weeds on ditchbanks, fencerows, roadsides or similar non-cropped areas.

#### DIRECTIONS

Apply FENAC GRANULAR any time during the growing season. Rainfall after application is important for leaching the chemical into the root zone of perennial weeds. Therefore, applications made prior to the rainy season, usually early spring or fall, will give best results. Treat an extra 10 feet around patches of weeds to make sure all roots are affected.

#### Use:

150 to 200 pounds of FENAC GRANULAR per acre, or 1 to 1 1/2 pounds per square rod.

If weeds are growing in round patches, pace off the approximate distance across the patch, including an extra 10 feet around each patch. Spread FENAC GRANULAR according to the table below.

Distance across patch (weed patch plus 10 ft. on each side)	Pounds of FENAC GRANULAR
30 feet	2 1/2 to 3 1/2
60 feet	10 to 13
90 feet	22 to 30

Use the lower rate on light sandy soil or where adequate rainfall or irrigation is available to leach chemical into the root zone of weeds.

If heavy top growth of weeds is present, apply FENAC GRANULAR and then disc material into the soil. If discing is not practical, mow or burn the vegetation before applying FENAC GRANULAR.

Among the weeds controlled are:

- Field bindweed
- Leafy spurge
- Russian Knotweed

Revised FERTILIZER Label

U.S.D.A. Reg. No. 264-160

August 22, 1967

Page 2.

#### IMPORTANT

Application as directed will result in the loss of soil productivity for at least one year and possibly longer, depending on soil type and rainfall. When making applications, use precautions so that the material does not drift or wash onto fields growing susceptible crops, especially soybeans and tomatoes, during the same season.

#### WARRANTY

Anchem warrants that composition of this product conforms to the chemical description given in the ingredient statement and the product is suited for the purposes described when used according to directions. Because of the broad range of conditions which may be encountered with the use of this product, it is impossible to eliminate all risks, even though label directions are followed. Anchem therefore makes no other express or implied warranty, and no agent of Anchem is authorized to do so. Buyer agrees in purchasing this product to assume the risks and in the event of damages arising from a breach of the warranty to accept refund of the purchase price of the product as full discharge of Anchem's liability.

#### CAUTION

Keep out of the reach of children. Avoid contact with skin, eyes or clothing and do not breathe dust.

Do not contaminate water used for irrigation or domestic purposes.

Do not apply to lawns or in the root zone of trees, shrubs, crops or other desirable plants or where chemical may be washed into contact with their roots.

Thoroughly clean application equipment after each use. Do not use same equipment for spreading seeds, insecticides, herbicides or fertilizers as chemical may contaminate them and cause injury.

Do not store near fertilizers, seeds, insecticides or fungicides or use in a greenhouse.

Destroy bag by burying in a safe place. Do not burn.

Do not use this product for purposes other than those recommended on this label.

Revised PENAG GRANULAR label

U.S.D.A. Reg. No. 264-160

August 22, 1967

Page 3.

ACTIVE INGREDIENTS:

\*2,3,6-trichlorophenylacetic acid, sodium salt ..... 10.9%

INERT INGREDIENTS: ..... 89.1%

\*2,3,6-trichlorophenylacetic acid equivalent 10.0% by weight.

ACHEM PRODUCTS, INC.

Ambler, Penna.

U.S.D.A. No. 264-160