

6/17/75

20/7/75

DIRECTIONS

Apply Liquid AMIZINE in spring or early summer before weeds are 3 to 4 inches tall. For best results on larger weeds, cut or mow them to ground line and remove. Treat one or two weeks later when regrowth appears. Use Liquid AMIZINE every spring to keep ground clear of broadleaf weeds and grasses.

For conventional high volume ground sprayers, mix 9 gallons of Liquid AMIZINE in a minimum of 50 gallons of water for each acre to be sprayed. Screens in nozzles as well as those in the suction hose should be no finer than 50 mesh. Use a Tee-Jet 8002 or larger fan type nozzle or its equivalent. For knapsack sprayers, apply 1/5 gallon of Liquid AMIZINE per 1,000 sq. ft. in sufficient water for good coverage; generally 2 to 3 gallons.

Liquid AMIZINE acts slowly but thoroughly. Treated weeds start to turn white or brown within a week and are usually dead in about three weeks. Small weeds growing actively are killed more rapidly than weeds in a dormant or dried condition.

In arid areas, Liquid AMIZINE should be watered into the ground if no rain falls within a week after treatment. Liquid AMIZINE is nonflammable and does not stain metal, stone or concrete.

USING THE AMCHEM METER-MISERTM

The AMCHEM METER-MISER applicator is calibrated to accurately apply the spray mixture to the correct area, when pushed at such a speed that the spray pattern covers the entire width between the wheels. To avoid skips, walk in straight lines and over-lap wheel tracks about 3 inches.

Open valve after sprayer is in motion. Close valve before stopping sprayer.

AMOUNTS TO USE

Liquid AMIZINE	Add Water To Make	Area Covered Square Feet
1 gal	5 gal	5000
4/5 gal	4 gal	4000
3/5 gal	3 gal	3000
2/5 gal	2 gal	2000
1/5 gal	1 gal	1000

LIQUID AMIZINE[®] HERBICIDE

A GENERAL WEED KILLER

For use on substations, storage yards, driveways, parking areas, baseball diamonds and similar areas.

CAUTION: Keep out of reach of children. See other cautions on right panel.

ACTIVE INGREDIENTS:

Amitrole (3-amino-1,2,4-triazole)* 4.9%
 Simazine (2-chloro-4,6-bis-(ethylamino)-s-triazine)** 9.9%

INERT INGREDIENTS: 85.2%

*0.44 pounds per gallon

**0.88 pounds per gallon



AMCHEM PRODUCTS, INC.

A.
B.
C.
IMI
aft
flu
usi
of
spr
So

LIQUID
AMIZINE®
HERBICIDE

A GENERAL WEED KILLER

For use on substations, storage yards, driveways, parking areas, baseball diamonds and similar areas.

CAUTION: Keep out of reach of children. See other cautions on right panel.

ACTIVE INGREDIENTS:

Amitrole (3-amino-1,2,4-triazole)* 4.9%
 Simazine (2-chloro-4,6-bis-(ethylamino)-s-triazine)** 9.9%

INERT INGREDIENTS: 85.2%

*0.44 pounds per gallon

**0.88 pounds per gallon



AMCHEM PRODUCTS, INC.

First Name in Herbicide Research
 2111 N. 1st St. • P.O. Box 100 • Lincoln, NE 68501

EP-1 (Reg. No. 164-1967)

MIXING SPRAYS
SHAKE CONTAINER BEFORE USING

- A. Where hose water under pressure is available.**
 Half fill tank of METER-MISER applicator with water. Add one gallon AMIZINE. Complete filling tank with water. Rock METER-MISER back and forth several times to assure thorough mixing and then spray.
- B. Where hose water under pressure is not available, or less than a tankful is needed.**
 Pour half the required water in a bucket. Mix in correct amount of AMIZINE. Add remaining water needed. Pour into METER-MISER tank. Rock sprayer back and forth several times to assure complete mixing and then spray.

- C. Double Spray Coverage.**
 In areas where higher volume sprays are desired, or to minimize the possibility of skipped streaks, use **double coverage**. Mix spray at half-strength. Cover the area twice, first from end to end, then from side to side.

IMPORTANT: Apply spray as soon as possible after mixing. Clean sprayer after use each day by flushing several times with clean water. Before using for weed control in turf, spray out a tankful of detergent solution to thoroughly clean tank and sprayer head. Also, clean wheels thoroughly.

Some of the weeds controlled are:

- | | |
|----------------|-------------|
| bluegrass | pigweed |
| Canada thistle | quackgrass |
| chrysanthemum | ragweed |
| weed (mugwort) | smartweed |
| crabgrass | sowthistle |
| dandelion | plantain |
| foxtail | purslane |
| kochia | velvetgrass |
| lambsquarters | wild oats |
| nightshade | witchgrass |

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes or clothing.

Avoid spray drift to susceptible plants such as cotton, beans, tomatoes and ornamentals. (Coarse sprays are less likely to drift.) Do not use same spray equipment for other purposes. Do not store near fertilizers, seeds, insecticides or fungicides. Do not contaminate water used for irrigation or domestic purposes. Do not use in a greenhouse. Do not reuse container. Rinse empty container thoroughly with water and discard or bury in a safe place. Do not burn.

Do not use this product for purposes other than those recommended on this label.

WARRANTY

Amchem warrants that composition of this product conforms to the chemical description given in the ingredient statement and the product is suited for the purposes described when used according to directions. Because of the broad range of conditions which may be encountered with the use of this product, it is impossible to eliminate all risks even though label directions are followed. Amchem, therefore, makes no other express or implied warranty, and no agent of Amchem is authorized to do so. Buyer agrees in purchasing this product to assume the risks and, in the event of damages arising from a breach of the warranty, to accept refund of the purchase price of the product as full discharge of Amchem's liability.

KEEP

FROM

FREEZING