CAUTION

Avoid contact with skin, eyes or clothing. Spray contact can cause momentary irritation to eyes.

Avoid spray drift as this product may injure desirable flowers, vege tables, shrubs and turf. Do not store near fertilizers, seeds, insecticides or use in a greenhouse.

Store this container away from stoves, radiators, or any place where the temperature may go over 120 F. Never puncture this container or throw it in a fire. Do not spray near sparks or an open flame. Destroy empty container.

A method of killing weeds with the contained material is covered by U. S. Patent No. 2,670,282 owned by Amchem Products, Inc. The price at which this material was originally sold included a prepaid royalty for the right of any purchaser hereof to use the same in practicing said patented method. A non-transferable license to practice said method with material from any source may be acquired from the patent owner on written request at the same royalty rate currently being charged.

WARRANTY

Amchem warrants that composition of this product conforms to the chemical description given in the ingredient statement and the product is suited for the purposes described when used according to directions. Because of the broad range of conditions which may be encountered with the use of this product, it is impossible to eliminate all risks, even though label directions are followed. Amchem therefore makes no other express or implied warranty, and no agent of Amchem is authorized to do so. Buyer agrees in purchasing this product to assume the risks and in the event of damages arising from a breach of the warranty to accept refund of the purchase price of the product as full discharge of Amchem's

USDA Reg. No. 264-221 Form No. 2688—11-68

Allichen *

CAUTION KEEP OUT OF REACH OF CHILDREN SEE OTHER CAUTIONS ELSEWHERE ON LABEL

NET WEIGHT

1 POUND

KILLS

poison oak
poison ivy
weed grasses
in

lawns

ACTIVE INGREDIENTS

Amitrole (3-amino-1.2,4-triazole)

1.0%

INERT INGREDIENTS

99.0%

ONCHEM PRODUCTS, INC. AMBLER, PA.

Clinton, lowa • St. Joseph, Me. • Fremont, Calif.

PA-5198 -- AMCHEM 16 0Z AFRO

215-1-12.21

ACCEPTED MAY 10 1971

THE REPORT OF STATE WAS

*1.98

DIRECTIONS

A comment Acqui

trees spray at makes are a the base and up to a neight of 4 to 5 feet. Fin not spray tollage of de sarable times or shrubs

Usually poison ivy or oak leaves will turn brown within 7 to 10 days and drop soon thereafter.

Never burn dead poison my or poison oak.

Lawn Weed Grasses—Spray each clump for a few seconds . . . until a bright sheen can be seen on all leaves. Spray an extra 6 inches around clump of muhlenbergia, quack, Bermuda or bent to be sure no stolons or runners are missed. Weeds usually turn white or brown within a week and are dead in 2 to 3 weeks. Dig up sprayed quackgrass to a depth of 5-6 inches about 2 weeks after treating.

Reseed, if necessary, as soon as weeds are dead. Remove thatch, then loosen up the soil to provide a good seed bed. Spread seed, then tamp the area lightly. Keep the area moist until seeds have sprouted. Bluegrass may heal over small spots and not require reseeding.

Among the weeds controlled are:
muhlenbergia bentgrass quackgrass
Bermudagrass tall fescue orchardgrass

This product affects all turf grasses. Treat only the weed grasses you want to kill.