

ACCEPTED
MAR 26 1981
Under the Federal Insecticide, Fungicide, and Plant Growth Regulator Act
264-236

FENATROL PLUS

SUGARCANE HERBICIDE

A fortified Fenatrol weed killer for sugarcane.
Controls annual broadleaf weeds and grasses and seedling johnsongrass.

CAUTION: Keep out of reach of children.
See other cautions on right panel.

ACTIVE INGREDIENTS:
2,4-Dichlorophenoxyacetic acid, dimethylamine salt 11.9%
2,3,6-Trichlorophenoxyacetic acid, dimethylamine salt 18.6%
INERT INGREDIENTS: 69.5%
*2,4-Dichlorophenoxyacetic acid equivalent 9.9% by weight
or 0.95 lb. per gallon.
**2,3,6-Trichlorophenoxyacetic acid equivalent 15.7% by weight
or 1 1/2 lb. per gallon.
*Isomer specific by AOAC method No. 6.D01-5

IN CASE OF EMERGENCY, TELEPHONE COLLECT (24 hours a day)
IN THE USA (304) 744-3487

MADE IN U.S.A.

**UNION CARBIDE AGRICULTURAL
PRODUCTS COMPANY, INC.**

AMBLER, PA. 19002
Clinton, IA. ■ St. Joseph, Mo.

EPA Reg. No. 264-236 EPA Est. No. 264-PA-1, 264-MO-1
Refer to the first letter of the lot number for packaging location

BEST DOCUMENT AVAILABLE

GENERAL INFORMATION

FENATROL Plus controls many weeds of sugarcane. It is effective against many Early Post-emergence weeds. FENATROL Plus has a different action on several grasses than the other herbicides. It has the ability to be used in the soil where weeds are growing. When the roots of weeds come in contact with FENATROL Plus, the soil-borne plants are killed. FENATROL Plus uses the effects of 2,4-D. FENATROL Plus is applied to the soil by using seeding or broadcast methods prior to treatment. The use of 2,4-D in fall and spring application or a single application in the Spring has provided control of germinating weeds and grasses including annual grasses until the sugarcane leaves in the field are old enough to be planted. FENATROL Plus will not be controlled. The use of 2,4-D in fall and spring applications has provided a longer effect into the first planting year. The use of 2,4-D has reduced the expense of weed control practices required in the stubble.

FENATROL Plus Sugarcane Herbicide Controls These Weeds and Grasses:

Grass Weeds		Broadleaf Weeds	
Alexander grass	foxtail	chickweed	ragweed
barnyardgrass	goosegrass	dock	spiny amaranth
crabgrass	seedling johnsongrass	henbit	sowthistle
		morningglory	and other weeds
		nightshade	susceptible to 2,4-D
		purslane	

DIRECTIONS - Sugarcane

LOUISIANA

Fall Application - Plant Cane

Treat after the soil has been prepared to a depth of 2 to 3 inches. Apply evenly and follow with a row cover or mulch to retain moisture.

A. August 1 - September 15

- 1. Seeding of grasses
- 2. Apply to grasses and weeds

AMOUNTS FENATROL Plus PER BANDED ACRE

Light Textured Soils	Dark, Heavy Textured Soils
2 qt	3 qt
2 qt	3 qt

B. From September 15 until planting is completed

Apply 2 to 3 qt per acre to the surface of the soil.

Spring Application - Plant Cane

Apply in the spring after the soil has been prepared to a depth of 2 to 3 inches. Apply evenly and follow with a row cover or mulch to retain moisture.

A. When FENATROL Plus sugarcane herbicide was used in the Fall, apply treatments in the Spring on the soil to a depth of 2 to 3 inches. Apply 2 to 3 qt per acre. If you are using a product for grasses, use the same rate as was applied in the Fall.

B. When FENATROL Plus was not applied in the Fall, apply 2 to 3 qt per acre in the Spring on the soil to a depth of 2 to 3 inches. Use the higher rate on light textured soils or where johnsongrass seedlings are a major problem.

FLORIDA

Apply 2 to 3 qt per acre to the surface of the soil.

Apply in the spring after the soil has been prepared to a depth of 2 to 3 inches. Apply evenly and follow with a row cover or mulch to retain moisture.

BEST DOCUMENT AVAILABLE

264-236

**FENATROL Plus
Sugarcane Herbicide**

Controls seedling johnsongrass - the NUMBER ONE weed problem in the cane growing areas.

A single treatment has given full season control of johnsongrass seedlings; also other annual grass and broad leaved weed seedlings. Controls many annual broadleaf weeds and grasses that compete with the cane for fertilizer, moisture and light.

A clean one-package liquid herbicide ready to mix in the spray tank. Completely soluble in water.

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes or clothing.

Statement of Practical Treatment

In case of contact wash skin with soap and water; for eyes flush with water for at least 15 minutes and get medical attention.

Environmental Hazards

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Bagasse should not be used for feed or forage.

Avoid spray drift. Tests have shown that very small amounts of FENATROL Plus can injure many broadleaved plants such as tobacco, tomatoes, soybeans, cotton, most vegetables, ornamentals. Coarse sprays are less likely to drift. Do not use same sprayer for other purposes. Do not use in or near a greenhouse. Do not contaminate water used for irrigation or domestic purposes.

Do not use this product for purposes other than those recommended on this label.

STORAGE AND DISPOSAL STATEMENT

Do not store near fertilizer, seeds, insecticides, or fungicides. Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixtures, or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Reseal container and offer for reconditioning, or triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place. Do not burn.

Consult Federal, state or local disposal authorities for approved alternate procedures.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label, (b) that this product is reasonably fit for the purposes set forth in the directions for use when it is used in accordance with such directions; and (c) that the directions, warnings and other statements on this label are based upon responsible experts' evaluation of reasonable tests of effectiveness of toxicity to laboratory animals and to plants, and of residues, and upon reports of field experience. Tests have not been made on all varieties or in all states or under all conditions. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

This warrant does not extend to, and the Buyer shall be solely responsible for, any and all loss or damage which results from the use of this product (a) in any manner which is inconsistent with the label directions, warnings or cautions.

BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY, TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF OR THE REPAYMENT OF THE PURCHASE PRICE FOR THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES OF THE PURCHASE PRICE FOR THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BEST DOCUMENT AVAILABLE

264-236

86