



Registered under 7-20-41 1-1-1

March 1, 1942

October 1, 1941

Page 2.

#### Directions

Use on Lawns, Parks, Golf Courses, Athletic Fields, Industrial and Areas.

Apply 3-D WEEDONE through a broadcast spreader or sprayer, actively. Bandelion, plantain, sheep sorrel and clover are best treated in the fall or spring before flower heads develop. Winter weeds such as the chickweeds and henbit should be treated in early spring. Summer weeds such as crabgrass, knotweed and spotted spurge should be sprayed when they are small. Wild onion and wild garlic may require both fall and spring treatments for complete eradication.

Lawns to be over-seeded in the fall should be treated at least 4 weeks prior to the planned seeding date. A good rain (1 inch or more) or deep watering should occur during this period. Fall seeded lawns may be treated again the following spring.

Spring seeded lawns may be treated after the grasses have sprouted and been cut at least twice, generally 6 to 10 weeks after seeding, depending on germination and growth.

On established lawns, fall treatments fit into a good turf management program. Proper fertilization and mowing should be combined with chemical weed control to thicken the turf after weeds have died and to discourage more weeds from sprouting.

3-D WEEDONE	Area Covered	AMOUNTS TO USE	
		Meter-Miser T.M.	Pressure Sprayers*
1 pint	5,000 sq. ft.	5 gallons (1 tankfull)	10 gallons
1 quart	10,000 sq. ft.	10 gallons (2 tankfulls)	20 gallons
1 gallon	40,000 sq. ft.	40 gallons (8 tankfulls)	30-150 gallons

\*varies according to equipment used

#### MIXING SPRAYS

Fill tank of Meter Miser or pressure sprayer half-way with water. Pour in required amount of 3-D WEEDONE. Mix well. Add remainder of water and mix again. If the spray mixture is allowed to stand several hours, mix again before spraying.

15

Page 3 of 3

U. S. Patent 2,811,111

Oct. 14, 1958

Page 3.

#### Directions

Do not use this product on lawns, flower beds, or vegetable beds, or on ornamental plants, shrubs, or trees.

Do not spray on lawns during periods of drought, unless the lawn is watered thoroughly several days before treatment.

A separate sprayer should be used for weed killing because 2,4-D and related chemicals are difficult to clean from equipment.

Spray when the air is calm to avoid spray drift that might injure nearby desirable plants.

Do not use this product within the drip line of desirable trees and shrubs as injury to these plants may result.

This treatment may injure bentgrass, St. Augustine grass, centipede grass, carpetgrass, and parry seeded lawn. If it is necessary to control weeds in these types of grasses, use half the rate recommended above and make a second half rate treatment 2 to 3 weeks later. Do not use on bentgrass greens or tees.

#### CAUTIONS

Harmful if swallowed. Avoid contact with skin, eyes or clothing.

Avoid spray drift to susceptible plants as this product may injure tomatoes, beans, trees, shrubs, and flowers, and other ornamental plants. Coarse sprays are less likely to drift. Do not use spray equipment for other purposes. Do not store near fertilizers, seeds, insecticides, or fungicides. Under various conditions of use, vapors from this product may injure susceptible plants in the immediate vicinity. Do not contaminate water used for irrigation or domestic purposes. Do not use in a greenhouse.

Do not reuse container. Destroy when empty. Do not burn.

Do not use this product for purposes other than those recommended on this label.

#### WARRANTY

Archer warrants that composition of this product conforms to the chemical description given in the ingredient statement and the product is suited for the purposes described when used according to directions. Because of the broad range of conditions which may be encountered with the use of this product, it is impossible to eliminate all risks, even though label directions are followed. Archer therefore makes no other express or implied warranty, and no agent of Archer is authorized to do so. Buyer agrees in purchasing this product to assume the risks and in the event of damages arising from a breach of the warranty to accept refund of the purchase price of the product as full discharge of Archer's liability.

bindweed, (ground hellebore)

blackberry, (wild)

chickweed

clover

oil of sweet wood

Oil of Sweet Wood

chickweed

cinquefoil

clovers

dandelions

ground ivy

heartseal

heal-all

heal-it

knotted

morning glory (annual)

o. s. l.

plantain (weed, annual)

plantain

purple

sheep sorrel

speedwell (annual)

spotted spurge

wild garlic

wild onion

yarrow

Oil of Sweet Wood, Low in Water

bindweed

buttercup

burdock

chicory

cocklebur

docks

galinsoga

jewelweed

jimsonweed

knockout

lambquarter

mallow

peppergrass

pigweed

poverty weed

mint

mustard

ragweed

sartweed

thistles

vervain

vetch

wild aster

wild carrot

wild daisy

wild geranium

wild lettuce

wild radish

This product is not effective on perennial types of veronica or on weed grasses.