

14

Proposed KLEER-LOT Label

USDA Reg. No. 264-

December 4, 1968

Contents

Pounds

Amchem  
KLEER-LOT  
General Weed Killer  
for

Short Term Vegetation Control

in

Vacant Lots, Streets, Alleys, Roadsides and Fence Rows.

In Areas of Low or Seasonal Rainfall.

**ACCEPTED**  
**MAY 19 1969**  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
ED UNDER REG. NO. 264-246 SUBJECT  
TO ATTACHMENT COMMENTS.

264-246

**CAUTION:** Keep out of reach of children.  
See other cautions on side panel.

**ACTIVE INGREDIENTS:**

Amitrole (3-amino-1,2,4-triazole) - - - - - 25.0%  
Linuron (3-(3,4-dichlorophenyl)-1-methoxy-1-methyl urea) - 25.0%

**INERT INGREDIENTS:** - - - - - 50.0%

Amchem Products, Inc.  
Ambler, Pa. 19002

BEST DOCUMENT AVAILABLE

18

15

Proposed KLEER-LOT Label

USDA Reg. No. 264-246

December 4, 1968

Page 2

KLEER-LOT kills existing weeds and prevents germination of annual weeds for up to one growing season.

Runoff from KLEER-LOT treated areas will not injure trees or shrubs when applied at recommended rates.

KLEER-LOT is a combination of weed killers which knocks down growing weeds and controls germinating annuals for the season. Many perennial weeds will be burned down or killed. The residue of KLEER-LOT usually disappears from the soil within six months.

DIRECTIONS FOR USE IN CALIFORNIA

Use KLEER-LOT where short term seasonal control of annual weeds is desired without the risk of chemical-residue buildup. Apply KLEER-LOT early in the spring or at the start of the rainy season when weeds are growing rapidly but before they are 8 inches in height.

Apply 4 to 8 pounds of KLEER-LOT per acre using a spray boom or hand gun. Mix in enough water to thoroughly wet existing weed growth. Usually 20 to 100 gallons per acre is adequate. Use 8 pounds of KLEER-LOT per acre for longer term weed control or when weeds are 6 to 8 inches tall.

Add the required amount of KLEER-LOT to half the volume of water in the spray tank while agitating the mixture. Add the remainder of the water and continue agitation. Adequate mechanical or hydraulic agitation must be maintained whenever KLEER-LOT is in the spray tank.

A surfactant such as Multifilm X-77 or duPont Surfactant WK may be added to the spray mixture at 1 pint per 100 gallons spray solution.

Since KLEER-LOT kills through the foliage as well as through the roots, keep the spray solution as well as the dry powder from contacting foliage and root zones of valuable plants. Keep spray drift from valuable plants.

WEEDS CONTROLLED BY KLEER-LOT ARE:

wild oats  
lambsquarter  
pigweed  
henbit  
chickweed

peppergrass  
barnyardgrass  
foxtail  
crabgrass  
filaree  
fiddleneck

bromegrass (cheat)  
lupine  
mustard  
curled dock  
groundsel

BEST DOCUMENT AVAILABLE

15

Purposed WEEER-LOF Label

USDA Reg. No. 264-246

December 4, 1968

Page 3

LATE GERMINATING ANNUALS WHICH MAY NEED RETREATMENT:

Russian thistle  
turkey mullein

puncture vine  
Jimsonweed

CAUTION:

Harmful if swallowed. Avoid contact with skin, eyes or clothing. In case of contact wash thoroughly with soap and water.

Avoid spray drift. Coarse sprays are less likely to drift. Do not use this material to control weeds in flower or vegetable beds, field crops or in turf. Do not apply to areas underlaid by roots of desirable trees and shrubs.

Do not use same sprayer for other purposes unless thoroughly cleaned. Rinse equipment and dispose of liquid wastes in non-crop lands located away from water supplies. Do not contaminate water used for irrigation or domestic purposes. Do not store near fertilizers, seeds insecticides or fungicides or use in a greenhouse.

Do not reuse container. Destroy when empty.

Do not use this product for purposes other than those recommended on this label.

WARRANTY:

Amchem warrants that composition of this product conforms to the chemical description given in the ingredient statement and the product is suited for the purposes described when used according to directions. Because of the broad range of conditions which may be encountered with the use of this product, it is impossible to eliminate all risks, even though label directions are followed. Amchem therefore makes no other express or implied warranty, and no agent of Amchem is authorized to do so. Buyer agrees in purchasing this product to assume the risks and in the event of damages arising from a breach of the warranty to accept refund of the purchase price of the product as full discharge of Amchem's liability.

BEST DOCUMENT AVAILABLE

Proposed KLEER-LOT Label

Contents

Pounds

USDA Reg. No. 264-

December 4, 1968

Amchem

KLEER-LOT

General Weed Killer

for

Short Term Vegetation Control

ACCEPTED

MAY 19 1969

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND ROUPELICIDE ACT  
FOR TECHNICAL REASON REGISTERED  
ED UNDER NO. 264-246 SUBJECT  
TO ATTACHED COMMENTS.

In

Vacant Lots, Streets, Alleys, Roadsides and Fence Rows.

In Areas of Low or Seasonal Rainfall.

CAUTION: Keep out of reach of children.

See other cautions on side panel.

ACTIVE INGREDIENTS:

Amitrole ( 3-amino-1,2,4-triazole) - - - - - 25.0%

Linuron (3-(3,4-dichlorophenyl)-1-methoxy-1-methyl urea) - 25.0%

INERT INGREDIENTS: - - - - - 50.0%

Amchem Products, Inc.  
Ambler, Pa. 19002

Purposed WLEER-LOT Label

USDA Reg. No. 264-

December 4, 1968

Page 3

LATE GERMINATING ANNUALS WHICH MAY NEED RETREATMENT:

Russian thistle  
turkey mullein

puncture vine  
Jimsonweed

CAUTION:

Harmful if swallowed. Avoid contact with skin, eyes or clothing. In case of contact wash thoroughly with soap and water.

Avoid spray drift. Coarse sprays are less likely to drift. Do not use this material to control weeds in flower or vegetable beds, field crops or in turf. Do not apply to areas underlaid by roots of desirable trees and shrubs.

Do not use same sprayer for other purposes unless thoroughly cleaned. Rinse equipment and dispose of liquid wastes in non-crop lands located away from water supplies. Do not contaminate water used for irrigation or domestic purposes. Do not store near fertilizers, seeds insecticides or fungicides or use in a greenhouse.

Do not reuse container. Destroy when empty.

Do not use this product for purposes other than those recommended on this label.

WARRANTY:

Anchem warrants that composition of this product conforms to the chemical description given in the ingredient statement and the product is suited for the purposes described when used according to directions. Because of the broad range of conditions which may be encountered with the use of this product, it is impossible to eliminate all risks, even though label directions are followed. Anchem therefore makes no other express or implied warranty, and no agent of Anchem is authorized to do so. Buyer agrees in purchasing this product to assume the risks and in the event of damages arising from a breach of the warranty to accept refund of the purchase price of the product as full discharge of Anchem's liability.