Tre-Liola

Tree Wound Dressing

Controls regrowth of tree sprouts following proper pruning.



Healing Aid/Sprout Inhibitor

ACCE NUES

KEEP OUT OF REACH OF CHILDREN

CAUTION

ACTIVE INGREDIENT:

1-Naphthaleneacetic acid, ethyl ester 1%

. . . . 99%

- EPA Reg No 264-248AA

EPA Est. No.

GENERAL INFORMATION

Many trees produce vigorous unwanted sprouts around pruning cuts on branches, from the rootstock, and base of the trunk. These sprouts must be removed for best tree form and to allow light penetration for good fruit color.

TRE-HOLD Tree Wound Dressing treatment, combined with proper pruning techniques, reduces the number of new sprouts on bearing and non-bearing fruit trees as well as many ornamental flowering and shade trees such as:

Crabapples
Olives
Pears

Roses
-American Elm
-Chinese Elm
Sycamore

Red Maple Silver Maple Sugar Maple Water Oak

INERT INGREDIENTS:

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake the can well and spray the pruned surface from a distance of 10 to 20 inches.

Branch Pruning and Water Sprouts

Treat the pruning cuts and the surrounding bark after pruning branches or sprouts. Do not treat pruning cuts on olive branches.

For branch pruning, prune to a lateral branch as shown in the illustration Stub cuts result in maximum resprouting and leave an unsightly stub which may die back.

For water sprouts, prune flush with the lateral branch.

BEST DOCUMENT AVAILABLE



PONTES TO EATERAL BEAMEN Goldings Philosophics)



STOR CAT



WATER SPECUTS



TREATED



UNTREATED

Trunk Basal Sprouts and Root Suckers

Remove the existing sprouts and treat with TRE-HOLD.

Op plive trees, first remove the existing sprouts and allow new sprouts to grow, and then treat the new sprouts with TRE-HOLD before they become 10 inches long.

Do not treat fruit trees in blossom.

Spray pruned cuts and the surrounding bark only. Do not spray the leaves. Avoid spray drift to other plants as injury may result.

Do not treat more than once a year.

In thin bark species, sun scald may result if the number of leaves on trees or shrubs are greatly reduced from severe pruning.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals.

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin and clothing. Avoid breathing spray mist.

STATEMENT OF PRACTICAL TREATMENT

If sprayed in eyes, flush thoroughly with water and get medical attention STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Contents under pressure. Do not puncture, incinerate, or store above 120° f. Keep at room temperature as exposure to direct sunlight, radiators, stoves, hot water, and other heat may cause violent bursting.

BEST DOCUMENT AVAILABLE

1058e

PESTICIDE DISPOSAL

Securely wrap original container in several layers of newspaper and discard it in trash.

CONTAINER DISPOSAL

Replace cap and discard containers in trash.

LIMITED WARRANTY AND DISCLAIMER

"NOTICE: BUYER SHALL BE SOLELY RESPONSIBLE FOR ANY AND ALL INJURY, LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNING OR CAUTIONS."

BEST DOCUMENT AVAILABLE