

Proposed ETHEPH [®] Pineapple Label
EPA Reg. No. 264-257
October 12, 1972
&
March 12, 1973

NET CONTENTS
1 GALLON

Proposed ETHEPH [®] Pineapple Label
EPA Reg. No. 264-257
October 12, 1972
&
March 12, 1973

ETHEPH [®]
PINEAPPLE GROWTH REGULATOR

DANGER: Keep out of reach of children. Corrosive.
See other warnings on side panel.

ACTIVE INGREDIENTS:	
Ethephon ((2-chloroethyl)phosphonic acid)	39.5%
INERT INGREDIENTS:	60.5%

ANCHUM PRODUCTS, INC.
INTERNATIONAL DIVISION
ANDLER, PENNA.

GENERAL INFORMATION

ETHEPH [®] pineapple growth regulator will concentrate fruit maturity by stimulating uniform initiation of flower buds and by stimulating uniform ripening of pineapple fruit.

When ETHEPH is applied to pineapples, the chemical decomposes within the plant tissue to release ethephon, a naturally occurring ripening stimulant.


DIRECTIONS - FRUIT RIPENING

Apply 1/2 to 1 quart of ETHEPH as a broadcast spray, thoroughly covering both foliage and fruit. Use the higher rate during periods of cool or cloudy weather when normal ripening has slowed. The spray volume should be 100 to 250 gallons of water per acre. Fruit may not be harvested until at least one week after ETHEPH is applied. Mature fruit should be harvested at optimum ripeness.

DIRECTIONS - FLOWER BUD INITIATION

Apply 2 to 4 quarts of ETHEPH in 100 to 250 gallons of water per acre. Treat vegetatively mature plants, generally 6 to 8 months prior to desired marketing date. Proper rate will vary according to local growing conditions, varieties, plantation management practices, and time of year. Use the higher rate where earlier harvest is desired. Apply when pineapple foliage is dry.

NOTE: Mix only the amount of spray to be used that day.



Proposed EINECS[®] Pineapple Label
EPA Reg. No. 264-257
October 12, 1972

Page 3

DANGER

KEEP OUT OF REACH OF CHILDREN. CORROSIVE. CAUSES EYE DAMAGE AND SKIN IRRITATION. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WEAR GOGGLES OR FACE SHIELD AND PROTECTIVE GLOVES WHEN HANDLING. HARMFUL OR FATAL IF SWALLOWED. AVOID CONTAMINATION OF FOOD.

FIRST AID

IN CASE OF CONTACT, IMMEDIATELY FRESH EYES OR SKIN WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. FOR EYES, CALL A PRACTICAL. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE.

IF SWALLOWED, DRINK PROMPTLY A LARGE QUANTITY OF MILK, NON-FETTER, OR STEIN SOLUTION OR IF THESE ARE NOT AVAILABLE, DRINK LARGE QUANTITIES OF WATER. AVOID ALCOHOL. CALL A PHYSICIAN IMMEDIATELY.

NOTE TO PHYSICIAN

PROBABLE MEDICAL BENEFIT MAY BE OBTAINED BY USE OF CASSETTE TAPES. INCREASED AGILITY AND ENERGY SHOULD BE OBSERVED IMMEDIATELY AND CONTINUOUSLY BY THE USER.

Avoid spray drift to nearby crops as this product may cause temporary modifications in plant growth.

Do not contaminate water used for irrigation or domestic purposes.

Do not reuse empty containers. Destroy in a safe place.

Do not use this product for purposes other than those described on this label.

WARRANTY

Anchem warrants that composition of this product conforms to the chemical description given in the ingredient statement and the product is suited for the purposes described when used according to directions. Because of the broad range of conditions which may be encountered with the use of this product, it is impossible to eliminate all risks, even though label directions are followed. Anchem therefore makes no other express or implied warranty, and no agent of Anchem is authorized to do so. Buyer agrees in purchasing this product to assume the risks and in the event of damage arising from a breach of the warranty, to accept refund of the purchase price of the product as full discharge of Anchem's liability.