

DIRECTIONS

HOW TO APPLY:

For crabgrass and goosegrass control in established turf

For Crabgrass control in established turf


For the Northeast, Southern, and Central regions of the country, spread the contents of one bag (10 lbs.) evenly over 2,500 square feet. (Example, 50 ft. x 50 ft. or 25 ft. x 100 ft.)

For the Far Western region of the country (area west of the Rocky Mountains), apply contents of one and one-half bags (15 lbs.) evenly over 2,500 square feet.

For Goosegrass control or suppression in established turf

Apply contents of one and one-half bags (15 lbs.) evenly over 2,500 square feet.

Using extreme care, it is possible to apply the material on a single pass; however, to prevent skips and misses, cover the area two times, spreading half the amount from end to end, then the remainder from side to side.



Use a lawn spreader in good condition. Be sure to shut off the spreader when stopping or turning around.

Suggested spreader settings for single or criss-cross applications.

	10 lbs./2500 sq. ft.		15 lbs./2500 sq. ft.	
	Single	Criss-cross	Single	Criss-cross
Scott 20''	10	8	11 1/4	9
Scott 24''	9	6 1/2	11 1/4	8
Lawn Beauty 24''	9 1/4	7	10 1/2	8
Heritage House 20''	8	6 1/2	9	7 1/2

WHEN TO APPLY:

NO CRAB controls crabgrass seeds as they germinate. Apply to ornamental turf areas in early spring, before crabgrass sprouts, usually before Forsythia is in bloom. Spread on a calm day to avoid drift.

Where goosegrass (*Elusine indica*) is a problem usually in states east of the Mississippi River, apply NO CRAB two to four weeks after common crabgrass germinates. Since goosegrass emerges later than common crabgrass consult your lawn and garden dealer or local turf authority for the approximate date of application.

Make only one application of NO CRAB per season.

Before applying, rake the area to remove sticks, leaves or other material.

Overlap wheel tracks by two to three inches to avoid missed or overdosed strips.

Do not apply to wet grass.

Check hopper opening occasionally to be sure material is flowing freely.

Do not rake the lawn or otherwise disturb soil surface after application.

Water in lightly if no rain falls within a week after application. Do not water to the point of runoff.

NET WEIGHT: 10 POUNDS

WEEDONE-NO CRAB™

GRANULAR PREEMERGENCE CRABGRASS CONTROL HERBICIDE WITH AMEX

Controls crabgrass and goosegrass in ornamental turf areas including home lawns, golf course and athletic field.

TREATS 2,500 SQUARE FEET

CAUTION: Keep out of reach of children.

See other cautions on back of bag.

ACTIVE INGREDIENT:

Butralin [4-(1,1-dimethylethyl)-N-(1-methylpropyl)-2,6-dinitrobenzenamine] 2.3%

INERT INGREDIENTS: 97.7%



AMCHEM PRODUCTS, INC.

First Name in Herbicide Research

AMBLER, PA. ■ Clinton, Iowa ■ St. Joseph, Mo ■ Fremont, Calif

EPA Reg. No. 264-265

NET WEIGHT: 10 POUNDS

WEEDONE-NO CRAB^{T.M.}

GRANULAR PREEMERGENCE CRABGRASS CONTROL HERBICIDE WITH AMEX

Controls crabgrass and goosegrass in ornamental turf areas including home lawns, golf course and athletic field.

TREATS 2,500 SQUARE FEET

CAUTION: Keep out of reach of children.

See other cautions on back of bag.

ACTIVE INGREDIENT:

Butralin [4-(1,1-dimethylethyl)-N-(1-methylpropyl)-2,6-dinitrobenzenamine]2.3%

INERT INGREDIENTS:97.7%



AMCHEM PRODUCTS, INC.

First Name in Herbicide Research
AMBLER, PA. ■ Clinton, Iowa ■ St. Joseph, Mo ■ Fremont, Calif
EPA Reg. No. 264-265

WARRANTY

Amchem warrants that composition of this product conforms to the chemical description given in the ingredient statement and the product is suited for the purposes described when used according to directions. Because of the broad range of conditions which may be encountered with the use of this product, it is impossible to eliminate all risks, even though label directions are followed. Amchem therefore, makes no other express or implied warranty, and no agent of Amchem is authorized to do so. Buyer agrees in purchasing this product to assume the risks and in the event of damages arising from a breach of the warranty to accept refund of the purchase price of the product as full discharge of Amchem's liability.

RE-SEEDING:

This product should be used only on established turf. Do not use NO CRAB on young spring seeded turf as injury or reduced stand may result.

Wait at least 90 days from treatment before attempting to reseed.

Fine leaf fescue grasses, bentgrasses, Dichondra and vegetative strains of bermudagrass may show temporary injury when treatments are followed by excessive rains and cold temperatures. Do not apply NO CRAB in areas underlaid by roots of desirable trees or shrubs.

Buffalograss (*Buckloe dactyloides*), a specialty turfgrass of the Oklahoma area, is killed by NO CRAB Granular and should not be treated.

CAUTION


Harmful if swallowed. Avoid contact with eyes, skin or clothing.

Do not store near seeds, fertilizers, or other pesticides. Do not contaminate feed or foodstuffs.

Do not contaminate water used for irrigation or domestic purposes.

Do not reuse bag. Discard in a safe place. Do not burn.

Do not use this product for purposes other than those described on this label.



DIRECTIONS

HOW TO APPLY:

For crabgrass and goosegrass control in established turf

For Crabgrass control in established turf


For the Northeast, Southern, and Central regions of the country, spread the contents of one bag (10 lbs.) evenly over 2,500 square feet. (Example, 50 ft. x 50 ft. or 25 ft. x 100 ft.)

For the Far Western region of the country (area west of the Rocky Mountains), apply contents of one and one-half bags (15 lbs.) evenly over 2,500 square feet.

For Goosegrass control or suppression in established turf

Apply contents of one and one-half bags (15 lbs.) evenly over 2,500 square feet.

Using extreme care, it is possible to apply the material on a single pass; however, to prevent skips and misses, cover the area two times, spreading half the amount from end to end, then the remainder from side to side.



Use a lawn spreader in good condition. Be sure to shut off the spreader when stopping or turning around.

Suggested spreader settings for single or criss-cross applications.

	10 lbs./2500 sq. ft.		15 lbs./2500 sq. ft.	
	Single	Criss-cross	Single	Criss-cross
ears 20"	10	8	11 1/4	9
Scott 24"	9	6 1/2	11 1/4	8
Lawn Beauty 24"	9 1/4	7	10 1/2	8
Heritage House 20"	8	6 1/2	9	7 1/2

WHEN TO APPLY:

NO CRAB controls crabgrass seeds as they germinate. Apply to ornamental turf areas in early spring, before crabgrass sprouts, usually before Forsythia is in bloom. Spread on a calm day to avoid drift.

Where goosegrass (*Elusine indica*) is a problem, usually in states east of the Mississippi River, apply NO CRAB two to four weeks after common crabgrass germinates. Since goosegrass emerges later than common crabgrass consult your lawn and garden dealer or local turf authority for the approximate date of application.

Make only one application of NO CRAB per season.

Before applying, rake the area to remove sticks, leaves or other material.

Overlap wheel tracks by two to three inches to avoid missed or overdosed strips. Do not apply to wet grass.

Check hopper opening occasionally to be sure material is flowing freely.

Do not rake the lawn or otherwise disturb soil surface after application.

Water in lightly if no rain falls within a week after application. Do not water to the point of runoff.

NET WEIGHT: 10 POUNDS

WEEDONE-

GRANULAR PREEMERGE CONTROL HERBICIDE W/

Controls crabgrass and goosegrass in
ornamental turf areas including
golf course and athletic fields

TREATS 2,500 SQ. FT.

CAUTION: Keep out of reach of children.

See other cautions on back of bag.

ACTIVE INGREDIENT:

Butralin [4-(1,1-dimethylethyl)-N-(1-methyl-2,6-dinitrobenzenamine)]

INERT INGREDIENTS:



A ROEHLER-AMCHEM COMPANY



AMCHEM F

First Name in Herbicide Research
AMBLER, PA ■ Clinton, Iowa

EPA Reg. No. 264-265

33

BEST DOCUMENT AVAILABLE

NET WEIGHT: 10 POUNDS

WEEDONE-NO CRABTM

GRANULAR PREEMERGENCE CRABGRASS CONTROL HERBICIDE WITH AMEX

Controls crabgrass and goosegrass in ornamental turf areas including home lawns, golf course and athletic field.

TREATS 2,500 SQUARE FEET

CAUTION: Keep out of reach of children.

See other cautions on back of bag.

ACTIVE INGREDIENT:

Butralin [4-(1,1-dimethylethyl)-N-(1-methylpropyl)-2,6-dinitrobenzenamine] 2.3%

INERT INGREDIENTS: 97.7%



AMCHEM PRODUCTS, INC.

First Name in Herbicide Research
AMBLER, PA ■ Clinton, Iowa ■ St. Joseph, Mo ■ Fremont, Calif
EPA Reg. No. 264-265

WARRANTY

Amchem warrants that composition of this product conforms to the chemical description given in the ingredient statement and the product is suited for the purposes described when used according to directions. Because of the broad range of conditions which may be encountered with the use of this product, it is impossible to eliminate all risks, even though label directions are followed. Amchem therefore, makes no other express or implied warranty, and no agent of Amchem is authorized to do so. Buyer agrees in purchasing this product to assume the risks and in the event of damages arising from a breach of the warranty to accept refund of the purchase price of the product as full discharge of Amchem's liability.

RE-SEEDING:

This product should be applied to established turf. Do not apply to young spring seeded turf. Reduced stand may result. Wait at least 90 days before attempting to reseed. Fine leaf fescue grass, Dichondra and velvet bermudagrass may show injury when treatments are applied. Do not apply NO CRAB to areas overlaid by roots of desirable shrubs. Buffalograss (Buckloe specialty turfgrass of this area, is killed by NO CRAB and should not be treated.

CAUTION

Harmful if swallowed. Avoid contact with eyes, skin or clothing. Do not store near seeds or other pesticides. Do not use on feed or foodstuffs. Do not contaminate water by irrigation or domestic purposes. Do not reuse bag. Dispose of in proper place. Do not burn. Do not use this product for purposes other than those described.

ACCEPTED
MAR 2 1976
Under the Federal Insecticide, Fungicide, and Rodenticide Act, this pesticide is registered under EPA Reg. No. 264-265

BEST DOCUMENT AVAILABLE

NO CRAB^{T.M.}

CE CRABGRASS H AMEX

segrass in
ding home lawns,
ld.

UARE FEET

ch of children.
of bag.

ylpropyl)-
.....2.3%
.....97.7%

RODUCTS, INC.

earch
■ St Joseph, Mo ■ Fremont Calif

34

WARRANTY

Amchem warrants that composition of this product conforms to the chemical description given in the ingredient statement and the product is suited for the purposes described when used according to directions. Because of the broad range of conditions which may be encountered with the use of this product, it is impossible to eliminate all risks, even though label directions are followed. Amchem therefore, makes no other express or implied warranty, and no agent of Amchem is authorized to do so. Buyer agrees in purchasing this product to assume the risks and in the event of damages arising from a breach of the warranty to accept refund of the purchase price of the product as full discharge of Amchem's liability.

RE-SEEDING:

This product should be used only on established turf. Do not use NO CRAB on young spring seeded turf as injury or reduced stand may result.

Wait at least 90 days from treatment before attempting to reseed.

Fine leaf fescue grasses, bentgrasses, Dichondra and vegetative strains of bermudagrass may show temporary injury when treatments are followed by excessive rains and cold temperatures. Do not apply NO CRAB in areas underlaid by roots of desirable trees or shrubs.

Buffalograss (Buckloe dactyloides), a specialty turfgrass of the Oklahoma area, is killed by NO CRAB Granular and should not be treated.

CAUTION

Harmful if swallowed. Avoid contact with eyes, skin or clothing.

Do not store near seeds, fertilizers, or other pesticides. Do not contaminate feed or foodstuffs.

Do not contaminate water used for irrigation or domestic purposes.

Do not reuse bag. Discard in a safe place. Do not burn.

Do not use this product for purposes other than those described on this label.

