

RHÔNE-POULENC AG COMPANY

Certification of Compliance Statement

I, being an authorized representative of Rhône-Poulenc Ag Company, certify that all containers of WEEDONE® Super BK32 Woody Plant Herbicide, EPA Reg. No. 264-307/24 produced by June 15, 1994, will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all containers of said product sold or distributed by this company by January 1, 1995 will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products.

Company Representative: Karen S. Shearer

Title: Registration Manager

Karen S. Shearen Date: February 26, 1993

WEEDONE® SUPER BK-32

Woody Plant Herbicide

Controls unwanted trees, shrubs, and vines in fencerows, roadsides, vacant lots and similar non-crop areas

ACTIVE INGREDIENTS

*2, (2,4-Dichlorophenoxy) propionic acid equivalent 11.5% by weight or 0.95 pounds per gallon.

**2,4-Dichlorophenoxyacetic acid equivalent 11.5% by weight or 0.95 pounds per gallon.

*Isomer specific by A.O.A.C. method 6.DO1-5

EPA Reg. No. 264-307

EPA Est. No.264-PA-1, 2164-MO-1

KEEP OUT OF REACH OF CHILDREN CAUTION

For PRODUCT USE Information Call 1-800-334-9745
For EMERGENCY Information ONLY Call 24 Hours A Day 1-800-334-7577
FOR ADDITIONAL PRECAUTIONARY STATEMENTS: See Inside Label

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: If patient is conscious and alert, give 2-3 glasses of water to drink. Do not induce vorniting. Get medical attention.

IF ON SKIN: Wash skin with plenty of soap and water, if available, while removing contaminated clothing and shoes. Wash clothing separately before reuse.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration. Administer oxygen if necessary. Get medical attention.

NOTE TO PHYSICIAN: No specific antidote is available. All treatments should be based upon observed signs and symptoms of distress in the patient. Overexposure to materials other than this product may have occurred.

This product contains petroleum distillates. If large amounts (greater than 1 ml/kg body weight) of the product have been ingested, the stomach should be evacuated by gastric intubation with the aid of a cuffed endotracheal tube to prevent aspiration of petroleum distillates. After removal of stomach contents, wash stomach by instilling 30-50 grams of activated charcoal in 3-4 ounces of water through the stomach tube and again remove stomach contents. Avoid oily laxatives.

PRECAUTIONARY STATEMENTS

CAUTION HAZARD TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed or inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush skin or eyes with plenty of water. Get medical attention if irritation persists. Contact petroleum distillates.

When moting, tracking, or applying this product, were long-sleeped shift (ping penter socks, shows and chamical real-test gloves half?)
After using this product, those gloves before removing, remove clothing and learnest separately before reliable and provide the coupling which hands and supposed aking with soop and waters. Flemove esturated cirching as soon as possible and of convergences.

Note: (1) For containers over 1 gation, but less than 5 galloner personal apparation pouring of the product mass also were to chamical resistant appoint. (2) For containers of 5 gallone or more the place transfer transfer produce and person pulse by 100 of transfer the container. If the consents of a non-reliable position container are engaged, the vacual mass to a power terrors.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Deep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from treated areas. Do not contaminate any body of water by washing of spray equipment or disposal of waste.

USE PRECAUTIONS

Avoid spray drift to susceptible plants such as cotton, beans, tomatoes, tobacco, and ornamentals as this product may cause injury. Coarse sprays are less likely to drift. Do not use same spray equipment for other purposes.

Under very high temperature of use, vapors from this product may injure susceptible plants in the immediate vicinity.

Do not contaminate water used for irrigation or domestic purposes. Do not use in or near a greenhouse.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read entire label before using this product.

POTENTIAL PROPERTY CONTRACTOR OF THE PROPERTY OF THE POTENTIAL PROPERTY OF THE POTENTY OF

STORAGE AND DISPOSAL

STORAGE

Do not store near fertilizers, seeds, insecticides, or fungicides.

PESTICIDE AND CONTAINER DISPOSAL

Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.

FOLIAGE SPRAY: Spray WEEDONE® SUPER BK-32 Woody Plant Herbicide after brush foliage is fully developed in the spring until plants begin to go dormant in the fall. All leaves, stems, and suckers should be wet thoroughly to ground line. Some regrowth may be expected on resistant species such as ash, blackberry, maple, oak, and persimmon. Treat any regrowth the following season.

BASAL SPRAY: Wet the lower 18 inches of all stems until material runs down in all sides and collects around the root collar at ground line. This treatment can be applied in any season.

STUMP SPRAY: To prevent stumps from resprouting, spray the entire stump, particularly bark and exposed roots. Spray stumps any time during the year, but as soon as possible after trees are cut. A thorough drenching is essential for complete control.

CONCENTRATE STUMP TREATMENT: For small (up to 3 inch diameter) stems, cut them as close to the ground as possible and apply undiluted WEEDONE® SUPER BK-32 directly from the can to the surface of the freshly cut stump.

FRILL TREATMENT: This method is recommended for trees 5 to 6 inches in diameter and larger. Make frill by using an axe to cut overlapping notches in a continuous ring around the trunk near its base. Cut through the bark but do not remove chips. Treat freshly cut frills at any time during the year with 1 pint of WEEDONE® SUPER BK-3 2 Herbicide per 2 gallons of water. Pour in as much of this mixture as the frill will keld without wasting chemical.

AMOUNT TO USE (Knapsack Sprayers) Mix thoroughly before using.

METHOD	WEEDONE® SUPER BK-32	DILUENT'
Foliage spray	4 Ounces (1/2 cup)	2 1/2 Gais Weter
	1/2 Pint	5 Gals. Water
Basal spray	1 Pint	2 1/2 Gals. Diesel Oil c. Keroscr.c
Stump spray	1 Pint	2 1/2 Gals. Diese! Oil or Kerosene

WEEDONE SUPER BK-32 Woody Plant Herbicide '3 effective for controlling:

alder dogwood poplar ash* elderberry raspberry aspen elms salmonberry bear clover fie sassafras birch gooseberry serviceberry blackberry honeysuckle spicebush black cherry interior live oak spruce black locust kudzuvine sumac black oak sassafras sweetgum boxelder madrone sycamore buckbrush manzanita tanoak canyon live oak maples* tulip poplar ceanothus oaks virginia creeper chamise osage orange wild cherry chinquapin persimmon* wild grape coffeeberry pine wild rose currant poison ivy willow dewberry poison oak yerba santa (And many other similar species)

WEEDONE® SUPER BK-32 Woody Plant Herbicide is not recommended for weed control in crops.

When diluting, the material must be mixed thoroughly before using. If the material is allowed to stand for any length of time after dilution, it should be stirred again before using.

^{*}Controlled by stump or basal treatment only.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use when it is used in accordance with such directions; and (c) that the directions, warrings and other statements on this label are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops, and upon reports of field experience. Tests have not been made on all varieties or in all states or under all conditions. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE, ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, Al!D IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SH. 1'. BE JOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

NOTICE TO BUYER

Purchase of this material does not confer any rights under patents governing this product or the use thereof in countries outside of the United States.

RHONE-POULENC AG COMPANY P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, N. C. 27709

WEEDONE is a registered trademark of Rhone-Poulenc MADE IN U.S.A.

WEEDONE® SUPER BK-32 (PENDING) Submitted 2/26/93.

