

DIRECTIONS FOR USE

Use on lawns, parks, golf courses, athletic fields, industrial turf areas.

Apply WEEDONE DP herbicide any time broadleaf weeds are growing actively. Dandelion, plantain, wood sorrel and clovers are best treated in the fall or in spring before flower heads develop. Winter weeds such as chickweeds and henbit should be treated in early spring. Summer weeds such as oxalis, knotweed and spotted spurge should be sprayed when they are small in areas with extended growing seasons such as California. Treatment in both spring and fall may be needed to control more resistant species.

Lawns to be overseeded in the fall should be treated at least 4 weeks before the planned seeding date. A good rain of 1/4 inch or more or deep watering should occur during this period. Fall-seeded lawns may be treated the following spring.

Spring-seeded lawns may be treated after the grasses have sprouted and been cut at least twice, generally 6 to 10 weeks after seeding, depending on germination and growth rate.

For established lawns, fall treatment fits into a good turf management program. Proper fertilization and mowing should be combined with chemical weed control to thicken the turf after weeds have died and to discourage more weeds from invading.

AMOUNT TO USE

WEEDONE DP Herbicide	Area to be treated	Water Pressure	Water
1/2 pint	1000 sq. ft.	High	10 gal.
1 pint	2000 sq. ft.	Medium	20 gal.
1 quart	4000 sq. ft.	Low	40 gal.

MIXING SPRAYS: Fill tank of METER-MISE or applicator or sprayer halfway with water. Pour in required amount of WEEDONE DP herbicide. Mix well. Add remainder of water and mix again. If the spray mixture is allowed to stand several hours, mix again before spraying.

HOSE ATTACHED SPRAYERS LAWN MODELS

Use 3 tablespoons of WEEDONE DP herbicide diluted with water to the 3 to 5 gallon mark on the sprayer tank for each 500 square feet (25' x 20') of lawn area to be sprayed. Adjust water pressure so that spray streams are 10 to 15 feet with no misting.

IMPORTANT

Do not use WEEDONE DP herbicide for controlling weeds in flower or vegetable beds, in shrub or ornamental plantings, or on clover or dichondra lawns. No weed spraying should be attempted during drought periods unless the lawn is watered thoroughly several days before treatment. A separate sprayer should be kept for killing weeds because 2,4-D and related chemicals are difficult to clean from equipment. **Spray when the air is calm to avoid spray drift that might injure nearby desirable plants.**

This treatment may injure bentgrass, St. Augustine grass, centipede grass, carpetgrass, and newly seeded lawns. If it is necessary to control weeds in these grasses, use half the rate recommended above and make a second half-rate treatment 2 to 3 weeks later. Do not use on bentgrass, greens or tees.

WEEDONE DP Herbicide Common lawn weeds

Annual weeds	Chickweed	Plantain
Perennial weeds	Dandelion	Spurge
Winter weeds	Henbit	Spotted spurge
Summer weeds	Oxalis	Wood sorrel

*Treat in spring and again in fall.

Other weeds found in lawns

Annual weeds	Crabgrass	Vervain
Perennial weeds	St. Johnswort	Witch
Winter weeds	Plantain	Wick
Summer weeds	Oxalis	Wild geranium
Other weeds	Spurge	Wild lettuce

This product is not effective on perennial weeds such as wild grasses.

WARRANTY

The manufacturer warrants that composition of this product conforms to the chemical description given in the ingredient statement and the product is suited for the purposes described when used according to directions. Because of the broad range of conditions which may be encountered with the use of this product, it is impossible to eliminate all risks, even though label directions are followed. The manufacturer therefore makes no other express or implied warranty, and no agent of the manufacturer is authorized to do so. Buyer agrees, in purchasing this product, to assume the risks and in the event of damages arising from a breach of the warranty to accept refund of the purchase price of the product as full discharge of the manufacturer's liability.

NET CONTENTS

1 - GAL.

WEEDONE DP

HERBICIDE

FOR TURF WEED CONTROL

PRECAUTIONARY STATEMENTS
Hazard to Humans and Domestic Animals

CAUTION

Harmful if swallowed or inhaled. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. In case of contact immediately flush skin or eyes with plenty of water. Get medical attention if irritation persists. Contains petroleum distillates. If swallowed, do not induce vomiting. Get immediate medical attention.

CAUTION:

Keep out of reach of children
See other cautions on side panel

ACTIVE INGREDIENTS:

2,4 - dichlorophenoxyacetic acid butoxyethyl ester*	16.7%
2 - (2,4-Dichlorophenoxy) propionic acid butoxyethyl ester**	16.4%

INERT INGREDIENTS: 66.9%

*2,4 - dichlorophenoxyacetic acid equivalent 0.95 pounds per gallon or 11.5% by weight
 **2 - (2,4-Dichlorophenoxy) propionic acid equivalent 0.95 pounds per gallon or 11.5% by weight

*isomer specific by A.O.A.C. method 6.D01-5

Made in U.S.A.



AGRICULTURAL PRODUCTS COMPANY, INC.
AMBLER, PA. 19002

Clinton, IA St. Joseph, MO Fremont, CA

EPA Reg. No. 264-308



EPA Est. No. 264-PA-1, 264-MO-1, 264-CA-1

Refer to the first letter of the number for packaging location

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from treated areas. Do not contaminate any body of water by washing of spray equipment or disposal of waste.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Avoid spray drift to susceptible plants such as cotton, beans, tomatoes, tobacco and ornamentals as this product may cause injury. Coarse sprays are less likely to drift. Do not use same spray equipment for other purposes.

Under very high temperature of use, vapors from this product may injure susceptible plants in the immediate vicinity.

Do not contaminate water used for irrigation or domestic purposes. Do not use in or near a greenhouse.

Do not use this product for purposes other than those recommended on this label.

STORAGE AND DISPOSAL STATEMENTS

Store in original container. Do not use if container is damaged or leaking. Do not use if contents are solid, frozen, or otherwise unusable.

Product conforms to statement and the used according to which may be used to eliminate a manufacturer and no agent of our having the and no firm. have made of the.