RHÔNE-POULENC AG COMPANY

Certification of Compliance Statement

I, being an authorized representative of Rhône-Poulenc Ag Company, certify that al! containers of WEEDONE® Weed & Feed Herbicide, EPA Reg. No. 264-309, produced by June 15, 1994, will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that al! containers of said product sold or distributed by this company by January 1, 1995 will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products.

Company Representative: Karen S. Shearer

Title: Registration Manager

Signature: Karen S. Sheare Date: February 26, 1993

264-MO-01

EPA Est. No.

WEEDONE® 20 Weed & Feed

Post Emergence Broadleaf Herbicide with Fertilizer

For Lawn Weed Control With 22-5-7 Fertilizer. Iron Added For A Greener Lawn.			
2,4-Dichlorophenoxyacetic acid, butoxyethyl ester*	1.38%		
2-(2,4-Dichlorophenoxy)propionic acid, butoxyethyl ester**	1.35%		
NERT INGREDIENTS:			
*2,4-Dichlorophenoxyacetic acid equivalent 0.95% by weight; Isomer specific by A.O.A.C	C. Method No. 6.D01-5		
** 2-(2,4-Dichlorophenoxy)propionic acid equivalent 0.95% by weight.			
Fertilizer guaranteed analysis, 20-5-7:			
Total nitrogen(N), 50% from urea(ureaform)	22.0%		
6.4% water insoluble nitrogen			
Available phosphoric acid(P O)	5.0%		
Soluble potash (K O)	7.0%		
Iron (Fe)	0.1%		

KEEP OUT OF REACH OF CHILDREN CAUTION

For MEDICAL and TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577
For PRODUCT USE Information Call 1-800-334-9745

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Get medical attention.

IF ON SKIN: Wash skin with plenty of soap and water, if available, while removing contaminated clothing and shoes. Wash clothing separately before reuse.

NOTE TO PHYSICIAN: No specific antidote is available. All treatments should be based upon observed signs and symptoms of distress in the patient. Overexposure to materials other than this product may have occurred.

PRECAUTIONARY STATEMENTS

CAUTION

Reg.

No.

264-309

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Hamiful II swallowed. Avoid contact with eyes, skin or clothing. When using this profess, wear long-sleeved shirt, long panils, social shoes.

After using this product, remove ciothing and launder separately before reuse, and promptly and thoroughly wash hands and CLULUX skill with soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Runoff may adversely affect fish, aquatic invertebrates and non-target plants. On not contaminate water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate water when disposing of equipment washwaters.

IMPORTANT: Avoid drift by applying when the air is still. Do not use in vegetable or flower gardens, or on broadleaf ground covers including lippia and dichondra. Accidental contact could injure or kill desirable ornamental plantings or vegetables. Do not use in or near a greenhouse.

DIRECTIONS FOR USE

it is a violation of federal law to use this product in a manner inconsistent with its labeling.

Read entire label before using this product.

STORAGE AND DISPOSAL

STORAGE

Store in original container in a dry secured storage area.

PESTICIDE AND CONTAINER DISPOSAL

Do not reuse beg. Securely wrap original container in several layers of newspaper and discard in trash.

WHEN TO USE

WEEDONE® 20 Weed & Feed herbicide/fertilizer can be applied whenever weeds are noticed, but is most effective in early fall or in spring when warm weather and adequate soil moisture encourage weed and turf growth.

Results are best if fo¹iage is damp or wet when treated. Do not apply WEEDONE® 20 during periods of extreme heat or drought, or if rain is expected within 24 hours.


HOW TO APPLY

Be sure that the correct amount of WEEDONE® 20 Weed & Feed herbicide/fertilizer is applied to the area specified and that it is applied uniformly. Check the spreader's output by treating a small measured area. Crisscross from end to end and then from side to side.

When treating an entire lawn, estimate the area to be treated and cover it by crisscrossing in the same manner. Overlap wheel tracks slightly, by about 2 inches, to avoid missing strips. If grass is wet, check hopper openings occasionally to be sure material is flowing freely. Remember to shut the spreader off when stopping or turning around. The amount a spreader drops depends partly on its age and condition (openings may be clogged or enlarged), the speed of operation or jouncing over bumpy ground. Adjust the spreader setting to cover the area desired at the rate specified.

New lawns can be treated after they become established and have been mowed 2 or 3 times.

Avoid drift to sensitive plants by making application when air is calm. Do not apply WEEDONE® 20 Weed & Feed herbicide/fertilizer to vegetables, flowers, shrubs or other desirable plants.



GENERAL INFORMATION

Apply WEEDONE® 20 Weed & Feed with a spinner or drop-type spreader. Use product as purchased. Do not mix with water or of envise dilute it.

WEEDONE® 20 Wood & Food herbicide/fertilizer will control:

dandelions

clovers

chickweeds

plantains

annual oxalis

wild garlic

and many other weeds in lawns.

A single application also fertilizes and thickens turl grasses including:

bluegrasses

fescues

bentgrasses

termudagrasses

zoysias

St. Augustinegrass

WEEDS CONTROLLED BY WEEDONE * 20 WEED & FEED

beggarticks bindweed black medic bull thistle

buttercup chickweed (common, mouseear)

chicory

com speedwell

cranesbill (Carolina geranium)

cudweed dandelion dock evening primrose false dandelion Florida pusley

pround ivy hawkweed healall henbit

)

knotweed (young)

kochia lambquarters lespedeza

little starwort (stichwort)

mallow (cheeses) morningglory mustard oxalis (annual) peppergrass

plantain (broadlesf, buckhorn)

poorjoe ragweed smartweed soliva sowthistle vetch wild carrot wild garlic wild lettuce wild radish

pigweed

AMOUNT TO USE

TURF	RATE (1000 SQ. FT.)	17 LB. BAG COVERS	COMMENTS
bluegrass, fescues, most bermudagrasses, zoysias	3.375 lbs.(3 lbs. 6 ozs.)	5,000 sq. ft.	Single pass with spinner type; Crisscross with drop type spreader.
bentgrass, St. Augustine grass*, centipedegrass, sensitive strains of bermudagrass		10,000 sq. ft.	Single pass with drop type spreader only; Repeat in two weeks.

^{*}St. Augustine grass is sensitive to most herbicides and may be injured.

The maximum number of broadcast applications per treatment site is 2 per year. This does not exclude applications.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants that this product conforms to the chemical description on the label; that this product is reasonably fit for the purposes set forth in the directions for use when it is used in accordance with such directions; and that the directions, warnings and other statements on this label are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues of food crops and upon reports of field experience. Tests have not been made on all varieties or in all states or under all conditions. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE, ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

NOTICE TO BUYER

)

Purchase of this material does not confer any rights under patents governing this product or the use thereof in countries outside of the United States.

Rhône-Poulenc Ag Company
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
WEEDONE is a registered trademark of Rhône-Poulenc
©1990 Rhône-Poulenc Ag Company
Made in U.S.A.

WEEDONE® 20 Weed & Feed Herbicide (PENDING) Submitted 2/26/93.

** **