

# WEEDONE™ HG

NET WEIGHT **HERBICIDE**

13.8 LBS

**FOR LAWN WEED CONTROL**

**CAUTION:** Keep Out of Reach of Children  
See Back Panel for Additional Cautions

WEEDONE HG herbicide will selectively kill or suppress broadleaf weeds such as dandelion, plantains, chickweeds, clovers and many others

This material should be applied with a cyclone type or drop type lawn spreader. Follow spreader manufacturer's directions for application of dry weed killers.

This package contains enough for 1 application to 5,000 square feet of lawn. Use WEEDONE HG herbicide as purchased; do not mix with water or otherwise dilute it.

Treats 5,000 Sq. Ft. of Lawn Area

**ACTIVE INGREDIENTS:**

2,4 - Dichlorophenoxyacetic acid*, butoxyethyl ester	2.32%
2 - (2,4 - Dichlorophenoxy) propionic acid**, butoxyethyl ester	2.28%

**INERT INGREDIENTS:**

2,4 - Dichlorophenoxyacetic acid equivalent	95.40%
2 - (2,4 - Dichlorophenoxy) propionic acid equivalent	1.60%
	1.60%

\* isomer specific by A. O. A. C. method 6.D01-5

Made in U.S.A.

CEP 100



AGRICULTURAL PRODUCTS COMPANY, INC.  
AMBLER, PA. 19002

Clinton, IA St. Joseph, MO Fremont, CA

EPA Reg. No. 264-310

EPA Est. 264-PA-1

# WEEDONE<sup>TM</sup> HG

## HERBICIDE

### FOR LAWN WEED CONTROL

Apply 1.0 lb. of active ingredient (A.I.) per 1000 sq. ft. of area to be treated. Use the following chart to determine the amount of product to apply based on the coverage of your sprayer or spreader.

Coverage	Amount of Product to Apply
1000 sq. ft.	1.0 lb. A.I.
2000 sq. ft.	2.0 lb. A.I.
3000 sq. ft.	3.0 lb. A.I.
4000 sq. ft.	4.0 lb. A.I.
5000 sq. ft.	5.0 lb. A.I.
6000 sq. ft.	6.0 lb. A.I.
7000 sq. ft.	7.0 lb. A.I.
8000 sq. ft.	8.0 lb. A.I.
9000 sq. ft.	9.0 lb. A.I.
10000 sq. ft.	10.0 lb. A.I.

#### WHEN TO USE

Apply WEEDONE<sup>TM</sup> HG to lawns in late spring or early summer. Use the following chart to determine the best time to apply based on the temperature of the air and soil.

Air Temp (°F)	Soil Temp (°F)	Best Time to Apply
50 - 60	50 - 60	Apply
60 - 70	60 - 70	Apply
70 - 80	70 - 80	Apply
80 - 90	80 - 90	Apply
90 - 100	90 - 100	Do not apply

Do not apply WEEDONE<sup>TM</sup> HG if the temperature is above 90°F. Do not apply if the soil is dry or if it has rained within 24 hours before or after application.

Repeat treatment in 4-6 weeks if heavy infestation exists. Do not apply if heavy dew or rain is expected.

#### HOW TO USE

Proper application is essential for best results. Always follow the directions on the label. Make sure that the product is applied to the area labeled and that it is applied uniformly. Check your spreader's output by treating a small measured area. Measure the amount of product applied to the area and divide the amount of product applied by the area to determine the application rate. Adjust the spreader so that the material is distributed evenly. See diagram below for proper spreader operation.

When treating an area, mark off the area to be treated and overlap the front and back passes. Mark off the area to be treated and overlap the front and back passes. Mark off the area to be treated and overlap the front and back passes.


When your lawn is a few days before treatment, you may see some weeds that were treated. Wait at least two days after a treatment before mowing.

Lawn lawns should have a well established lawn before treatment. In doubtful cases, the application should be limited.

Allow at least 3 weeks after treating with WEEDONE<sup>TM</sup> HG before replanting seed and water the area thoroughly. Grass does not fall during this period.

Bentgrass and some southern warm season turfgrasses such as St. Augustine, Bermuda and Zoysia are not injured by this product. In areas where these grasses are injured by this product, use only if weed problems are severe. Treat these grasses with caution in the spring or fall only, not during hot summer months. Apply half the recommended rate by using the same spreader setting that you use for the area only once. Repeat treatment in 4-6 weeks.

Adjust rate spreader setting\* for rotary type spreaders using class



**Note:** Do not apply WEEDONE<sup>TM</sup> HG if the temperature is above 90°F. Do not apply if the soil is dry or if it has rained within 24 hours before or after application.

#### PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

### CAUTION

Avoid contact with eyes. If dust is inhaled, avoid breathing dust. If in eyes, flush with plenty of water. Get medical attention if irritation persists. Wash hands after handling and avoid eating, drinking, or smoking after use.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not allow runoff into streams, rivers, or ponds. Do not apply to areas where runoff may occur. Do not apply to areas where runoff may occur.

#### DIRECTIONS FOR USE

Use only on lawns. Do not use on other types of turf. Do not use on lawns.

**Important:** Do not apply this product to lawns if you are pregnant or if you are nursing. Do not apply this product to lawns if you are pregnant or if you are nursing. Do not apply this product to lawns if you are pregnant or if you are nursing.

#### STORAGE AND DISPOSAL

Store in a cool, dry place. Do not store in plastic bags. Do not reuse containers. Dispose of empty containers in the trash.

#### WARRANTY

The manufacturer warrants that the composition of this product conforms to the chemical description given in the precautionary statement and the product is suited for the purposes described when used according to the label. Because of the wide range of conditions which may be encountered with the use of this product, it is impossible to make a warranty, even though label directions are followed. The manufacturer, the retailer, and other express no implied warranty, and no agent of the manufacturer is authorized to do so. Buyer agrees in purchasing this product to assume the risk, and in the event of damages arising from a breach of the warranty to accept refund of the purchase price of the product as full and final charge of the manufacturer's liability.