

10E 4
Page 3
1011-310

WEEDONE® brand HG Herbicide

Lawn Weed Control

ACTIVE INGREDIENTS:

2,4-Dichlorophenoxyacetic acid butoxyethyl ester* 2.32%
2-(2,4-Dichlorophenoxy)propionic acid butoxyethyl ester** . . . 2.28%

INERT INGREDIENTS: 95.40%

*2,4-Dichlorophenoxyacetic acid equivalent 1.60%

Isomer specific by AOAC Method 6.D01-5

**2-(2,4-Dichlorophenoxy)propionic acid equivalent 1.60%

EPA Reg. No. 264-310

EPA Est. No. 264-MO-01

KEEP OUT OF REACH OF CHILDREN
CAUTION

PRECAUTIONARY STATEMENTS: See inside booklet

IN CASE OF EMERGENCY PHONE (24 HOURS A DAY) IN U.S.A. 1-800-UCC-HELP.
FOR GENERAL INFORMATION CALL 1-800-334-9745.

ACC
JAN 22 1986
264-310P

Union Carbide Agricultural Products Co., Inc.
O. Box 12014, T. W. Alexander Drive
Research Triangle Park, NC 27709

WEEDONE is a registered trademark of Union Carbide Agricultural Products Company, Inc.

GENERAL INFORMATION

WEEDONE brand HG Herbicide will kill:

- | | | |
|---|---------------|--------------------|
| dandelions | clovers | chickweeds |
| plantains | annual oxalis | wild garlic |
| and many other weeds in lawns composed of | | |
| bluegrasses | fescues | bentgrasses |
| bermudagrasses | zoysias | St. Augustinegrass |

Apply WEEDONE brand HG Herbicide with a spinner or drop-type spreader. Use it as purchased; do not mix with water or otherwise dilute it.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

WEEDS CONTROLLED BY WEEDONE® BRAND HG HERBICIDE

- | | | |
|-----------------------------------|--------------------------------|-----------------------------------|
| Beggarticks | false dandelion | oxalis (annual) |
| bindweed | Florida pusley | peppergrass |
| black medic | ground ivy | pigweed |
| bull thistle | hawkweed | plantain (broadleaf;
Buckhorn) |
| buttercup | healall | poorjoe |
| chickweed (common; mouseear) | henbit | ragweed |
| chicory | knotweed (young) | smartweed |
| clover | kochia | soliva |
| corn speedwell | lambquarters | sowthistle |
| cranesbill (Carolina
geranium) | lespedeza | vetch |
| cudweed | little starwort
(stichwort) | wild carrot |
| dandelion | mallow (cheeses) | wild garlic |
| dock | morningglory | wild lettuce |
| evening primrose | mustard | wild radish |

WHEN TO USE

WEEDONE brand HG Herbicide can be applied whenever weeds are noticed, but is most effective in early fall or in spring when warm weather and adequate soil moisture encourage weed and turf growth.

Results are best if foliage is damp or wet when treated. Do not apply WEEDONE brand HG during periods of extreme heat or drought, or if rain is expected within 24 hours.


HOW MUCH TO USE

TURF	RATE/1000 SQ FT	10.25 LB BAG COVERS	COMMENTS
Bluegrass, fescues, most bermudagrasses, zoysia	9 lb 1 oz	5,000 sq ft	Single pass with spinner-type; crisscross with drop-type spreader
Bentgrass, St. Augustine,* centipede, sensitive strains of bermudagrass	1 lb	10,000 sq ft	Single pass with drop-type spreader only. Repeat in 2 weeks.

*St. Augustine is sensitive to most herbicides and may be injured.

HOW TO APPLY

Be sure the correct amount of WEEDONE brand HG Herbicide is applied to the area specified and that it is applied uniformly. Check the spreader's output by treating a small measured area. Crisscross from end to end and then from side to side.



When treating an entire lawn, estimate the area to be treated and cover it by crisscrossing in the same manner. Overlap wheel tracks slightly, by about 2 inches, to avoid missing strips. If grass is wet, check hopper openings occasionally to be sure material is flowing freely. Remember to shut the spreader off when stopping or turning around.

The amount a spreader drops depends partly on its age and condition (openings may be clogged or enlarged), the speed of operation, or jouncing over bumpy ground. Adjust the spreader setting to cover the area desired at the rate specified.

If grass is wet, check hopper openings occasionally to be sure material is flowing freely. New lawns can be treated after they become established and have been mowed 2 or 3 times. Avoid drift to sensitive plants by making application when weather is calm. Do not apply WEEDONE® HG Herbicide to vegetables, flowers, shrubs, or other desirable plants.

PRECAUTIONARY STATEMENTS

CAUTION

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid contact with skin, eyes or clothing.

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, rinse thoroughly with water and get medical attention.

In case of skin contact, wash immediately with plenty of soap and water and remove contaminated clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water used for irrigation or domestic purposes by cleaning of equipment or disposal of waste.

IMPORTANT: Avoid drift by applying when the air is still. Do not use in vegetable or flower gardens, or on broadleaf ground covers including lippia and dichondra. Accidental contact could injure or kill desirable ornamental plantings or vegetables. Do not use in or near a greenhouse.

STORAGE AND DISPOSAL

STORAGE: Do not store near fertilizers, seed, insecticides or fungicides.

PESTICIDE AND CONTAINER DISPOSAL: Do not reuse bag. Securely wrap original container in several layers of newspaper and discard in trash.

LIMITED WARRANTY AND DISCLAIMER

NOTICE: BUYER SHALL BE SOLELY RESPONSIBLE FOR ANY AND ALL INJURY, LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

Net Contents?