



RHÔNE-POULENC AG COMPANY

Certification of Compliance Statement

I, being an authorized representative of Rhône-Poulenc Ag Company, certify that all containers of WEEDONE® HG Herbicide, EPA Reg. No. 264-310, produced by June 15, 1994, will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products. I further certify that all containers of said product sold or distributed by this company by January 1, 1995 will bear revised labeling in accordance with the revised labeling required for Task Force technical and manufacturing-use products.

Company Representative: Karen S. Shearer

Title: Registration Manager

Signature: Karen S. Shearer

Date: February 26, 1993

294

WEEDONE® HG Herbicide

Lawn Weed Control

ACTIVE INGREDIENTS:

*2,4-Dichlorophenoxyacetic acid, butoxyethyl ester.....2.32%

**2-(2,4-Dichlorophenoxy)propionic acid, butoxyethyl ester.....2.28%

INERT INGREDIENTS:

.....95.40%

*2,4-Dichlorophenoxyacetic acid equivalent 1.30% by weight

**2-(2,4-Dichlorophenoxy)propionic acid equivalent 1.60% by weight

Isomer specific by AOAC Method 6.D01-5

EPA Reg. No. 264-310

EPA Est. No. 264-MO-01

KEEP OUT OF REACH OF CHILDREN CAUTION

For **PRODUCT USE** Information Call 1-800-334-9745

For **MEDICAL and TRANSPORTATION Emergencies ONLY** Call 24 Hours A Day 1-800-334-7577

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. If patient is conscious and alert, give 2-3 glasses of water to drink. If available, give one tablespoon of Syrup of Ipecac to induce vomiting. Alternatively, induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Get medical attention.

IF ON SKIN: Wash skin with plenty of soap and water while removing contaminated clothing. Wash clothing separately before reuse.

NOTE TO PHYSICIAN: No specific antidote is available. All treatments should be based on observed signs and symptoms of distress in the patient. Overexposure to materials other than this product may have occurred.

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid contact with eyes, skin or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes.

After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

ENVIRONMENTAL HAZARD

This product is toxic to fish and aquatic invertebrates. Runoff may adversely affect fish, aquatic invertebrates and non-target plants. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate water when disposing of equipment washwaters.

IMPORTANT: Avoid drift by applying when the air is still. Do not use in vegetable or flower gardens, or on broadleaf ground covers including lippia and dichondra. Accidental contact could injure or kill desirable ornamental plantings or vegetables. Do not use in, or near a greenhouse.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until dust has settled.

STORAGE AND DISPOSAL

STORAGE

Store in original container in a dry secured storage area.

PESTICIDE AND CONTAINER DISPOSAL


Do not reuse bag. Securely wrap original container in several layers of newspaper and discard in trash.

WHEN TO USE

WEEDONE® brand HG Herbicide can be applied whenever weeds are noticed, but is most effective in early fall or in spring when warm weather and adequate soil moisture encourage weed and turf growth. Results are best if foliage is damp or wet when treated. Do not apply WEEDONE® brand HG Herbicide during periods of extreme heat or drought, or if rain is expected within 24 hours.

HOW TO APPLY

Be sure the correct amount of WEEDONE® brand HG Herbicide is applied to the area specified and it is applied uniformly. Check the spreader's output by treating a small measured area. Crisscross from end to end and then from side to side.



When treating an entire lawn, estimate the area to be treated and cover it by crisscrossing in the same manner. Overlap wheel tracks slightly, by about 2 inches, to avoid missing strips. If grass is wet, check hopper openings occasionally to be sure material is flowing freely. Remember to shut the spreader off when stopping or turning around.

The amount a spreader drops depends partly on its age and condition (openings may be clogged or enlarged), the speed of operation, or jouncing over bumpy ground. Adjust the spreader setting to cover the area desired at the rate specified.

If grass is wet, check hopper openings occasionally to be sure material is flowing freely. New lawns can be treated after they become established and have been mowed 2 or 3 times. Avoid drift to sensitive plants by making application when weather is clam. Do not apply WEEDONE® brand HG Herbicide to vegetables, flowers, shrubs or other desirable plants.

GENERAL INFORMATION

WEEDONE® brand HG Herbicide will kill dandelions, plantains, clovers, annual oxalis, chickweeds, wild garlic and many other weeds in lawns composed of bluegrasses, bermudagrasses, fescues, bentgrasses, St. Augustinegrass and zoysias.

Apply WEEDONE® brand HG Herbicide with a spinner or drop-type spreader. Use it as purchased; do not mix with water or otherwise dilute it.

WEEDS CONTROLLED BY WEEDONE® BRAND HG HERBICIDE

beggarticks	false dandelion	peppergrass
bindweed	Florida pusley	oxalis (annual)
black medic	ground ivy	pigweed
bull thistle	hawkweed	plantain (broadleaf, buckhorn)
buttercup	healall	poorjoe
chickweed (common, mouseear)	henbit	ragweed
chicory	knotweed (young)	smartweed
clover	kochia	soliva
corn speedwell	lambquarters	sowthistle
cranesbill (Carolina geranium)	lespedeza	vetch
cutweed	little starwort (stichwort)	wild carrot
dandelion	mallow (cheeses)	wild garlic
dock	morningglory	wild lettuce
evening primrose	mustard	wild radish

AMOUNTS TO USE

TURF	RATE 1000 Sq. Ft.	10.25 POUNDS BAG COVERS	DIRECTIONS
Bluegrass, fescues, most bermudagrasses, and zoysia	2 Lbs. 1 oz.	5,000 sq. ft.	Single pass with spinner-type; crisscross with drop-type spreader.
Bentgrass, St Augustine,* centipede, sensitive strains of bermudagrass.	1 Lb.	10,000 sq. ft.	Single pass with drop-type spreader only. Repeat in 2 weeks.

*St. Augustine is sensitive to most herbicides and may be injured.

The maximum number of broadcast applications per treatment site is 2 per year. This does not exclude spot treatments.

494

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants that this product conforms to the chemical description on the label; that this product is reasonably fit for the purposes set forth in the directions for use when it is used in accordance with such directions; and that the directions, warnings and other statements on this label are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops and upon reports of field experience. Tests have not been made on all varieties or in all states or under all conditions. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE, ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS, OR CAUTIONS. BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

NOTICE TO BUYER

Purchase of this material does not confer any rights under patents governing this product or the use thereof in countries outside of the United States.

Rhône-Poulenc Ag Company
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709

WEEDONE is a registered trademark of Rhône-Poulenc.
©1990 Rhône-Poulenc Ag Company
Made in U.S.A.

WEEDONE® HG Herbicide (PENDING) Submitted 2/26/93.