19 264-3.0

1945

ed Instructions on reverse before completing form. Form Approved. OMB No. 2070-0060. Approval expires11-30-93 OPP Identifier Number United States Environmental Protection Agency Registration Office of Pesticide Programs (H7505C) **Amendment** Washington, DC 20460 196621 **Application for Pesticide:** Other Section I 2. EPA Product Manager 3. Proposed Classification. 1. Company/Product Number , 264-312 Dennis Edwards Restricted 4. Company/Product (Name) 1211 SEVIN | brand 19 10% Bait Carbaryl Insecticide ac esc 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) 5. Name and Address of Applicant (Include ZIP Code) (b)(i), my product is similar or identical in composition and labeling Rhone-Poulenc Ag Company 2 T. W. Alexander Drive RTP, NC 27709 Check if this is a new address **Product Name** Section I I Final printed labels in response to Amendment - Explain below Agency letter dated Resubmission in response to Agency letter dated "Me Too" Application. Notification - Explain below. Other - explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) As required by PR Notice 93-3, the Environmental Hazards section of this NOTIFICATION: label has been amended to prohibit the application to water. PER PRINCINCE 40-0 Section III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container Yes Metal Yes\* **Plastic** No Glass No Paper If "Yes." No. per If "Yes," No. per Other (Specify) Unit Package wgt. container Package wgt. container \* Certification must be submitted. 5. Location of Label Directions 4. Size(s) of Retail Container 3. Location of Net Contents Information On Label Container On Labeling accompanying product 6. Manner In Which Label Is Affixed To Product Lithograph Other Paper glued Stenailed Section IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, boessary, to process this application, Name Telephone No. (Include Area G Larry R. Hodges 919-549-2870 Registration Manager Certification Pate Application Hecaing I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete, I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Starr.ped) both under applicable law Signature Registration Manager June 24, 1993 Larry R. Hodges

# SEVIN° brand 10% Bait Carbaryl Insecticide

# KEEP OUT OF REACH OF CHILDREN CAUTION

For <u>MEDICAL</u> and <u>TRANSPORTATION</u> Emergencies <u>ONLY</u> Call 24 Hours A Day 1-800-334-7577 For <u>PRODUCT USE</u> Information Call 1-800-334-9745

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing, drink 1 or 2 glasses of water and induce vomiting be touching the back of the throat with finger.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash thoroughly with soap and water.

IF INHALED: Move from contaminated atmosphere and call a physician.

ANTIDOTE STATEMENT

ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. See NOTE TO PHYSICIAN below.

**GENERAL** 

Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately and SHOW A COPY OF THIS LABEL TO THE PHYSICIAN.

#### NOTE TO PHYSICIAN

Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible.

Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent overatropinization. Mild cases may be given 1 to 2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg intravenously every 10 minutes until fully atropinized, then intramuscularly every 30 to 60 minutes, if needed, to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours.

Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended.

To aid in confirmation of a diagnosis, urine samples should be obtained within 24 hours of exposure and immediately frozen. Analyses will be arranged by Rhône-Poulenc Aq Company.

Consultation on therapy can be obtained at all hours by calling the Rhône-Poulenc emergency number 1-800-334-7577.

#### PRECAUTIONARY STATEMENTS

#### CAUTION

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

MAY BE HARMFUL IF SWALLOWED. Avoid breathing dust. Do not take internally. Avoid contact with eyes, skill of clothing. Wedar's regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after the handling.

#### ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions faver drift from area treated. Do not contaminate water by cleaning equipment of disposal of wastes.

BEST AVAILABLE COPP

NOTIFICATION
LABEL NOT REVIEWED
PER PRINCTICE 88-4

ت سرز ل

DATE. 6/29/93

125

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label before using this product.

#### STORAGE AND DISPOSAL

#### STORAGE

Store unused product in original container only, in cool, dry area out of reach of children and animals. Do not store in areas where temperatures frequently exceed 100°F.

#### PESTICIDE DISPOSAL

Do not contaminate food or feed by storage or disposal. Open dumping is prohibited. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

#### CONTAINER DISPOSAL

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If bag is, stay out of smoke.

#### IMPORTANT PRE-HARVEST AND GRAZING USE INFORMATION

Tolerances established under the Federal Food, Drug and Cosmetic Act permit the sale of crops bearing probable SEVIN® residues when carbaryl is used in accordance with label directions. If SEVIN® carbaryl insecticide is used in accordance with label directions these crops including bean vines, carrot tops, pea vines, sugar beet tops, corn forage and cotton forage may be grazed or harvested for use as feed for dairy and meat animals without resulting in illegal residues in milk or meat.


Do not plant rotational food and feed crops not listed on this or other carbaryl labels in carbaryl treated soil.

Do not use reclaimed irrigation water from crops treated with carbaryl on upland crops for which carbaryl tolerances are not established.

Broadcast applications may be made with either ground equipment or aircraft. Treatments may be repeated as necessary. Dosages from 10-20 pounds per acre of SEVIN® brand 10% Bait Carbaryl Insecticide will control cutworms, armyworms, crickets, darkling ground beetles, grasshoppers, molecrickets and sowbugs (pillbugs).

#### FIELD AND VEGETABLE CROPS

CROP	DOSAGE/ ACRE	PRE- HARVEST INTERVAL	SPECIFIC DIRECTIONS
Wheat	5 - 15 pounds	None (Forage) 21 Days (Grain)	Do not make more than 2 applications after grain heads emerge from boot. Do not apply within 21 days of harvest of grain. No time limitaion on green wheat used as pasture or forage.
Cucumbers, squash, melons, peanuts	10 pounds	None	
Peas	15 pounds	3 Days	
Alfalfa, Cotton	15 pounds	7 Days	+
Beans, carrots, corn, eggplants, okra, peppers, potatoes, tomatoes, and sweet corn	10 - 20 pounds	None	
Pastures, Rangeland, Wasteland	10 - 20 pounds	None	Treatment may be repeated as necessary. Lower rate is suggested for early instar grasshoppers cricket and armyworms on small plants or sparse vegetation. Use higher rate when grasshoppers and crickets are mature and armyworms are in late instars or when vegetation is dense.
Asparagus, strawberries	10 - 20 pounds	1 Day	• • • • • •
Broccoli, brussels sprouts, cabbage, cauliflower, cowpeas, head lettuce, garden beets (roots), horseradish, parsnips, radishes, rutabagas, and turnips (roots)	10 - 20 pounds	3 Days	
Sugar beets, collards, endive (escarole), garden beets (tops), kale, leaf lettuce, parsley, spinach, Swiss chard and turnips (tops)	10 - 20 pounds	14 Days	



4075

### POULTRY HOUSES

SITE	INSECT	OUNCES OF SEVIN® BRAND 10% BAIT/1000 SQUARE FT.	SPECIFIC DIRECTIONS
Poultry Houses (chickens, turkeys, ducks, geese, gamebirds, and pigeons)	Darkling beetle (Lesser mealworm or litter beetle)	24	Apply bait uniformly to floor or litter area using appropriate equipment such as chest-carried fertilizer/seed spreader. Do not incorporate. It is not necessary to remove birds during application, but uniform coverage may be difficult to achieve with birds present. Do not contaminate feeding or watering units.
			Optimum treatment timings are: 1. Ten to 14 days after the birds are placed in the house and 2. Two weeks after timing "#1" above. One application at each of the two timings listed above should be made for heavy infestations. If only one application can be made, timing #1 should be followed.
			For best control of high darkling beetle populations: In addition to a bait application, walls, cracks, posts, crevices, and insulation around ventilation areas should be treated with a sprayable or a flowable formulation of SEVIN® brand carbaryl insecticide. Spray applications should be made immediately following removal of the flock from the house or immediately prior to introducing the flock into the house. All label directions and restrictions for the application of the liquid SEVIN® brand car insecticide formulation used should be carefully followed. Avoid spraying of nests, eggs and feeding and watering units.
			Do not treat poultry, game birds or their premises within 7 days of slaughter.

## TURFGRASS AND ORNAMENTAL PLANTS

SITE	INSECT	OUNCES OF SEVIN® BRAND 10% BAIT/1000 SQUARE FT.	SPECIFIC DIRECTIONS
Turfgrass	Armyworms Crickets Cutworms Darkling ground beetle Grasshoppers Mole crickets Sowbugs	4 to 8	Treat entire area to obtain uniform coverage, giving particular attention to building perimeters, edges of sidewalks, and along porch an patio foundations. For best results, mow lawn, remove clippings, and thoroughly water area to be treated prior to application.
Ornamental plants	Armyworms Crickets Cutworms Darkling ground beetle Grasshoppers Mole crickets Sowbugs	4 to 8	Apply uniformly to soil around plants, shrubs, and trees. For best results, thoroughly water area to be treated prior to application.

#### LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use when it is used in accordance with such directions; and (c) that the directions, warnings and other statements on this label are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops, and upon reports of field experience. Tests have not been made on all varieties or in all states or under all conditions. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OF REPRESENTATIVE TO MAKE, ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIM!"ED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING ROM THE USE OR HANDLING OF THIS PRODUCT.



Rhône-Poulenc Ag Company
P. O. Box 12014, 2 T. W. Alexander Drive
Research Triangle Park, NC 27709
SEVIN is a registered trademark of Rhône-Poulenc.
SEVIN® brand 10% Bait Carbaryl Insecticide (MASTER) Notification 6/23/93.

