

JUN - 7 1994

Mr. Warren A. Davis  
Rhone Poulenc Ag Company  
2 T.W. Alexander drive  
P. O. Box 12014  
Research Triangle Park, NC 27709

Dear Mr. Davis:

Subject: Temik Brand TSX Aldicarb Pesticide  
EPA Registration No. 264-319  
Your submission dated 4/14/94  
Label amendment

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

1. This acceptance of your label does not relieve you of any obligation to comply with the Worker Protection Standard (WPS). Under the WPS labeling regulations at 40 CFR part 156, subpart K, §156.200(c)(3), you are prohibited from distributing or selling any product within the scope of the WPS requirements after April 21, 1994, without amended labeling accepted by the Agency.

2. Note to Physician should be placed under the general heading of Statement of Practical Treatment.

3. The Storage and Disposal Statement should be updated in accordance with other aldicarb labels.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.  
Product Manager (19)  
Insecticide-Rodenticide Branch  
Registration Division (7505C)

215

# RESTRICTED USE PESTICIDE

## ACUTE ORAL TOXICITY

For retail sale to and use only by Certified Applicators or persons under the direct supervision of a Certified Applicator, and only for those uses covered by the Certified Applicator's certification.

# TEMIK® brand TSX GRANULAR PESTICIDE

For Control of Certain Insects, Mites, Nematodes, and (Soil-Borne Seedling Diseases of Cotton)

### ACTIVE INGREDIENTS:

Aldicarb [2-methyl-2-(methylthio) propionaldehyde O-(methylcarbamoyl)oxime]	5.0%
Pentachloronitrobenzene (PCNB)	10.0%
5-Ethoxy-3-(trichloromethyl)1,2,4-thiodiazole	2.5%

INERT INGREDIENTS:	82.5%
--------------------	-------

EPA Reg. No. 264-319

EPA Est. No. 264-GA-01



**KEEP OUT OF REACH OF CHILDREN**  
**DANGER POISON**  
**PELIGRO**



Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)

For **MEDICAL** and **TRANSPORTATION** Emergencies **ONLY** Call 24 Hours A Day 1-800-334-7577  
For **PRODUCT USE** Information Call 1-800-334-9745

## STATEMENT OF PRACTICAL TREATMENT

Aldicarb is a n-methyl carbamate.

**IF SWALLOWED:** Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything orally to an unconscious or convulsing person. Call a physician and follow General advice.

**IF IN EYES:** Flush eyes with plenty of water and get medical attention.

**IF ON SKIN:** Wash thoroughly with soap and water.

**IF INHALED:** Call a physician and follow General advice.

### GENERAL

Contact a physician immediately in all cases of suspected poisoning. Illness may be produced rapidly following overexposure to TEMIK® Aldicarb. If breathing stops, establish an airway and start artificial respiration, and provide oxygen. Make certain to remove all sources of continuing contamination. Remove clothing and wash skin and hair immediately with large amounts of water. Transport the patient to a physician or hospital immediately and **SHOW A COPY OF THIS LABEL TO THE PHYSICIAN**. If poisoning is suspected in animals, contact a veterinarian.

## PRECAUTIONARY STATEMENTS

### DANGER

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**FATAL IF SWALLOWED.** Causes cholinesterase inhibition. May be fatal or harmful by skin or eye contact or by breathing dust. Rapidly absorbed through skin or eyes. Do not get on skin or in eyes. Do not breathe dust. Keep away from domestic animals.

Wear long-sleeved clothing, full-length trousers, head coverings, and protective gloves when handling. Always stand up-wind from hopper when loading. Wash hands and face before eating, drinking, or using tobacco.

### SIGNS AND SYMPTOMS OF OVEREXPOSURE

Salivation	Muscle tremor	Nausea
Watery eyes	Difficult breathing	Vomiting
Pinpoint eye pupils	Excessive sweating	Diarrhea
Blurred vision	Abdominal cramps	Weakness
Headache		

In severe cases, convulsions, unconsciousness, and respiratory failure may occur.

### ANTIDOTE STATEMENT

ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. See NOTE TO PHYSICIAN.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

JUN - 7 1994

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

264-319

**NOTE TO PHYSICIAN**

TEMIK® brand aldicarb is a methyl carbamate insecticide which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible.

Gastric lavage may be used if this product has been swallowed. TEMIK® brand aldicarb poisoning may occur rapidly after ingestion and prompt removal of stomach contents is indicated.

Specific treatment consists of the administration of parenteral atropine sulfate. Caution should be exercised to prevent overatropinization. Mild cases may be given 1 to 2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg intravenously every 10 minutes until the patient is fully atropinized, then intramuscularly every 30 to 60 minutes as needed to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours.

Narcotics and other sedatives should not be used. Further, drugs such as (pyridine-2-aldoxime methiodide) are NOT recommended unless organophosphate intoxication is also suggested.

To aid in confirmation of a diagnosis, urine samples must be obtained within 24 hours of exposure and immediately frozen. Analyses will be arranged by Rhône-Poulenc Ag Company.

Consultation on therapy can be obtained at all hours by calling the Rhône-Poulenc emergency number: 1-800-334-7577.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Applicators and other handlers must wear coveralls over short-sleeved shirts and short pants, waterproof gloves, chemical-resistant footwear plus socks, chemical-resistant headgear for overhead exposure, protective eye wear, chemical-resistant apron when cleaning equipment, mixing or loading and a dust/mist filtering respirator (MSHA/NIOSH D/M approval number prefix TC-21C).

Follow manufacturer's instructions for cleaning/maintaining PPE. Keep and wash PPE separately from other laundry. Wash contaminated clothing in strong washing soda solution and rinse thoroughly before reuse.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

**User Safety Recommendations**

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove clothing immediately if pesticide gets inside. Then wash body thoroughly and put on clean clothing.

**ENVIRONMENTAL HAZARDS**

**DECOMPOSITION AND MOVEMENT IN SOIL:** This product is readily decomposed into harmless residues under most use conditions. However, a combination of permeable and acidic soil conditions, moderate to heavy irrigation and/or rainfall, use of 20 or more pounds per acre, and soil temperature below 50°F (10°C) at application time tend to reduce degradation and promote movement of residues to groundwater. If the above describes your local use conditions and groundwater in your area is used for drinking, do not use this product without first contacting Rhône-Poulenc at 1-(800) 334-7577.

**TOXIC TO FISH, BIRDS, AND WILDLIFE:** This product is toxic to fish, birds, aquatic invertebrates and other wildlife. Birds feeding on exposed granules in treated areas may be killed. Cover or incorporate granules in spill areas.

Run-off from treated areas may be hazardous to fish in neighboring areas. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

**NOTICE:** Under the Endangered Species Act, it is a Federal Offense to use any pesticide in a manner that results in the death of a member of an endangered species.

This Act protects Attwater's Greater Prairie Chicken in the Texas counties of Aransas, Austin, Brazoria, Colorado, Galveston, Goliad, Harris, Refugio, and Victoria.

Prior to making applications in these counties, the user must determine that this species is not located in or immediately adjacent to the area to be treated. If the user is in doubt whether or not the above named endangered species may be affected, he should contact either the regional U.S. Fish & Wildlife Service office (Endangered Species Specialist) or personnel of the State Fish and Game office.

**GENERAL DIRECTIONS FOR USE**

TEMIK® brand TSX Granular Pesticide controls certain nematodes, insects, mites, and soil-borne seedling diseases of cotton. When applied into moist soil at planting the active fungicide ingredients (Terraclor and Terrazole fungicides) protect the germinating seed and seedling from Rhizoctonia, Pythium, and Fusarium diseases. At the same time, the active nematicide ingredient (aldicarb) protects the developing root system from nematodes which damage the seedling directly and promote seedling disease. After the germinating plant emerges from the soil, the active insecticide ingredient (aldicarb) has moved upward from the roots to protect the developing stem and leaves from attack by early season mites and insects. Control of insects and mites often lasts more than six weeks, depending upon growing conditions, rate of use and pests. Cotton yields are usually increased with treatments of TEMIK® brand TSX Granular Pesticide.

**BEST AVAILABLE COPY**

4.85

## GENERAL CAUTIONS

Use TEMIK® brand TSX Granular Pesticide only in accordance with label directions, warnings and cautions. Do not use on any crop other than cotton, as any residues remaining may be illegal or harmful. DO NOT STORE OR USE IN OR AROUND THE HOME OR HOME GARDEN.

Use high rate on heavy organic or clay soils. Do not over apply. Treatments in excess of 15 pounds per acre may delay emergence and reduce plant stand.

In irrigated areas, follow application with irrigation within one week.

Do not drill TEMIK® brand TSX Granular Pesticide if seed is hill-dropped.

Calibrate and adjust application equipment to insure proper rate and accurate placement. Clean application equipment thoroughly after use. Bury any excess material in soil (see STORAGE AND DISPOSAL instructions on FRONT PANEL of this bag).

Disc any spills at row ends immediately to prevent birds from feeding on exposed granules.

Do not wash, load, or empty application equipment near any well, as this practice is a potential source of groundwater contamination.

Do not apply this product in Del Norte, and Humboldt Counties in California; Nassau or Suffolk Counties in New York; or in Curry County, Oregon.

## COMPATIBILITY

Pesticide activity of TEMIK® brand TSX Granular Pesticide is not affected by normal applications of fertilizers or other pesticides. It may be reduced or lost if applied with alkaline materials such as lime or fertilizers containing lime.

## PRE-HARVEST, GRAZING, AND GROUNDWATER LIMITATIONS

TO AVOID EXCESSIVE RESIDUES IN OR ON:

### COTTONSEED

- Do not apply within 90 days of harvest.
- Do not feed cotton forage to livestock or allow livestock to graze in treated area.

### OTHER CROPS

- Do not plant any crops in soil treated with TEMIK® brand TSX Granular Pesticide within 12 months of broadcast or banding applications unless PCNB is registered for use on those crops.

### GROUNDWATER

- Observe ENVIRONMENTAL HAZARD precautions regarding DECOMPOSITION AND MOVEMENT IN SOIL, and carefully follow DIRECTIONS FOR USE.
- Do not wash, load, or empty application equipment near any well, as this practice is a potential source of groundwater contamination.
- Do not apply this product in Del Norte, and Humboldt Counties in California; Nassau or Suffolk Counties in New York; or in Curry County, Oregon.

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read entire label before using this product.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulations.

To provide maximum performance and to minimize hazard to birds, work granules into or cover with soil to a depth of 2 inches or more. Deep disc any spills at row ends immediately to prevent birds from feeding on granules.

## AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

**Exception:** If the product is soil-incorporated or soil-injected, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. Once the REI has expired, do not allow persons to come into direct contact with treated soil wet as the result of the initial irrigation or rainfall after treatment unless they are wearing the PPE specified below for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is coveralls over short-sleeved shirt and short pants, waterproof gloves, chemical-resistant footwear plus socks, protective eyewear and chemical resistant headgear for overhead exposure.

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

BEST AVAILABLE COPY

## STORAGE AND DISPOSAL

### STORAGE

Store unused TEMIK® brand TSX Granular Pesticide in original container only in well ventilated clean dry area out of reach of children and animals. Do not store in areas where temperature averages 115°F or greater. Do not store in or around the home or home garden. If container is broken, handle with rubber gloves. Do not get dust or granules on skin or in eyes. Do not breathe dust. Sweep up and bury any small spills or excess TEMIK® brand TSX at least 18 inches deep in soil isolated from water supplies and food crops.

### PESTICIDE DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### CONTAINER DISPOSAL

Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by open burning. If container is burned, stay away from and do not breathe or contact smoke.

**IN CASE OF A TRANSPORTATION OR WAREHOUSE EMERGENCY INVOLVING A SPILL, FIRE, OR EXPOSURE CALL 1-800-344-7577 TWENTY-FOUR HOURS A DAY IN THE USA.**

CROP AND TIME OF APPLICATION	PESTS CONTROLLED	POUNDS /ACRE	OZ./1000 FT. ROW	RECOMMENDED APPLICATION		
COTTON At Planting	Aphids, mites thrips, bollweevil (adults feeding on foliage)	(For example 40-inch row spacing)	12.3 to 18.5	Place granules in seed furrow and cover with soil. If seeds and TEMIK® TSX are hill-dropped, reduce rates of application of TEMIK® TSX as indicated.		
	Nematodes (Except Far West)	10-15		Hill Spacing	Hill Drop Rates	
	Seedling Diseases complex (Rhizoctonia, Phythium, Fusarium)				Pounds/ Acre	OZ./1000 ft. of row
				8-inch	10	12.5
12-inch	8.5	10.5				
16-inch	7.5	9				
20-inch	6	7				

## LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use when it is used in accordance with such directions and; (c) that the directions, warnings, and other statements on this label are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops, and upon reports of field experience. Tests have not made on all varieties or in all states or under all conditions. The MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE, ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

Rhône-Poulenc Ag Company  
P.O. Box 12014, 2 T.W. Alexander Drive  
Research Triangle Park, North Carolina 27709

TEMIK is the registered trademark of Rhône-Poulenc for aldicarb pesticide.

TEMIK® brand TSX granular pesticide (MASTER) Notification 4/14/94.