

Reg # 264-322

PM-19

File
199



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

MAR 3 - 1994

Warren A. Davis
RHONE-POULENC AG COMPANY
BOX 12014
RESEARCH TRIANGLE PARK, NC 27709

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject: Label Amendment Submission of 08/12/93 in Response to PR Notice 93-7
EPA Reg. No. 264-322
TEMIK BRAND 10% GRANULAR ALDICARB PESTICIDE

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
- AND
- WITHIN one year from date of this acceptance.



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

299

Page 2


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment

399

RESTRICTED USE PESTICIDE

ACUTE ORAL TOXICITY

For retail sale to and use only by Certified Applicators or persons under the direct supervision of a Certified Applicator, and only for those uses covered by the Certified Applicator's certification.

ACCEPTED
with COMMENTS
In EPA Letter Dated
MAR 3 1994

TEMIK® brand 10G Aldicarb Pesticide

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
264-222

FOR CONTROL OF INSECTS, MITES AND NEMATODES ON COMMERCIALY GROWN ORNAMENTALS

ACTIVE INGREDIENT: Aldicarb [2-methyl-2-(methylthio) propionaldehyde O-(methylcarbamoyl)oxime] 10%
INERT INGREDIENTS: 90%

EPA Reg. No. 264-322

EPA Est. No. 264-GA-01



KEEP OUT OF REACH OF CHILDREN DANGER POISON PELIGRO



Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

For **MEDICAL** and **TRANSPORTATION** Emergencies **ONLY** Call 24 Hours A Day 1-800-334-7577
For **PRODUCT USE** Information Call 1-800-334-9745

STATEMENT OF PRACTICAL TREATMENT

ALDICARB IS AN N-METHYL CARBAMATE.

GENERAL

Contact a physician immediately in all cases of suspected poisoning. Illness may be produced rapidly following overexposure to TEMIK® brand aldicarb. If breathing stops, establish an airway, start artificial respiration, and provide oxygen. Make certain to remove all sources of continuing contamination. ~~Remove clothing and wash skin and hair immediately with large amounts of soap and water.~~ Transport the patient to a physician or hospital immediately and **SHOW A COPY OF THIS LABEL TO THE PHYSICIAN.** If poisoning is suspected in animals, contact a veterinarian. ~~Wash contaminated clothing in strong washing soda solution and rinse thoroughly before reusing.~~

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything orally to an unconscious or convulsing person. Call a physician and follow General advice.

IF IN EYES: Flush eyes with plenty of water and get medical attention.

IF ON SKIN: Wash thoroughly with soap and water. ~~Remove contaminated clothing and wash before reuse.~~ delete

IF INHALED: Call a physician and follow General advice.

ANTIDOTE STATEMENT

ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. See NOTE TO PHYSICIAN below.

NOTE TO PHYSICIAN

TEMIK® aldicarb is a methyl carbamate pesticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible.

Gastric lavage may be used if this product has been swallowed. TEMIK® brand aldicarb poisoning may occur rapidly after ingestion and prompt removal of stomach contents is indicated.

Specific treatment consists of the administration of parenteral atropine sulfate. Caution should be exercised to prevent overatropinization. Mild cases may be given 1 to 2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg intravenously every 10 minutes until the

BEST AVAILABLE COPY

patient is fully atropinized, then intramuscularly every 30 to 60 minutes as needed to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours.

Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended unless organophosphate intoxication is also suggested.

To aid in confirmation of a diagnosis, urine samples should be obtained within 24 hours of exposure and immediately frozen. Analyses will be arranged by Rhône-Poulenc Ag Company.

Consultation on therapy can be obtained at all hours by calling the Rhône-Poulenc emergency number: 1-800-334-7577.

PRECAUTIONARY STATEMENTS

DANGER HAZARDS TO HUMANS AND DOMESTIC ANIMALS

FATAL IF SWALLOWED. May be fatal or harmful by skin or eye contact or by breathing dust. Causes cholinesterase inhibition. Rapidly absorbed through skin or eyes. Do not get on skin or in eyes. Do not breathe dust. Keep away from domestic animals.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

- | | |
|--------------------|---------------------|
| Salivation | Muscle Tremors |
| Excessive Sweating | Nausea |
| Diarrhea | Watery Eyes |
| Blurred Vision | Difficult Breathing |
| Abdominal Cramps | Vomiting |
| Weakness | Pinpoint Eye Pupils |
| Headache | |

IN SEVERE CASES, CONVULSIONS, UNCONSCIOUSNESS AND RESPIRATORY FAILURE MAY OCCUR.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear coveralls over short-sleeved shirts and short pants, waterproof gloves, chemical-resistant footwear plus socks, chemical-resistant headgear for overhead exposure, protective eye wear, chemical-resistant apron when cleaning equipment, mixing or loading and a dust / mist filtering respirator (MSHA / NIOSH D / M approval number prefix TC-210). Follow manufacturer's instructions for cleaning / maintaining PPE. Keep and wash PPE separately from other laundry. Wash contaminated clothing in strong washing soda solution and rinse thoroughly before reuse.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240 (d) (4-6)), the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
Remove clothing immediately if pesticide gets inside. Then wash body thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS DECOMPOSITION AND MOVEMENT IN SOIL

This product is readily decomposed into harmless residues under most use conditions. However, a combination of permeable and acidic soil conditions, moderate to heavy irrigation and/or rainfall, use of 30 or more pounds per acre, and soil temperature below 50°F (10°C) at application time tend to reduce degradation and promote movement of residues to groundwater. If this describes your local use conditions and groundwater in your area is used for drinking, do not use this product without first contacting Rhône-Poulenc at 1-(800)-334-8577.

TOXIC TO FISH, BIRDS, AND WILDLIFE

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Cover or incorporate granules in spill areas. Runoff from treated areas may be hazardous to fish in neighboring areas. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Keep out of lakes, streams, and ponds. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

NOTICE: Under the Endangered Species Act, it is a Federal Offense to use any pesticide in a manner that results in the death of a member of an endangered species.

This Act protects Attwater's Greater Prairie Chicken in the Texas counties of Aransas, Austin, Brazoria, Colorado, Galveston, Goliad, Harris, Refugio, and Victoria.

Prior to making outdoor applications in these counties, the user must determine that this species is not located in or immediately adjacent to the area to be treated. If the user is in doubt whether or not the above named endangered species may be affected, he should contact either the regional U.S. Fish & Wildlife Service office (Endangered Species Specialist) or personnel of the State Fish and Game office.

BEST AVAILABLE COPY

GENERAL INFORMATION AND PRECAUTIONS

FOR USE ONLY BY TRAINED PERSONNEL IN COMMERCIAL PRODUCTION OF ORNAMENTAL PLANTS. READ ENTIRE LABEL BEFORE USING.

GENERAL INFORMATION

TEMIK® 10G Aldicarb Pesticide is a granular product that provides systemic control of certain insects, mites, and nematodes. When applied to soil, the active ingredient is rapidly absorbed by root systems and translocated throughout all parts of the plant. To assure effectiveness, application to very dry soil must be followed by irrigation or rainfall. Residual activity varies with dosage and pests involved, but often lasts more than 6 weeks.

TEMIK® brand 10G Aldicarb Pesticide has been used experimentally with excellent results against many species of aphids, leafhoppers, leaf miners, spider mites, thrips, whiteflies, and parasitic nematodes. Control outlasts many of the other systemic insecticides used in ornamental plant culture.

For most effective results, irrigate immediately after application. Do not over-irrigate container grown or bedded ornamentals. Do not exceed the water holding capacity of the soil or potting media. Water running from treated pots or beds may contain aldicarb residues. See Environmental Hazards Statement.

Since the amount of foliage varies with plant species, age and container size or growing area, it is recommended that the maximum rate of TEMIK® brand 10G Aldicarb Pesticide be used when excess foliage or plant growth is to be treated, regardless of pests involved. On large trees or plants with woody stems, control is delayed for 2-3 weeks due to slower systemic action. Maximum efficacy is obtained when TEMIK® brand 10G pesticide is applied during active plant growth.

To prevent root injury, distribute granules evenly over the soil surface of plant containers with a suitable mechanical applicator or shaker jar.

GENERAL CAUTIONS

Use TEMIK® brand 10G Aldicarb Pesticide only in accordance with label directions, warnings and cautions.

Calibrate and adjust application equipment to insure proper rate and accurate placement. Do not exceed recommended rates as plant injury may result. Do not mix TEMIK® brand 10G Aldicarb Pesticide with potting soil; use only on standing plants. Do not apply to open blooms. For outdoor applications, granules should be worked into the soil to a depth of at least 2 inches or covered with soil to a depth of at least 2 inches to provide maximum performance and to minimize hazard to birds. Deep disc any spills of granules at low ends immediately to prevent birds from feeding on exposed granules.

Clean application equipment thoroughly after use. See Storage and Disposal instructions for disposal of excess product, spillage, and empty containers.

SPECIAL PRECAUTIONS FOR HUMAN SAFETY

- Do not store or use in the home or home garden.
- Apply only with properly calibrated application equipment. Do not use hand to apply.
- Do not use applicators that will indiscriminately scatter or grind the granules. Applications that scatter granules may result in direct product exposure to applicators or treatment of non-target areas. Applicators that grind the granules may cause inhalation hazard.
- ~~Use of a respirator mask and rubber gloves is recommended while filling and cleaning application equipment.~~
- Do not apply to wet plant foliage as plant injury may result. In addition granules adhering to wet foliage may be hazardous to humans.
- Do not premix granules with water as the resultant solution may be seriously hazardous.
- Avoid contact with treated plants or soil. Application of too much water will cause run-off that may contaminate walkways and work areas. If run-off does occur avoid contact. ~~If treated pots or plants must be handled, use rubber gloves and other protective clothing.~~
- Do not treat overhead hanging baskets. Treatment in this manner may result in direct product exposure during application or to leachate during watering.
- Do not market treated potted plants or plant soil media (e.g., potted plants, balled plants) within 4 weeks after last applications as product residues remaining in treated soil may be hazardous.

To avoid illegal food residues:

- Do not use plant parts for food or feed purposes.
- Do not plant any crop not listed on this label in soil treated with TEMIK® 10G Aldicarb Pesticide within six months after last application.
- Do not treat nursery trees which will bear edible fruit within 2 years of treatment with TEMIK® brand 10G Aldicarb Pesticide.
- Do not wash, load, or empty application equipment near any well, as this practice is a potential source of ground water contamination.
- Do not apply in Del Norte or Humboldt counties in California; Nassau or Suffolk counties in New York; or in Curry County, Oregon.

COMPATIBILITY

Pesticidal activity of TEMIK® brand 10G Aldicarb Pesticide is not affected by normal applications of fertilizers or other pesticides. Its effectiveness may be reduced or lost if applied with alkaline materials such as lime. If uncertain about plant tolerance when applying TEMIK® brand 10G in conjunction with other pesticides, it is recommended that only a small portion of the crop be treated to determine tolerance to the combination.

Redundant language

BEST AVAILABLE COPY

659

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.
Read entire label before using this product.

FOR USE ONLY BY TRAINED PERSONNEL IN COMMERCIAL PRODUCTION OF ORNAMENTAL PLANTS.

See PRECAUTIONARY STATEMENT, STATEMENT OF PRACTICAL TREATMENT, and NOTE TO PHYSICIAN for information on accidental exposures.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulations.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and expectations pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

Exception: If the product is soil-incorporated or soil-injected, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated. Once the REI has expired, do not allow persons to come into direct contact with treated soil wet as the result of the initial irrigation or rainfall after treatment unless they are wearing PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water. This PPE includes: long-sleeved shirt and long pants; waterproof gloves; chemical-resistant footwear plus socks; protective eyewear and chemical-resistant headgear for overhead exposure.

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

STORAGE AND DISPOSAL

STORAGE

Store unused TEMIK® brand 10G Aldicarb Pesticide in original container only, in well-ventilated, clean, dry, locked area out of reach of children and animals. Do not store in areas where temperature averages 115°F or greater. Do not store in or around the home or home garden.

If container is broken, before cleaning up put on long-sleeved shirt, full length-trousers, head covering, and rubber gloves. Do not get dust or granules on skin or eyes. Do not breathe dust. Sweep up and bury any small spills or excess TEMIK® pesticide at least 18 inches deep in soil isolated from water supplies and food crops.

PESTICIDE DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide is a violation of Federal Law. If wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by open burning. If the bag is burned, stay away from and do not breathe or contact smoke.

In case of a transportation or warehouse emergency involving a spill, fire, or exposure, call 1-800-334-7577 Twenty-Four Hours A Day In The U.S.A.

If you need to add or delete information to this label, use this bag with caution.

BEST AVAILABLE COPY

DIRECTIONS FOR USE AND RECOMMENDED APPLICATIONS

799

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN MANNER INCONSISTENT WITH ITS LABELING. FOR USE ONLY BY TRAINED PERSONNEL IN COMMERCIAL PRODUCTIONS OF ORNAMENTAL PLANTS.

Dosage TEMIK® 10G

For Use On Potted Plants Or Plant Beds In Commercial Greenhouses.

| Crop | Pest Controlled | Pounds /Acre | Oz/1000 Sq. Ft. of Plant Bed or Closely Packed Pots | Time of Application | Recommended Application |
|----------------------|-------------------------------------|--------------|---|--|--|
| CHRYSANTHEMUM | Aphids, Leafminers, Thrips | 50 to 75 | 20 to 30 | 3 to 5 weeks after transplanting cuttings or just after pinching. Repeat in 6 to 8 weeks, if needed. | If beds are covered with leaf or compost type mulch, remove mulch or place granules beneath mulch. Work into soil and water thoroughly. Use the high rate on heavy organic or clay soils or if pest populations become severe. Apply granules evenly around base of plants. Wash off granules adhering to foliage. |
| | Spider mite, Whiteflies | 75 to 100 | 30 to 40 | | |
| ORCHIDS (Cymbidiums) | Spider mites | 75 to 100 | 30 to 40 | Apply just prior to emergence of flower spikes. Repeat if needed. | |
| EASTER LILIES | Aphids | 50 to 75 | 20 to 30 | After plants are established and as pests appear. Repeat in 6 to 8 weeks, if needed. | |
| POINSETTIA | Spider mites, Mealybugs, Whiteflies | 75 to 100 | 30 to 40 | | |
| GERBERA | Aphids, Leafminers | 50 to 75 | 20 to 30 | | |
| | Spider mites, Whiteflies | 75 to 100 | 30 to 40 | | |
| CARNATIONS, ROSES, | Aphids | 50 to 75 | 20 to 30 | | On old well-established roses, use maximum rate for mite control. |
| SNAPDRAGONS | Spider mites | 75 to 100 | 30 to 40 | | |

BEST AVAILABLE COPY

8 9 9

FOR USE ON COMMERCIAL FIELD GROWN AND NURSERY PLANTINGS

To provide maximum performance and to minimize hazard to birds work granules into or cover with soil to a depth of 2 inches or more. Deep disc any splits at row ends immediately to prevent birds from feeding on granules.

Dosage TEMIK® 10G

| Crop | Pest Controlled | Pounds/Acre | Pounds/1000 Linear Row Feet (42-Inch Row Spacing) | Time of Application | Recommended Application |
|---------------|---|-------------------------------|---|--|--|
| ROSES | Spider mites | 70 to 100 | 5 to 8 | As pests begin to appear. Repeat if need. | Apply granules as sidedress to both sides of plant or row. Work into soil at least 2 to 4 inches deep. |
| DAHLIAS | Aphids, Leafhoppers, Leafminers, Spider mites | 50 to 80 | 4 to 6 | | |
| LILIES, BULBS | Nematodes (root lesion) | 50 to 70 (on 40" row spacing) | 4 to 8 (or 50 to 70 lbs/ 12,000 linear feet of row) | At planting time. | Apply in furrow with bulbet. Cover with soil. |
| BIRCH & HOLLY | Aphids, Leafminers | 50 to 100 | 4.5 to 9 (or 1 to 2 ounces/ one inch diameter of trunk at soil level) | After spring growth begins and prior to occurrence of leaf-miner activity. | Apply granules as sidedress 3 to 4 inches deep and 10 to 12 inches to one or both sides of row. Cover with soil. |

In Florida, nursery uses of greater than 50 pounds of TEMIK® 10G per acre are limited to containerized plants only. Outdoor applications to commercial field grown ornamentals and nursery plants shall not exceed 50 pounds of TEMIK® 10G per acre annually.

CALIBRATION AND DOSAGE CONVERSION INFORMATION FOR ORNAMENTALS AND NURSERY STOCK

Calibrate all mechanical devices for delivery of the required amount of TEMIK® brand 10G Aldicarb Pesticide. Refer to charts I and II for approximate dosage conversion.

Chart I. Amount of TEMIK® brand 10G Aldicarb Pesticide to be Applied (Beds, Benches, and Row Stock):

| Approximate Conversion from Pounds Per Acre | Pounds Per Acre (Broadcast Equivalent) | | |
|---|--|------|------|
| | 50 | 75 | 100 |
| Ounces per 1000 ft. of row* | 61 | 92 | 122 |
| Ounces per 1000 sq. ft. | 18 | 28 | 36 |
| Ounces per 100 sq. yd. | 16 | 25 | 32 |
| Grams per sq. meter | 5.0 | 7.5 | 10.0 |
| Grams per sq. ft. | 0.5 | 0.75 | 1.0 |

* Based on 40-inch row spacings.

BEST AVAILABLE COPY

999

Chart II. For Treatment of Individual Pots or Cans:

| Pot/Can Size* (Inches Diameter) | Number of Grams TEMIK® 10G Pesticide to Use Per Container for the Equivalent Rate (lbs/Acre)** | | |
|------------------------------------|--|-------|------|
| | 50 | 75 | 100 |
| 3 | 0.025 | 0.038 | 0.05 |
| 4 | 0.05 | 0.075 | 0.10 |
| 5 | 0.075 | 0.11 | 0.15 |
| 6 | 0.1 | 0.15 | 0.2 |
| 8 | 0.2 | 0.3 | 0.4 |
| 10 | 0.3 | 0.45 | 0.6 |
| 12 | 0.5 | 0.75 | 1.0 |

* Based on surface area of pot.

**1/2 teaspoon (level measure) weighs 1.3 gram.

GUIDE FOR APPLICATION TO INDIVIDUAL CONTAINERS

| Size | TEMIK® 10G (Approx. wt. in grams) |
|--------------|--------------------------------------|
| 1/8 teaspoon | 0.45* |
| 1/4 teaspoon | 0.91* |
| 1/2 teaspoon | 1.30* |
| 1 teaspoon | 3.20* |
| 2 teaspoons | 6.40* |
| 1 tablespoon | 9.45* |

*These weights apply to common measuring spoons which were filled to the extent where granules did not spill off edges.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use when it is used in accordance with such directions; and (c) that the directions, warnings and other statements on this label are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops, and upon reports of field experience. Tests have not been made on all varieties or in all states or under all conditions. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE, ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS, OR CAUTIONS.

BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

Rhône-Poulenc Ag Company
Post Office Box 1204, 2 T. W. Alexander Drive
Research Triangle Park, North Carolina 27709

BEST AVAILABLE COPY

TEMIK is the registered trademark of Rhône-Poulenc for aldicarb pesticide.

TEMIK 10G /Ornamentals (MASTER) Notification 8/13/93.