

7m-19 264-325 1 of 3
SEVIN® brand 97.5%

Manufacturing Concentrate Carbaryl Insecticide

For Manufacturing, Formulating of Repacking Only

Formulators who use this product are responsible for obtaining EPA registration for their products.

ACTIVE INGREDIENT: Carbaryl (1-Naphthyl-N-methylcarbamate):.....97.5%

INERT INGREDIENTS:.....2.5%

EPA Reg. No. 264-325

EPA Est. No. 10362-GA-01

REGISTRATION NUMBER 19351 PEST CONTROL PRODUCTS ACT

**KEEP OUT OF REACH OF CHILDREN
WARNING**

**For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day In U.S.A. 1-800-334-7577
In CANADA Call Collect (416) 634-2359**

STATEMENT OF PRACTICAL TREATMENT

ACCEPTED
DEC 23 1982
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 264-325

IF SWALLOWED: Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing, drink 1 to 2 glasses of water and induce vomiting by touching the back of the throat with the finger.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash thoroughly with soap and water.

IF INHALED: Move from contaminated atmosphere and call a physician.

GENERAL

Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately and **SHOW A COPY OF THIS LABEL TO THE PHYSICIAN.**

ANTIDOTE STATEMENT

ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. See NOTE TO PHYSICIAN.

NOTE TO PHYSICIAN

Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible.

Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent overatropinization. Mild cases may be given 1 to 2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg intravenously every 10 minutes until fully atropinized, then intramuscularly every 30 to 60 minutes to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours.

Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended.

To aid in the confirmation of a diagnosis, urine samples should be obtained within 24 hours of exposure and immediately frozen. Analyses will be arranged by Rhone-Poulenc Ag Company.

Consultation on therapy can be obtained at all hours by calling the Rhone-Poulenc emergency number 1-800-334-7577 (USA) and (416) 634-2359 (Canada).

PRECAUTIONARY STATEMENTS

WARNING

HAZARD TO HUMANS AND DOMESTIC ANIMALS

MAY BE HARMFUL IF SWALLOWED. Avoid breathing of dust. Do not take internally. Avoid contact with eyes, skin or clothing. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic invertebrates. Do not discharge into lakes, streams, ponds, or public waters except in accordance with NPDES (National Pollution Discharge Elimination System) permit. For further guidance, contact the nearest EPA Regional Office.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE

Store unused product in original container only, in cool, dry area out of reach of children and animals. Do not store in areas where temperatures frequently exceed 100° F.

PESTICIDE DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Completely empty bag into manufacturing equipment. Then dispose of empty bag in a sanitary landfill or, if allowed by government regulations, by burning or incineration. If bag is burned, stay out of smoke. Consult Federal, State or Local disposal authorities for approved alternative procedures.

Canadian formulators of this technical should dispose of unwanted active and containers in accordance with municipal or provincial regulations. For additional details and clean up of spills contact the regional office of Conservation and Protection, Environment Canada.

Only for formulation into an insecticide for (1) the following uses:

- | | | | |
|-------------------------------|-----------------------------------|-------------------------------|--------------------------------------|
| Alfalfa | Cranberries | Okra | Salsify |
| Almonds | Cucumber | Olives | Sorghum |
| Apples | Dandelion | Oyster beds | Soybeans |
| Apricots | Dewberries | Parsley | Spinach |
| Asparagus | Eggplant | Parsnips | Squash, summer and winter |
| Avocados (CA only) | Endive | Pasture grass | Strawberries |
| Beans, succulent and dry | Filberts | Peaches | Sugarbeets |
| Bedding plants (outdoor only) | Flax | Peanuts | Sunflower |
| Birdsfoot Trefoil | Foliage plants (outdoor only) | Peas, succulent and dry | Sweet potato |
| Blackberries | Forested areas | Pecans | Swiss chard |
| Blueberries | Garden best | Peppers | Tobacco |
| Boysenberries | Grapes | Pest control around buildings | Tomato |
| Broccoli | Grass for seed | Pistachios | Trees and Ornementals |
| Brussel sprouts | Hanover salad | Plums | Turfgrass |
| Cabbage | Horseradish | Pome Fruits | Turnips |
| Carrots | Imported Fire Ants (outdoor only) | Potato | Vegetable transplants (outdoor only) |
| Cauliflower | Kale | Poultry | Walnuts |
| Celery | Kohlrabi | Prickly pear cactus | Wasteland |
| Cherries | Lentils | Proso millet | Rights of Way |
| Chestnuts | Lettuce, head and leaf | Prunes | Hedgerows |
| Chinese cabbage | Loganberries | Pumpkin | Ditchbanks |
| Citrus Fruits | Maple Trees for sap | Radish | Roadsides |
| Clovers | Meions | Rangeland | Wheat |
| Collards | Mustard greens | Raspberries | |
| Corn (field, sweet, pop) | Nectarines | Rice | |
| Cotton | Nursery stock (outdoor only) | Rutabagas | |

(2) Uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and (3) Uses for experimental purposes that are in compliance with USEPA requirements.

DISCLAIMER AND INDEMNITY FOR FORMULATORS' USES

THE MANUFACTURER EXPRESSLY DISCLAIMS ALL LIABILITY FOR CLAIMS AND ACTIONS (WHETHER BASED ON CONTRACT, TORT, STRICT LIABILITY OR BREACH OF WARRANTY) ARISING OUT OF, RESULTING FROM OR CONNECTED WITH A FORMULATION CONTAINING THIS PRODUCT WHEN USED FOR AN, PURPOSE OTHER THAN THOSE USES SET FORTH IN (1) ABOVE. THE MANUFACTURER HAS NOT DEVELOPED SCIENTIFIC DATA TO SUPPORT, NOR HAS IT EXPLICITLY OR IMPLICITLY APPROVED, ANY USES OTHER THAN THOSE IN (1) ABOVE.

ANY FORMULATOR OR BUYER WHO USES THIS PRODUCT IN FORMULATIONS FOR ANY USE OTHER THAN THOSE STATED IN (1) ABOVE ASSUMES ALL LIABILITY FOR CLAIMS AND ACTIONS ARISING OUT OF, CONNECTED WITH OR RESULTING FROM SUCH USE AND AGREES BY SO USING THIS PRODUCT TO INDEMNIFY AND HOLD HARMLESS THE MANUFACTURER FROM SUCH CLAIMS AND ACTIONS.

THIS DISCLAIMER AND INDEMNITY IS IN ADDITION TO, NOT IN LIEU OF, THE BELOW DISCLAIMER AND LIMITATIONS.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants that this product conforms to the chemical description on the label; that this product is reasonably fit for the purposes set forth in item (1) of the Directions for Use when it is used in accordance with such Directions; and that the statements under item (1) of the Directions, the warnings and other statements on this label, other than the suggested uses under items (2) and (3) of the Directions, are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops and upon reports of field experience. Tests have not been made on all varieties or in all states or under all conditions. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE, ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS, OR CAUTIONS.

BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

NOTICE TO BUYER

Purchase of this material does not confer any rights under patents governing this product or the use thereof in countries outside of the United States. Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product on that condition.

Rhône-Poulenc Ag Company
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709

Rhône-Poulenc Canada, Inc.
2000 Argentea Road, Plaza 3, Suite 400
Mississauga, Ontario L5N 1V9

SEVIN is a registered trademark of Rhône-Poulenc.
SEVIN® brand 97.5% Manufacturing Concentrate Carbaryl Insecticide (MASTER) Notification 11/3/92.

