:- Pm 19

1 01 2

BEST AVAILABLE COPY

# SEVIN® brand 80% Düst Base

Carbaryl 'nsecticide

For Manufacturing, Formulating or Repackaging Only

Formulators who use this product are responsible for obtaining EPA registration for their products.

ACTIVE INGREDIENT: Carbaryi (1-Naph:hyl-N-methylcarbamate): 80%

EPA Reg. No. 264-328

EPA Est. No. 10352-GA-01

# KEEP OUT OF REACH OF CHILDREN WARNING

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day In U.S.A. 1-800-334-7577

## STATEMENT OF PRACTICAL TREATMENT CEPTED

IF SWALLOWED: Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing, drin 1 to 2 glasses of water and induce vomiting by touching the back of the throat with the finger.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash thoroughly with soap and water.

IF INHALED: Move from contaminated atmosphere and call a physician.

GENERAL

JAN 12 1993 Under the Federal Insecticide

Fungicide. and Redenticilde res amended, for the pesticid registered under EPA Rag. Ro.

Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately and SHOW A COPY OF THIS LABEL TO THE PHYSICIAN.

#### ANTIDOTE STATEMENT

ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. See NOTE TO PHYSICIAN.

#### NOTE TO PHYSICIAN

Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible.

Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent overatropinization. Mild cases may be given 1 to 2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg intravenously every 10 minutes until fully atropinized, then intramuscularly every 30 to 60 minutes to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours.

Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended unless organophosphate intoxication is also suggested.

To aid in the confirmation of a diagnosis, urine samples should be obtained within 24 hours of exposure and immediately frozen. Analyses will be arranged by Rhone-Poulenc Ag Company.

Consultation on therapy can be obtained at all hours by calling the Rhône-Poulenc emergency number 1 300-334-7577 (USA).

### PRECAUTIONARY STATEMENTS

#### WARNING HAZARD TO HUMANS AND DOMESTIC ANIMALS

MAY BE FATAL IF SWALLOWED. Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin or cluthing. Wear regular long-sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to aquatic invertebrates. Do not discharge into lakes, streams, ponds, or public waters except in accordance with a NPDES (National Pollution Discharge Elimination System) permit. For further guidance, contact the nearest Environmental Protection Agency Regional Office.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Okra

#### Only for formulation into an insecticide for (1) the following uses:

Alfalfa Almonds Apples **Apricots Asparagus** Avocados (CA only) Beans, succulent and dry **Bedding plants** (outdoor only) Birdsfoot Trefoil Blackberries Blueberries Boysenberries Broccoli Brussel sprouts Cabbage Carrots Cauliflower Celery Cherries Chestnuts Chinese cabbage Citrus Fruits Clovers Collards

Corn (field, sweet, pop)

Cucumber Dandelion **Dewberries** Eggplant Endive **Filberts** Flax Foliage plants (outdoor only) Forested areas Garden beet Grapes Grass for seed Hanover salad Horseradish Imported Fire Ants (outdoor only) Kale Kohlrabi Lentils Lettuce, head and leaf Loganberries Maple Trees for sap Melons Mustard greens Nectarines Nursery stock (outdoor only)

Olives Oyster beds Parsley **Parsnips** Pasture grass Peaches Peanuts Peas, succulent and dry **Pecans** Peppers Pest control around buildinas Pistachios **Plums** Pome Fruits Potato Poultry Prickly pear cactus Proso millet Prunes . Pumpkin<sup>®</sup> Radish Rangeland

Salsity Sorahum Soybeans Spinach Squash, summer and winter Strawberries Sugarbeets Sunflower Sweet potato Swiss chard Tobacco Tomato Trees and Ornamentals Turfgrass Turnips Vegetable transplants (outdoor only) Walnuts Wasteland Rights of Way Hedgerows Ditchbanks

Roadsides

Wheat

(2) Uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and (3) Uses for experimental purposes that are in compliance with USEPA requirements.

Raspberries

Rutabagas

Rice

#### STORAGE AND DISPOSAL

#### STORAGE

Cotton

Cranberries

Store unused product in original container only, in cool, dry area out of reach of children and animals. Do not store in areas where temperatures frequently exceed 100° F.

#### PESTICIDE DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

#### CONTAINER DISPOSAL

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by State and local authorities, by burning. If bag is burned, stay out of smoke.

BEST AVAILABLE COPY

#### DISCLAIMER AND INDEMNITY FOR FORMULATORS' USES

THE MANUFACTURER EXPRESSLY DISCLAIMS ALL LIABILITY FOR CLAIMS AND ACTIONS (WHETHER BASED ON CONTRACT, TORT, STRICT LIABILITY OR BREACH OF WARRANTY) ARISING OUT OF, RESULTING FROM OR CONNECTED WITH A FORMULATION CONTAINING THIS PRODUCT WHEN USED FOR ANY PURPOSE OTHER THAN THOSE USES SET FORTH IN (1) ABOVE. THE MANUFACTURER HAS NOT DEVELOPED SCIENTIFIC DATA TO SUPPORT, NOR HAS IT EXPLICITLY OR IMPLICITLY APPROVED, ANY USES OTHER THAN THOSE IN (1) ABOVE.

ANY FORMULATOR OR BUYER WHO USES THIS PRODUCT IN FORMULATIONS FOR ANY USE OTHER THAN THOSE STATED IN (1) ABOVE ASSUMES ALL LIABILITY FOR CLAIMS AND ACTIONS ARISING OUT OF, CONNECTED WITH OR RESULTING FROM SUCH USE AND AGREES BY SO USING THIS PRODUCT TO INDEMNIFY AND HOLD HARMLESS THE MANUFACTURER FROM SUCH CLAIMS AND ACTIONS.

THIS DISCLAIMER AND INDEMNITY IS IN ADDITION TO, NOT IN LIEU OF, THE BELOW DISCLAIMER AND LIMITATIONS.

#### LIMITED WARRANTY AND DISCLAIMER


The manufacturer warrants that this product conforms to the chemical description on the label; that this product is reasonably fit for the purposes set forth in item (1) of the Directions for Use when it is used in accordance with such Directions; and that the statements under item (1) of the Directions, the warnings and other statements on this label, other than the suggested uses under items (2) and (3) of the Directions, are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops and upon reports of field experience. Tests have not been made on all varieties or in all states or under all conditions. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE, ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS, OR CAUTIONS.

BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

#### NOTICE TO BUYER

Purchase of this material does not confer any rights under patents governing this product or the use thereof in countries outside of . United States. Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product on that condition.



Rhône-Poulenc Ag Company P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709 SEVIN is a registered trademark of Rhône-Poulenc.

SEVIN® brand 80% Dust Base Carbaryl Insecticide (MASTER) Notification 11/9/92.