

Mr. J. B. Lovell
Union Carbide Agricultural Products Co., Inc.
P.O. Box 12014
T.W. Alexander Drive
Research Triangle Park, NC 27709

Dear Mr. Lovell:

Subject: Sevin R12 Carbaryl Insecticide
Add Use on Fireants
EPA Registration No. 204-334
Your Application date February 15, 1983

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Jay S. Ellenberger
Product Manager (12)
Insecticide-Herbicide Branch
Registration Division (75-767)

Enclosure

TS:ELLENBERGER:DCR-28904;WANG-3445C:haw:Raven:479-2013:3/30/83
Revision:Ellenberger:DCR-28904;WANG-3445C;jjk:Raven:479-2013:3/30/83

CONCURRENCES							
SYMBOL							
SIGNATURE							
DATE							

EPA Form 1320-1 (4-81) OFFICIAL FILE COPY



UNION CARBIDE AGRICULTURAL
PRODUCTS COMPANY, INC.
T. W. ALEXANDER DRIVE
P.O. BOX 12014
RESEARCH TRIANGLE PARK, NC 27709

PRODUCT BULLETIN

SEVIN SL Carbaryl Insecticide
For Control of Imported Fire Ants

Supplemental Labeling
EPA Reg. No. 264-335

To prepare small smounts, use 1 tablespoon (1/2 fluid ounce) of SEVIN SL per gallon of water.

SITE	Quarts of SEVIN SL/ 100 gallons of water	SPECIFIC INSTRUCTIONS
Lawns, cemeteries and Recreational Areas (including turf, golf courses, and parks) Pastures Rangeland Forested Lands and Wastelands	1 1/2	Apply a total of 2 gallons of the diluted solution over the surface of each mound or at least 1 quart per 6 inches of mound diameter using a bucket, can or other appropriate equipment. Thoroughly wet mound and surrounding area to a 4 ft. diameter (12 sq. ft.). Do not disturb mounds prior to treatment. Pour solution from a height of about three feet to give sufficient force to break mound apex and flow into ant tunnels. For best results apply in cool weather, 65-80°F, or in early morning or late evening hours. Repeat application if mound activity resumes after 10 days. Treat new mounds as they appear. Pressurized sprays may disturb the ants and cause migration, reducing product effectiveness.

IMPORTANT: Before using SEVIN SL, read and carefully observe the Precautionary Statements and all other information appearing on the product label. This bulletin contains new and supplemental directions for use of this product which may not appear on the package label. Follow directions carefully.

264-335