

1-23 107

Warren A. Davis
Union Carbide Agricultural
Products Co., Inc.
P.O. Box 12014
T.W. Alexander Drive
Research Triangle Park, NC 27709

MAY 17 1985

Dear Mr. Davis:

Subject: Amendment - Revised Labeling for Homeowner Use,
Additional Brand Name
Weedone CB Woody Plant Herbicide
EPA Registration No. 264-393
Your Submission of April 22, 1985, received
by EPA May 13, 1985

The amendment referred to above, submitted in connection with registration under FIFRA is acceptable provided you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the following label change:

Delete "Natural" areas from the sites listed on front panel.
This designation is too broad.
3. Submit one (1) copy of final printed labeling before releasing the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. (6)(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

CONCURRENCES

SYMBOL ▶							
SURNAME ▶							
DATE ▶							

The additional brand name, Weedone Ready-To-Use Brush and Vine Killer, has been incorporated in files for this product. A stamped copy of labeling is enclosed for your records.

Sincerely yours,

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure

JOB:89455:Kendrick:898-1270:RD:85/29:5/15/85:DEL:5/22/85:SG

WEEDONE® brand READY-TO-USE BRUSH AND VINE KILLER

FOR EASY CONTROL OF UNWANTED WOODY VEGETATION AND VINES AROUND HOUSES, CABINS AND STORAGE BUILDINGS, IN CAMPGROUNDS AND OTHER RECREATIONAL AND NATURAL AREAS, ALONG TRAILS, FENCELINES, RIGHTS-OF-WAY AND IN OTHER NON-CROP SITES.

ACTIVE INGREDIENTS:

2-(2,4-Dichlorophenoxy)propionic acid, butoxyethanol ester* 11.7%
2,4-Dichlorophenoxyacetic acid, butoxyethanol ester** 11.9%

INERT INGREDIENTS: 76.4%

*2-(2,4-Dichlorophenoxy)propionic acid equivalent 8.2% by weight or 0.66 pounds per gallon.

**2,4-Dichlorophenoxyacetic acid equivalent 8.2% by weight or 0.66 pounds per gallon. Isomer specific by AOAC method No. 6.D01-5.

EPA Reg. No. 264-393

EPA Est. No. 264-MO-01

PATENT PENDING

ACCEPTED
with comment
MAY 17 1985
EPA Federal Insecticide, Fungicide, and Rodenticide Act
as amended, for the Pesticide
registered under
EPA Reg. No. 264-393

KEEP OUT OF REACH OF CHILDREN
WARNING

PRECAUTIONARY STATEMENTS: See inside booklet

IN CASE OF EMERGENCY PHONE COLLECT (24 HOURS A DAY) IN U.S.A.
(304) 744-3487.

FOR GENERAL PRODUCT INFORMATION CALL 800-334-9745.

©Union Carbide Agricultural Products Company, Inc.
Post Office Box 12014, T. W. Alexander Drive
Research Triangle Park, North Carolina 27709

WEEDONE® is a registered trademark of Union Carbide Agricultural Products Company, Inc.

Made in U.S.A.

GENERAL INFORMATION

WEEDONE® brand READY-TO-USE BRUSH AND VINE KILLER is a concentrated formulation containing a special penetrant. It permits selectively controlling of individual unwanted woody plants whenever convenient, at any time of year, whether they are dormant or growing actively. WEEDONE® brand READY-TO-USE BRUSH AND VINE KILLER is intended for undiluted application to basal bark or cut stump surfaces.

Species controlled by WEEDONE® brand READY-TO-USE BRUSH AND VINE KILLER include:

- | | | |
|---|--|-----------------------------|
| ailanthus
(tree-of-heaven) | hackberry | sumac (staghorn,
poison) |
| alder | hardhack | sweetfern |
| apple seedlings | hawthorn (thornapple) | sweetgum |
| aralia (devil's
walkingstick) | hickory | sycamore |
| ash* | honeysuckle | tallow tree |
| aspen | huckleberry | titi |
| balsam fir | ironwood (Ostrya,
Carpinus or
blue beech) | tulip poplar |
| bayberry | maple (red)* | walnut |
| beech | oak (black, bur,
chestnut, pin,
scrub, red, water,
white) | wax myrtle |
| birch | osageorange | willow |
| blackberry | persimmon | |
| blackgum | pine (red, Southern*,
Virginia*, white) | |
| black locust | poison ivy | |
| boxelder | poison oak | |
| briars | poplar | |
| butternut | prickly pear | |
| cedar (red) | multiflora rose | |
| cherry (black*,
choke, mazzard*,
pin) | sassafras | |
| camphorwood | sour orange | |
| dogwood | sourwood | |
| elm (American,
red, winged) | spruce | |
| grape | | |

*Treat at least the bottom 36 inches of trunk of these species.

NOTE: Care must be taken to avoid getting spray particles on nearby grasses, ornamental plants, crops, or forage plants since contact will burn, and if excessive, can injure or kill such non-target plants. Groundcover plants normally become re-established in treated area.

DIRECTIONS FOR USE

BASAL BARK TREATMENT

to control shrubs or trees with stems or trunks up to 4 inches in diameter measured at breast height. . . including multiflora rose, poison ivy and poison oak, sumac, black locust, ailanthus, Osageorange (hedgeapple), persimmon, sassafras and many others . . . apply undiluted WEEDONE® brand READY-TO-USE BRUSH AND VINE KILLER to the lower 18-24 inches of the plant stem. Treat all around the stem including the root collar area and any exposed roots. It is not necessary for WEEDONE® brand READY-TO-USE BRUSH AND VINE KILLER to run down or puddle at the base.

To control pines larger than 2 inches around at breast height, or ash, cherry or maple, increase the treated area by spraying the lower 36 inches of trunk bark.

Stems treated in fall or winter may leaf out briefly the following spring before complete kill becomes evident.

WEEDONE® brand READY-TO-USE BRUSH AND VINE KILLER basal bark treatment will control top growth of root-suckering species such as aspen, sumac, sassafras, persimmon and black locust, but regrowth from lateral roots may appear the following growing season and require an additional treatment.

When treating vines, spray only those growing in the open. Do not spray stems of vines such as poison ivy growing on trees because the penetrating formulation can injure the tree. Instead, cut the vine at ground level and kill the roots by spraying the stub as directed for stump treatment.

STUMP TREATMENT

To control trees with trunks larger than 4 inches around at breast height or vines growing on trees, cut the tree or vine and thoroughly spray the bark and root collar area of the remaining stump. The stump can be any height, low or high, as long as the remaining woody, bark, and root collar area are thoroughly treated.

NOTE: WEEDONE® brand READY-TO-USE BRUSH AND VINE KILLER is not suitable for application to foliage because it kills leaf tissue so quickly that woody tissue is not sufficiently affected. If foliage treatment is desired, use WEEDONE® brand SUPER BK 32 Woody Plant Herbicide.


APPLICATION EQUIPMENT

WEEDONE® brand READY-TO-USE BRUSH AND VINE KILLER is ready to apply as purchased. Do not dilute it with water and do not apply it if stems are wet. Rainfall which follows application to dry stems does not normally reduce control.

Break the seal on the container and attach the pump sprayer wand and nozzle. Spray, to wet, the plant stem as directed for basal bark treatment or stump treatment. Avoid getting spray particles on any plant except the ones to be eliminated.

637

This product will not freeze under normal storage or application conditions.



PRECAUTIONARY STATEMENTS

WARNING

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, inhaled or absorbed through skin. Causes skin irritation. Causes eye irritation. Do not get on skin or clothing. Avoid breathing spray mist. Remove and wash contaminated clothing before reuse. Wash thoroughly before eating or smoking.

STATEMENT OF PRACTICAL TREATMENT

In case of skin contact, wash with plenty of soap and water. Get medical attention if irritation develops.

In case of eye contact, flush with plenty of water.

If swallowed, drink promptly large quantities of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not graze meat or dairy animals on treated area.

Do not apply when weather conditions favor drift. Do not contaminate water used for domestic or irrigation purposes. Do not use in or near a greenhouse. Do not apply WEEDONE® brand READY-TO-USE BRUSH AND VINE KILLER directly to or permit spray mist to drift onto cotton, okra, grapes, tomatoes, fruit trees, vegetables, flowers, or other desirable crop or ornamental plants which are susceptible to 2,4-D or 2,4-DP herbicides. Do not allow spray to

contact susceptible plants since very small quantities will cause severe injury during the growing or dormant periods. Crops contacted by WEEDONE® brand READY-TO-USE BRUSH AND VINE KILLER sprays or spray drift may be killed or suffer significant stand loss with extensive quality and yield reduction. Drift may be reduced by applying as near to the target as possible; and by not applying when wind is blowing toward susceptible crops or valuable plants.

STORAGE AND DISPOSAL

✓ STORAGE

Do not store near food or feedstuff, fertilizers, seeds, insecticides, or fungicides.

PESTICIDE DISPOSAL AND CONTAINER DISPOSAL

ready to use long-term container

✓ Rinse thoroughly. Securely wrap container in several layers of newspaper and discard in trash.

LIMITED WARRANTY AND DISCLAIMER

NOTICE: BUYER SHALL BE SOLELY RESPONSIBLE FOR ANY AND ALL INJURY, LOSS, OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS, OR CAUTIONS.