PM 25 264-347

TRE-HOLD® SPROUT INHIBITOR FOR CITRUS (Ready to Use Paint Formulation)

Controls Sprouting on Non-Bearing Citrus

ACTIVE INGREDIENT																						
Ethyl 1-naphthaleneacet	ate	4	•	•	•	•		•	•	•		•	•	•	•	•	•	•		•	•	1.15%
INERT INGREDIENTS		•	•	•	٠	•	•	•	•	٠	•	•	•	•	•	•	•	•	٠	•	٠	98.85%

EPA Reg. No. 264-397

+'

(

.,

(

EPA Est. No. 264-MO-01

KEEP OUT OF REACH OF CHILDREN CAUTION

For Precautionary Statements: See Inside Booklet

IN CASE OF EMERGENCY TELEPHONE (24 HOURS A DAY) IN U.S.A.

(304) 774-3487


12014, T. W. Alexander Drive Research Triangle Park, North Carolina 27709

TRE-HOLD is a registered trademark of RHONE-POULENC NEDERLAND B.V.

CONTENTS: 2.5 Gal.

Do not detach booklet from container

ACCEPTED
DEC 3 0 1987
1 Bodesitede Aot. 1 Bodesitede



ŧ

PRECAUTIONARY STATEMENTS

CAUTION

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed or inhaled. Causes eye and skin irritation. Avoid contact with eyes, skin or clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling.

1

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, flush with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

If inhaled, remove victim to fresh air. Get medical attention.

In case of skin contact, wash with plenty of soap and water. Get medical attention if irritation persists. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not contaminate water by cleaning of equipment or disposal of waste. Do not apply TRE-HOLD® Sprout Inhibitor For Citrus through any type of irrigation system. Do not apply directly to water or wetlands.

STORAGE AND DISPOSAL

STORAGE

((

_.+

(

Do not store near fertilizers, seeds, insecticides, or fungicides. Do not use or store near heat or open flame.

PESTICIDE DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Do not reuse empty container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities. By burning. If container is burned, stay out of smoke.

GENERAL INFORMATION

Citrus trees sprout vigorously from the root stocks and pruning cuts made on hard wood branches. Excessive sprouting on young non-bearing trees reduces maximum growth of scaffold branches while decreasing the efficiencies of maintenance sprouts by producing a dense leaf canopy.

TRE-HOLD® Sprout Inhibitor for citrus paint controls sprouting from pruning cuts, trunks, and root stock. TRE-HOLD Sprout Inhibitor for Citrus is a ready to use product formulated in a white latex white to protect against sun scald damage. FOR NECTARINES, the product is diluted - see dilution chart.

Thorough coverage immediately after pruning is necessary for maximum sprout inhibition. Do not allow TRE-HOLD to contact buds or foliage as injury may result. Mix thoroughly before using.

DIRECTIONS FOR USE

(

1

IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE THIS PRODUCT IN A MANNEP. INCONSISTENT WITH ITS LABELING.

Sprouting From Scaffold Limbs: Remove unwanted sprouts and thoroughly coat cut surfaces and surrounding bark.

Sprouting form Trunk: Remove trunk suckers and water sprouts and apply TRE-HOLD to the entire trunk from ground line to scaffold limbs.

Rootstock: Citrus rootstock which is healthy, vigorous and free from stress may be treated. After planting apply TRE-HOLD from the ground line to the first scaffold branches. Do not allow the product to puddle at the base of the tree as injury and stand loss may occur. In temperate zones where freezing may injure scaffold branches, restrict treatment to the frost-free period to allow for a short period of growth between treatment and damaging freeze.

For nectarines use 1/4 of the standard rate as shown in the following examples:

AMOUNT OF TRE-HOLD® SPROUT INHIBITOR PAINT	AMOUNT OF WATER	TOTAL VOLUME		
2.5 fluid ounces	123.5 fluid ounces	1 gallon		
2 gallons	98 gallons	100 gallons	ч	

GENERAL WORKER PROTECTION STATEMENTS

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until sprays have dried.

.

69460

. .

BEST AVAILABLE COPY

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of γ . Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in treated area or in an area about to be treated with this product. Advise workers to stay out of fields during application and until sprays have dried. Regular long-sleeved work clothing should be worn when working in treated fields. See Precautionary Statements and Statement Of Practical Treatment for information on accidental exposures. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: Appropriate signal word (CAUTION), area treated with TRE-HOLD® Sprout Inhibitor for Citrus, date of application, appropriate clothing and reentry interval (i.e., until sprays have dried).

LIMITED WARRANTY AND DISCLAIMER

(

(

The manufacturer warrants that this product conforms to the chemical description on the label; that this product is reasonably fit for the purposes set forth in the directions for use when it is used in accordance with such directions; and that the directions, warnings and other statements on this label are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops and upon reports of field experience. Test have not been made on all varieties or in all states or under all conditions. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OF REPRESENTATIVE TO MAKE, ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

NOTICE TO BUYER

Purchase of this material does not donfer any rights under patents governing this product or the use thereof in countries outside the United States.

BEST AVAILABLE COPY

)