Front Panel Cotton Label Draft Page 1 of 6 Marcn 21, 1983

ACCEPTED

JAN 2 3 1986
Under the Federal Income,
Fungicide, and Reduction with
as amended, for the pushcide
registered under
EPA Reg. No. 10.4 - 402

For Use In The Formulation Of Insecticid	
Product Are Responsible For Obtaining EA	A Registration for their product
Net Contents	
CTANDAV* Tankaini Al	dannant Dagainida
STANDAK* Technical Al	doxycard Pesticide
Active Ingredient: Aldoxycarb [2-Methylor) $\underline{0}$ -[(methylamino) carbonyl]	-2-(methylsulfonyl) propane! oxime] 95.8%
Inert ingredients	
EPA Reg. No264	EPA Est.
KEEP OUT OF REAC DANGER -	
*STANDAK is the registered trademark of	Union Carbide Corporation for
aldoxycarb pesticide.	

1080k

STATEMENT OF PRACTICAL TREATMENT

GENERAL

CONTACT A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING. If breathing stops, start artificial respiration, establish an airway and provide oxygen. Make certain to remove all sources of continuing contamination. Remove clothing and wash skin and hair immediately with large amounts of water. Transport the patient to a physician or hospital immediately and SHOW A COPY OF THIS LABEL TO THE PHYSICIAN.

<u>IF SWALLOWED</u>: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never give anything by mouth to an unconscious or convulsing person. Call a physician and follow General advice listed above.

IF IN EYES: Flush eyes with plenty of water and get medical attention.

IF ON SKIN: Wash thoroughly with soap and water.

IF INHALED: Call a physician and follow General advice listed above.

Refer to Back of Panel for Additional Precautionary statements including the Antidote Statement and Note to Physician.

IN CASE OF EMERGENCY TELEPHONE COLLECT (24 HOURS A DAY) IN U.S.A. (304) 744-3487

LIMITED WARRANTY AND DISCLAIMER

- 1. The manufacturer warrants (a) that this product conforms to the chemical description on the label: (b) that this product is reasonably fit for the purposes set forth in the directions for use when it is used in accordance with such directions: and (c) that the directions, warnings, and other statements on this label are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops, and upon reports of field experience. Tests have not been made on all varieties or in all states or under all conditions. THE MANUFACTURER NEITHER MAKES NOR INTENDS. NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE, ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
- 2. This warranty does not extend to, and the Buyer shall be solely esponsible for, any and all loss or damage which results from the use of this product in any manner which is inconsistent with label directions, warnings or cautions.
- 3. BUYER'S EXCLUSIVE REMEDY AND MANUFACTULER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR IMJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OR PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not store in or around the home or home garden. Open dumping is prohibited.

Pesticide Disposal: Pesticide, spray mixture or rinse water that cannot be used according to label directions must be disposed of according to applicable Federal, state or local procedures.

Container Disposal: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by state and local authorities.

PRECAUTIONARY STATEMENTS

DANGER

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

May be fatal or harmful if swallowed, inhaled or absorbed through the skin. Do not breath dust. Do not get in eyes or on skin.

Wear long-sleeved clothing and protective gloves when handling. Wash hands and face before eating or smoking. Bathe at the end of work day, washing entire body and hair with soap and water. Change contaminated clothing daily and wash in strong washing soda solution and rinse thoroughly before reusing.

SIGNS AND SYMPTOMS OF OVEREXPOSURE:

Salivation	Muscle tremor	Nausea
Watery Eyes	Difficult breathing	Vomiting
Pinpoint eye pupils	Excessive sweating	Diarrhea
Blurred vision	Abdominal cramps	Weakness
pinted Aision	Addominal Cramps	weakness Headache

In severe cases, convulsions, unconsciousness and respiratory failure may occur.

ANTIDOTE STATEMENT

ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. See NOTE TO PHYSICIAN below.

STATEMENT OF PRACTICAL TREATMENT

GENERAL

CONTACT A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING. If breathing stops, start artificial respiration, establish an airway and provide oxygen. Make certain to remove all sources of continuing contamination. Remove clothing and wash skin and hair immediately with large amounts of water. Transport the patient to a physician or hospital immediately and SHOW A COPY OF THIS LABEL TO THE PHYSICIAN.

<u>IF SWALLOWED</u>: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never give anything by mouth to an unconscious or convulsing person. Call a physician and follow General advice listed above.

IF IN EYES: Flush eyes with plenty of water and get medical attention.

IF ON SKIN: Wash thoroughly with soap and water.

IF INHALED: Call a physician and follow General advice listed above.

NOTE TO PHYSICIAN

STANDAK® aldoxycarb is a methyl carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the parasympathetic nervous system. These effects of overexposure are spontaneously and rapidly reversible.

Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent over-atropinization. Mild cases may be given 1 to 2 mg and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg intravenously every 10 minutes until fully atropinized, then intramuscularly every 30 to 60 minutes to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours.

Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are $\underline{\text{NOT}}$ recommended unless organophophate intoxication is also suggested.

Label Draft Page 6 of 6

To aid in confirmation of a diagnosis, urine samples should be obtained within 24 hours of exposure and immediately frozen. Analyses will be arranged by Union Carbide Agricultural Products Company.

Consultation on therapy can be obtained at all hours by calling the Union Carbide emergency number: (304) 744-3487.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to wildlife. Use with care when applying to areas frequented by wildlife. Do not apply directly to lakes, streams or ponds. Do not apply where runoff is likely to occur.

Union Carbide Agricultural Products Company, Inc. P.O. Box 12014, T. W. Alexander Drive Research Triangle Park, North Carolina 27709