

PRECAUTIONARY STATEMENTS

Page 5 of 7

264-407

WARNING HAZARD: TO HUMANS AND DOMESTIC ANIMALS

May be harmful or fatal if swallowed. May be harmful if inhaled or absorbed through the skin. May be irritating to eyes and may cause mild skin sensitization. Do not take internally. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist.

Wear long-sleeved clothing while using. Remove contaminated clothing daily; wash before reuse. Wash exposed skin thoroughly with soap and water after use and before eating or smoking. Discontinue use if allergic reaction occurs.

SIGNS AND SYMPTOMS OF OVEREXPOSURE:

Salivation, Watery eyes, Pinpoint eye pupils, Blurred vision, Muscle tremors, Difficult breathing, Excessive sweating, Abdominal cramps, Nausea, Vomiting, Diarrhea, Weakness, Headache. In severe cases, convulsions, unconsciousness and respiratory failure may occur.

ANTIDOTE STATEMENT

ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. See NOTE TO PHYSICIAN below.

STATEMENT OF PRACTICAL TREATMENT

GENERAL

Contact a physician immediately in all cases of suspected poisoning. If breathing stops, start artificial respiration, establish an airway and provide oxygen. Make certain to remove all sources of continuing contamination. Remove clothing and wash skin and hair immediately with large amounts of water. Transport the patient to a physician or hospital immediately and SHOW A COPY OF THIS LABEL TO THE PHYSICIAN.

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never give anything by mouth to an unconscious or convulsing person. Call a physician and follow General advice listed above.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash thoroughly with soap and water.

IF INHALED: Call a physician and follow General advice listed above.

NOTE TO PHYSICIAN

LARVIN® thiodicarb is an oxime carbamate insecticide, which is a cholinesterase inhibitor. Overexposure to this substance may cause toxic signs and symptoms due to stimulation of the cholinergic nervous system. These effects of overexposure are spontaneously and rapidly reversible.

DRAFT LABEL
0045G/2-22-84

Specific treatment consists of parenteral atropine sulfate. Caution should be maintained to prevent overatropinization. Mild cases may be given 1 to 2 mg intramuscularly every 10 minutes until full atropinization has been achieved and repeated thereafter whenever symptoms reappear. Severe cases should be given 2 to 4 mg intravenously every 10 minutes until fully atropinized, then intramuscularly every 30 to 60 minutes to maintain the effect for at least 12 hours. Dosages for children should be appropriately reduced. Complete recovery from overexposure is to be expected within 24 hours.

Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended unless organophosphate intoxication is also suggested.

To aid in confirmation of a diagnosis, urine samples should be obtained within 24 hours of exposure and immediately frozen. Analyses will be arranged by Union Carbide Agricultural Products Company.

Consultation on therapy can be obtained at all hours by calling the Union Carbide emergency number : (304) 744-3487.

ENVIRONMENTAL HAZARDS

Avoid direct applications to lakes, streams and ponds. Do not apply when weather conditions favor drift from area treated. This product is toxic to bees exposed to direct treatment. Do not apply when bees are actively visiting the treatment area.

LIMITED WARRANTY AND DISCLAIMER

1. The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use when it is used in accordance with such directions; and (c) that the directions, warnings and other statements on this label are based upon responsible experts' evaluation of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops, and upon reports of field experiences. Tests have not been made on all varieties or in all states or under all conditions. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE, ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
2. This warranty does not extend to, and the Buyer shall be solely responsible for, any and all loss or damage which results from the use of this product in any manner which is inconsistent with the label directions, warnings or cautions.
3. BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

NOTICE TO THE BUYER

Purchase of this material does not confer any rights under patents governing this product or the use thereof in countries outside of the United States.

Net contents 55 gallons

Front Panel

LARVIN® 250 Thiodicarb Insecticide
Aqueous Flowable

ACTIVE INGREDIENT	Percent by Weight
THIODICARB Dimethyl N, N' [thiobis [(methylimino) carbonyloxy]]bis [ethanimidothioate].....	23.5%
INERT INGREDIENTS.....	76.5%

CONTAINS 250 grams active thiodicarb per liter (2.1 pounds per gallon).

KEEP OUT OF REACH OF CHILDREN

WARNING

MAY BE HARMFUL OR FATAL IF SWALLOWED OR INHALED. ANTIDOTE IS ATROPINE SULFATE. SEE STATEMENT OF PRACTICAL TREATMENT AND OTHER PRECAUTIONARY STATEMENTS ON LEFT PANEL. READ THE ENTIRE LABEL BEFORE USING THIS PESTICIDE.

AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

IN CASE OF EMERGENCY, TELEPHONE COLLECT (24 HOURS A DAY)
(304) 744-3487

© UNION CARBIDE AGRICULTURAL PRODUCTS COMPANY, INC.
P.O. Box 12014, T. W. Alexander Drive
Research Triangle Park, North Carolina 27709, U.S.A.


LARVIN® is a registered trademark of Union Carbide Corporation for Thiodicarb insecticide.

U.S Patent No. 4,382,957

Made in U.S.A.

EPA Establishment No. 264-MO-02
EPA Registration No. 264-407

DRAFT LABEL
0045G/2-22-84



GENERAL INFORMATION

LARVIN® 250 Thiodicarb Insecticide is an aqueous flowable formulation that readily disperses in water for spraying by ground or air equipment. Directions on this label are based on tests and field experience relating to effectiveness, impact on environment and residues remaining in food and feed. READ THE ENTIRE LABEL AND OBSERVE ALL LABEL DIRECTIONS AND PRECAUTIONS BEFORE USE.

DIRECTIONS FOR USE

NOTE: IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Do not use LARVIN 250 except as directed on this label or on other Union Carbide Agricultural Products Company supplemental labeling for this product.

Workers may reenter treated field once spray deposits are dry on foliage.

ROTATIONAL CROP RESTRICTION: Leafy vegetables may be planted 12 months after the last application.

STORAGE AND DISPOSAL

STORAGE: Do not store in or around the home. Store unused product in a cool, ventilated, dry locked area. Do not allow prolonged storage in areas where temperatures frequently exceed 115°F (46°C). Do not contaminate food, water or feed by storage or disposal. NEVER TRANSFER THIS PRODUCT TO ANOTHER CONTAINER FOR STORAGE.

PESTICIDE DISPOSAL: Unused pesticide, spray mixtures, or rinse water that cannot be applied as directed on label instructions must be disposed of according to applicable Federal, state or local procedures.

CONTAINER DISPOSAL: NEVER REUSE EMPTY CONTAINERS. Triple rinse (or equivalent) then dispose of in a sanitary landfill or by incineration if allowed by state or local authorities

ACCIDENTS: In case of a major spill of LARVIN® 250 Insecticide;

TELEPHONE COLLECT (24 HOURS A DAY)
(304)744-3487.

In case of minor spills or leaks follow all precautions indicated above and cleanup immediately. Soak up with sand, earth or other suitable material and dispose of wastes, broken or empty containers in a landfill approved for pesticide use.

264-407

GENERAL DIRECTIONS

SPRAY PREPARATION: TO ASSURE A UNIFORM PRODUCT, AGITATE OR SHAKE ALL CONTAINERS OF LARVIN® 250 PRIOR TO USE. Remove oil, rust, scale, pesticide residues and other foreign matter from sprayer and strainer. Flush with clean water. Use 50 mesh screens or slotted strainer in spray system. To prepare for spraying, fill tank approximately one-half full of water. Add LARVIN 250 Insecticide and mix thoroughly by mechanical or hydraulic agitation. Finish filling tank with water to desired volume and thoroughly mix. Do not store spray mixture for prolonged periods. If tank-mixes are to be used, LARVIN 250 must be fully dispersed in water first, followed by the addition of the intended tank-mix material.

COMPATIBILITY: LARVIN 250 when diluted with an equal volume of water, is physically compatible with a wide range of commonly used spray products, but the full range of compatibilities under local conditions is not known. Therefore, it is essential that before using any tank mixture of LARVIN 250 Insecticide, the compatibility of the mixture be established. Add a small amount of LARVIN 250 Insecticide to an equal volume of water in a small container and then add the other pesticide or spray product and mix thoroughly. DO NOT USE MIXTURES THAT CURDLE, PRECIPITATE, OR GREASE. NOT MISCIBLE WITH VEGETABLE OIL DILUENTS. PREPARED SPRAYS SHOULD BE USED WITHIN 6 HOURS AFTER MIXING.

NOTE: LARVIN Thiodicarb Insecticide is hydrolytically sensitive to degradation of active ingredient by strong acids, strong bases, and certain heavy metal oxides and salts and metal salt complexes of certain fungicides such as Maneb, Mancozeb, copper Count N-8, and Bordeaux mixture. DO NOT USE LARVIN 250 INSECTICIDE IN SPRAY MIXTURES WITH THE ABOVE METAL PRODUCTS. DO NOT ADD LARVIN 250 TO WATER WITH pH VALUES BELOW 3.0 OR ABOVE 8.5. If necessary, water should be buffered within this range before adding LARVIN Thiodicarb Insecticide.

APPLICATION: Begin application when insect populations reach recognized economic threshold levels. Consult the Cooperative Extension Service, Professional Consultants or other qualified authorities to determine appropriate threshold levels for treatment in your area. Apply a minimum finished spray volume of 3 gallons per acre by air or 15 gallons per acre by ground for sweet corn. Repeat application as needed to maintain control. Use higher dosage rates for heavier infestations or larger larvae. Use lower rates for light to moderate infestations.

To clean the sprayer after use, drain and flush with water.

RECOMMENDED USES

264-407

CROP	INSECT	DOSAGE PER ACRE		SPECIFIC DIRECTIONS
		Pounds Active	Fluid Ounces	
Sweet Corn (Fresh Market Only)	Corn Earworm European Corn Borer Armyworms Western Bean Cutworm	0.5 to 0.75 (Florida Only)	30 to 45	Insects attacking silks and ears: Apply at 1-7 day intervals starting when silks first appear and continuing until silks begin to dry or infestation potential ceases. Follow local recommendations for proper timing. Whorl or foliage feeders: For best results use sprays of 15 gallons or more per acre applied by ground equipment using solid or hollow cone nozzles directed into the plant whorl. Also refer to general directions for use.

PRE-HARVEST AND GRAZING USE INFORMATION AND LIMITATIONS

To avoid illegal residues in or on:

SWEET CORN

- After silk initiation, do not exceed 7.5 pounds of active ingredient (456 fluid ounces of LARVIN 250) per acre per season.
- Do not allow livestock to graze treated field.
- Do not feed treated corn silage (green plant) or fodder to livestock.
- Ears may be harvested on day of last application.

FIELD USE CONVERSION TABLE

DOSAGE PER ACRE		Acres treated per gallon LARVIN® 250
Pounds Active	Fluid Ounces	
0.25	15.2	8.4
0.33	20.2	6.3
0.40	24.4	5.2
0.45	27.4	4.7
0.50	30.4	4.2
0.55	33.6	3.8
0.60	36.6	3.5
0.65	39.6	3.2
0.70	42.6	3.0
0.75	45.6	2.8

1 U.S. Gallon Equals 128 Fluid Ounces