EPA REGISTRATION NO. US ENVIRONMENTAL PROTECTION AGENCY 264-430 OFFICE OF PESTICIDES PROGRAMS TERM OF ISSUANCE REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460 Until Recegistra NOTICE OF PESTICIDE: REGISTRATION NAME OF PESTICIDE PRODUC REREGISTRATION Sevin Brand Granular Carbaryl (Under the Federal Insecticide, Fungicide, Insecticine for Outgood Home and Rodenfielde Act, as amended) Insecticide bae

 Γ Union Carbiac Agricultural Products Company Time Alexander brive P.O. Box 12014 kesearch Trianche Cark, of

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency, In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered

This product is conditionally registers. In accordance with figher arction 3(c)(7)(a) provided that your

- Submitted the auto-required for redistriction production of the of your product under Firm section 3(c)(s) when the country regards our registrants of Similar products to admint adda gata.
- es bore the lambling comes illuted color of a compare conjugate tor shipment:
 - and the phrase "Fix achistration no. 209-900."
 - in In your directions for pest control around ablaines, sente reference to remode control when white interesce to control of cockrombles. Ellicacy data cust as subsitte and reviewed before the above claims will be recenter.
- A 1-year storage sterringly study for this project must be somether. within 15 months from the date of this adjustration of the .
- 4. Sundt live (5) copies of your limit find a language refere you telease the product for shipsens. Refer to the a-Dock course for a further description of final printed laneling.

	•
ATTACHMENT IS APPLICABLE	BEST AVAILABLE CREET
SIGNATURE OF APPROVING OFFICIAL DOLLES A	1. Edwards 1 9/23/87
PA Farm \$570.4 (Park 5.74)	

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr. Product Manager (12) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosures



ACCEPTED with COMMENTS In BPA Letter Dates:

SEVIN® brand Granular Carbaryl Insecticide For Outdoor Home Insecticide Use

SEP231987

For Home Insecticide Use	Under the Federal Insecticide, Funguate, and Rodenticide Act as all telefic time FEPA Reg. No.
ACTIVE INGREDIENT: Carbaryl (1-naphthyl N-methylcarbamate) INERT INGREDIENTS	6.3% by wt.
E.P.A. Reg. No. 264-	E.P.A. Est. No. 264-MO-02
KEEP OUT ÖF REAC	H OF CHILDREN
CAUTION	CUIDADO
 See inside booklet for addition 	al PRECAUTIONARY STATEMENTS.
PRECAUCION AL USARIO: Si usted no lee in la etiqueta le haya sido explicada amplia	
IN CASE OF EMERGENCY TELEPHONE	(24 HOURS A DAY) IN U.S.A.
1-800-UCC	-HELP.
FOR GENERAL PRODUCT INFORMA	TION CALL 1-800-334-9745.
NET CONTENTS:	Made in U.S.A.
UNION CARBIDE AGRICULTURAL P. O. Box 12014, T. Research Triangle	W. Alexander Drive
Copyright ©1987 Union Carbide Agricultura	1 Products Company, Inc.
SEVIN is a registered trademark of Union Company, Inc. for carbaryl insecticides.	Carbide Agricultural Products

APC Form No. __

Dο

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

MAY BE HARMFUL IF SWALLOWED. Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling this product. Do not eat, drink or use tobacco while working with this product. Wash hands and face before eating, drinking or using tobacco. Keep out of reach of children and domestic animals.

ANTIDOTE STATEMENT

ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. See NOTE TO PHYSICIAN below.

STATEMENT OF PRACTICAL TREATMENT

GENERAL

Contact a physician immediately in all cases of suspected poisoning.

Transport to a physician or hospital immediately and SHOW A COPY OF THIS LABEL

TO THE PHYSICIAN. If poisoning is suspected in animals, contact a
veterinarian.

IF SWALLOWED: Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing, drink 1 to 2 glasses of water and induce vomiting by touching the back of the throat with finger.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash thoroughly with soap and water.

IF INHALED: Move from contaminated atmosphere and call a physician.

NOTE TO PHYSICIAN

Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Atropine is antidotal. Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended.

Consultation on diagnosis, therapy and analysis can be obtained at all hours: : by calling the Union Carbide emergency number 1-800-UCC-HELP.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. not apply directly to water and wetlands. Do not contaminate water by cleaning equipment or disposal of wastes.

. USE DIRECTIONS:

LAWNS AND RECREATIONAL AREAS

For control of turfgrass pests, apply granules uniformly to the turf grass. Follow specific directions for proper watering or irrigation after application.

SITE		POUNDS OF SEVIN BRAND GRANULAR PE PER 1000 SQ. FT.	ER SPECIFIC DIRECTIONS
TURF GRASSES	Ants, Armyworm Centipedes, Chiggers, Chinch bugs, Cutworms, Earwigs, Essex skipper, European chafer, Fall armyworm, Fiery skipper, Grasshop June beetles, Leafhoppe Lucerne moth, Millipede Adult mosquitoes, Sowbu Spittlebugs, Springtail Ticks, Yellowstriped ar worm	to 5000 sq. ft.) Fleas, pers, rs, s, gs,	For general insect control apply granules uniformly when grass is dry. Water lawn lightly after application. Repeat as necessary.
	White grubs (such as Japanese Beetle, Chafer Beetle, Phyllophaga spp., and Green June beetle grubs)	2.5 (10 1bs/4000 sq. ft.)	For white grub control applications should be made when grubs are feeding near the soil surface, usually during late March through May or July to early September, or as recommended by local agricultural extension agents. Water or irrigate turf thoroughly soon after treatment.

PEST CONTROL AROUND BUILDINGS

PERIMETER TREATMENT: For residual control of ants, brown dog ticks, carpenter ants, centipedes, cockroaches, crickets, earwigs, firebrats and silverfish, fleas, millipedes, scorpions and spiders; apply granules uniformly in a 6 foot band around the building. Apply granules at the rate of 4.8 ounces per 120 square feet (6 x 20 footband). Restrict applications to shrub beds, foundation, plantings, and lawn or soil areas immediately adjacent to the building. Lightly water treated area soon after application.

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

NOTICE OF PESTICIDE:

REGISTRATION
REREGISTRATION
REREGISTRATION
(Under the Federal Insecticide, Fungicide, and Rodentieide Act, as amended)

REPA REGISTRATION NO. DATE OF ISSUANCE

LAMB OF ISSUANCE

LAMB OF PESTICIDE PRODUCT

Sevin Brand Granular Carbaryl
Prosecticide for Outdoor Home
Insecticide Use

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Union Carpide Agricultural Products Company T.i. Alexander Drive P.U. Box 12014 Research Triangle Park, RC 27709

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

- 1. Subsit/cite all data required for registration/reregistration of your product under FIFWA section, 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you release the product for shipment:
 - a. add the parase "EPA Registration No. 209-430."
 - b. In your directions for pest control around purlaings, delete reference to residual control. Also, delete reference to control of cockroaches. Efficacy data must be submitted and reviewed before the above claims will be accepted.
- 3. A 1-year storage stability study for this product must be submitted within 15 months from the date of this Registration action.
- 4. Subsit live (5) copies of your final printer labeling before you release the product for shipment. Refer to the n-75 enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE	DEST AVAILABLE COP	Y
SIGNATURE OF APPROVING OFFICIAL DOLLING H. 8	Edward 2/1 9/23/87	
DA C 9570 4 (D 2 7/)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr. Product Manager (12) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosures

ACCEPTED with COMMENTS in BPA Letter Detect

SEVIN® brand Granular Carbaryl Insecticide For Outdoor Home Insecticide Use

SEP231937

For Home Insecticide Use	Under the Pederal Insecticide Fungicide, and Redenticide Act as amended, for the posticide registere i under EPA Rep. No. 264-430
ACTIVE INGREDIENT: Carbaryl (1-naphthyl N-methylcarbamate)	
E.P.A. Reg. No. 264- E.P	P.A. Est. No. 264-MO-02
KEEP OUT OF REACH OF CHILDREN	1
CAUTION CUIDADO	
See inside booklet for additional PRECAUTION	NARY STATEMENTS.
PRECAUCION AL USARIO: Si usted no lee ingles, no use la etiqueta le haya sido explicada ampliamenta.	este producto hasta que
IN CASE OF EMERGENCY TELEPHONE (24 HOURS A	DAY) IN U.S.A.
1-800-UCC-HELP.	
FOR GENERAL PRODUCT INFORMATION CALL 1-8	800-334-9745.
NET CONTENTS:	Made in U.S.A.
UNION CARBIDE AGRICULTURAL PRODUCTS COM P. O. Box 12014, T. W. Alexander Research Triangle Park, NC 277	Drive
Copyright ©1987 Union Carbide Agricultural Products Co	ompany, Inc.
SEVIN is a registered trademark of Union Carbide Agric Company, Inc. for carbaryl insecticides.	cultural Products
,	, ·

APC Form No.

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

MAY BE HARMFUL IF SWALLOWED. Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling this product. Do not eat, drink or use tobacco while working with this product. Wash hands and face before eating, drinking or using tobacco. Keep out of reach of children and domestic animals.

ANTIDOTE STATEMENT

ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. See NOTE TO PHYSICIAN below.

STATEMENT OF PRACTICAL TREATMENT

GENERAL

Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately and SHOW A COPY OF THIS LABEL TO THE PHYSICIAN. If phisoning is suspected in animals, contact a vetericarian.

IF SWAL ... Never give anything by mouth to an unconscious or convulsing person onscious and not convulsing, drink 1 to 2 glasses of water and induce remaining by touching the back of the throat with finger.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash thoroughly with soap and water.

IF INHALED: Move from contaminated atmosphere and call a physician.

NOTE TO PHYSICIAN

Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Atropine is antidotal. Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended.

Consultation on diagnosis, therapy and analysis can be obtained at all hours: by calling the Union Carbide emergency number 1-800-UCC-HELP.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water and wetlands. Do not contaminate water by cleaning equipment or disposal of wastes.

USE DIRECTIONS:

LAWNS AND RECREATIONAL AREAS

For control of turfgrass pests, apply granules uniformly to the turf grass. Follow specific directions for proper watering or irrigation after application.

SITE	INSECT	POUNDS OF SEVIN BRAND GRANULAR PE PER 1000 SQ. FT.	R SPECIFIC DIRECTIONS
TURF GRASSES	Ants, Armyworm Centipedes, Chiggers, Chinch bugs, Cutworms, Earwigs, Essex skipper, Europear chafer, Fall armyworm, Fiery skipper, Grassho, June beetles, Leafhopp, Lucerne moth, Milliped, Adult mosquitoes, Sowb Spittlebugs, Springtai Ticks, Yellowstriped a worm	Fleas, ppers, ers, es, ugs, ls,	For general insect control apply granules uniformly when grass is dry. Water lawn lightly after application. Repeat as necessary.
	White grubs (such as Japanese Beetle, Chafe Beetle, Phyllophaga spp., and Green June beetle grubs)	sq. ft.)	For white grub control applications should be made when grubs are feeding near the soil surface, usually during late March through May or July to early September, or as recommended by local agricultural extension agents. Water or irrigate turf thoroughly soon after treatment.

PEST CONTROL AROUND BUILDINGS

PERIMETER TREATMENT: For residual control of ants, brown dog ticks, carpenter ants, centipedes, cockroaches, crickets, earwigs, firebrats and silverfish, fleas, millipedes, scorpions and spiders; apply granules uniformly in a 6 foot band around the building. Apply granules at the rate of 4.8 ounces per 120 square feet (6 x 20 footband). Restrict applications to shrub beds, foundation, plantings, and lawn or soil areas immediately adjacent to the building. Lightly water treated area soon after application.

STORAGE AND DISPOSAL

STORAGE

Store unused product in original container only, in cool, dry area out of reach of children and animals. Do not store in areas where temperatures frequently exceed $100^{\circ}F$.

PESTICIDE DISPOSAL

Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL

Do not reuse bag. Discard bag in trash.

NOTICE OF DISCLAIMER:

BOYER SHALL BE SOLELY RESPONSIBLE FOR ANY AND ALL INJURY, LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS, OR CAUTIONS.