

SEVIN® brand Granular
Carbaryl Insecticide For Outdoor Home Insecticide Use

For Home Insecticide Use

ACTIVE INGREDIENT:
Carbaryl (1-naphthyl N-methylcarbamate) 6.3% by wt.
INERT INGREDIENTS 93.7% by wt.

E.P.A. Reg. No. 264-

E.P.A. Est. No. 264-MO-02

KEEP OUT OF REACH OF CHILDREN

CAUTION CUIDADO

See inside booklet for additional PRECAUTIONARY STATEMENTS.

PRECAUCION AL USARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.


IN CASE OF EMERGENCY TELEPHONE (24 HOURS A DAY) IN U.S.A.

1-800-UCC-HELP.

FOR GENERAL PRODUCT INFORMATION CALL 1-800-334-9745.

NET CONTENTS: _____

Made in U.S.A.



RHONE-POULENC AG COMPANY
P. O. Box 12014, T. W. Alexander Drive
Research Triangle Park, NC 27709

SEVIN is a registered trademark of Rhone-Poulenc Nederland BV for carbaryl insecticides.

APC Form No. _____

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HARMFUL IF SWALLOWED OR ABSORBED THROUGH THE SKIN. Avoid breathing dust. Do not take internally. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling this product. Do not eat, drink or use tobacco while working with this product. Wash hands and face before eating, drinking or using tobacco. Keep out of reach of children and domestic animals.

ANTIDOTE STATEMENT

ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. See NOTE TO PHYSICIAN below.

STATEMENT OF PRACTICAL TREATMENT

GENERAL

Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately and SHOW A COPY OF THIS LABEL TO THE PHYSICIAN. If poisoning is suspected in animals, contact a veterinarian.

IF SWALLOWED: Never give anything by mouth to an unconscious or convulsing person. If conscious and not convulsing, drink 1 to 2 glasses of water and induce vomiting by touching the back of the throat with finger.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash thoroughly with soap and water.

IF INHALED: Move from contaminated atmosphere and call a physician.

NOTE TO PHYSICIAN

Carbaryl is a carbamate insecticide, which is a cholinesterase inhibitor. Atropine is antidotal. Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended.

Consultation on diagnosis, therapy and analysis can be obtained at all hours by calling the Union Carbide emergency number 1-800-UCC-HELP.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic and estuarine invertebrates. Do not apply directly to water and wetlands. Do not contaminate water by cleaning equipment or disposal of wastes.

BEST AVAILABLE COPY

USE DIRECTIONS:

LAWNS AND RECREATIONAL AREAS

For control of turfgrass pests, apply granules uniformly to the turf grass. Follow specific directions for proper watering or irrigation after application.

SITE	INSECT	POUNDS OF SEVIN BRAND GRANULAR PER PER 1000 SQ. FT.	SPECIFIC DIRECTIONS
TURF GRASSES	Ants, Armyworm Centipedes, Chiggers, Chinch bugs, Cutworms, Earwigs, Essex skipper, European chafer, Fall armyworm, Fleas, Fiery skipper, Grasshoppers, June beetles, Leafhoppers, Lucerne moth, Millipedes, Adult mosquitoes, Sowbugs, Spittlebugs, Springtails, Ticks, Yellowstriped army- worm	2.0 to 2.5 (10 lbs/4000 to 5000 sq. ft.)	For general insect control apply granules uniformly when grass is dry. Water lawn lightly after application. Repeat as necessary.
	White grubs (such as Japanese Beetle, Chafer Beetle, Phyllophaga spp., and Green June beetle grubs)	2.5 (10 lbs/4000 sq. ft.)	For white grub control applications should be made when grubs are feeding near the soil surface, usually dur- ing late March through May or July to early September, or as recommended by local agricultural extension agents. Water or irrigate turf thoroughly soon after treatment.

PEST CONTROL AROUND BUILDINGS

PERIMETER TREATMENT: For residual control of ants, brown dog ticks, carpenter ants, centipedes, cockroaches, crickets, earwigs, firebrats and silverfish, fleas, millipedes, scorpions and spiders; apply granules uniformly in a 6 foot band around the building. Apply granules at the rate of 4.8 ounces per 120 square feet (6 x 20 footband). Restrict applications to shrub beds, foundation, plantings, and lawn or soil areas immediately adjacent to the building. Lightly water treated area soon after application.

STORAGE AND DISPOSAL

STORAGE

Store unused product in original container only, in cool, dry area out of reach of children and animals. Do not store in areas where temperatures frequently exceed 100°F.

PESTICIDE DISPOSAL


Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL

Do not reuse bag. Discard bag in trash.

NOTICE OF DISCLAIMER:

BUYER SHALL BE SOLELY RESPONSIBLE FOR ANY AND ALL INJURY, LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS, OR CAUTIONS.



525

(

(

.....
.....
.....
.....
.....