

TRE-HOLD®
Tree Wound Dressing

Controls Regrowth of Tree Sprouts Following Proper Pruning.

Healing Aid/Sprout Inhibitor

ACTIVE INGREDIENT:

1-Naphthaleneacetic acid, ethyl ester 1%

INERT INGREDIENTS: 99%

This product contains the toxic inert ingredient methylene chloride.

EPA Reg. No. 264-

EPA Est. No. 34631-PA-01

KEEP OUT OF REACH OF CHILDREN
CAUTION
FOR ADDITIONAL PRECAUTIONARY STATEMENTS: See inside label

For Product Handling, Use and General Information Call 1-800-334-9745.


For Emergency Information ONLY Call 24 Hours A Day 1-800-521-8235.

UNION CARBIDE AGRICULTURAL PRODUCTS COMPANY
P.O. Box 12014, T.W. Alexander Drive
Research Triangle Park, NC 27709

APC 3011-179-37

TRE-HOLD® is a registered trademark of Union Carbide Agricultural Products Co.

ACCEPTED
SEP 23 1987
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 264-431



GENERAL INFORMATION

Many trees produce vigorous unwanted sprouts around pruning cuts on branches, from the rootstock, and base of the trunk. These sprouts must be removed promote and maintain desired plant form.

TRE-HOLD® Tree Wound Dressing treatment prevents or inhibits vegetative growth in woody plants after pruning. TRE-HOLD is formulated in an aerosol container with an asphalt base which provides a protective barrier against disease and aids in the "healing" process. TRE-HOLD is effective on bearing and non-bearing fruit trees as well as many ornamental flowering and shade trees such as:

- | | | |
|--------------|-----------------|-------------|
| American Elm | Olives (pruned) | Sugar Maple |
| Apples | Pears | Sycamore |
| Chinese Elm | Red Maple | Water Oak |
| Crabapples | Silver Maple | |

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Do not use on citrus as the black asphalt base may enhance sun scald damage.

Shake the can well and spray the pruned surface from a distance of 10 to 20 inches.

BRANCH PRUNING AND WATER SPROUTS

Treat the pruning cuts and the surrounding bark after pruning branches or sprouts. Do not treat pruning cuts on olive branches.

For branch pruning, prune to a lateral branch as shown in the illustration. Stub cuts result in maximum resprouting and leave an unsightly stub which may die back.

For water sprouts, prune flush with the lateral branch.

TRUNK BASAL SPROUTS AND ROOT SUCKERS

Remove the existing sprouts and treat with TRE-HOLD® Tree Wound Dressing.

On olive trees, first remove the existing sprouts and allow new sprouts to grow, and then treat the new sprouts with TRE-HOLD® Tree Wound Dressing before they become 10 inches long.

Do not treat fruit trees in blossom.

Spray pruned cuts and the surrounding bark only. Do not spray the leaves. Avoid spray drift to other plants as injury may result.

Do not treat more than once a year.

In thin bark species, sun scald may result if the number of leaves on trees or shrubs are greatly reduced from severe pruning.

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

Harmful if swallowed. Avoid contact with eyes, skin and clothing. Avoid breathing spray mist.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: If patient is conscious and alert, give 2-3 glasses of water to drink. Do not induce vomiting. GET MEDICAL ATTENTION. Swallowing is not an expected route of exposure, since this product is pressurized and applied as an aerosol spray.

If on Skin: Cleanse skin with vegetable oil while removing exposed clothing. Wash skin with soap and water. Contaminated articles should be discarded.

If Inhaled: Remove victim to fresh air. If not breathing, give artificial respiration. Administer oxygen if necessary. GET MEDICAL ATTENTION.

IF in Eyes: Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. GET MEDICAL ATTENTION.

NOTE TO PHYSICIAN

No specific antidote is available.

All treatments should be based on observed signs and symptoms of distress in the patient. Overexposure to materials other than this product may have occurred.

STORAGE AND DISPOSAL

STORAGE

Do not store near fertilizers, seeds, insecticides, or fungicides. Avoid contamination of food or feedstuffs.

PHYSICAL AND CHEMICAL HAZARDS

Extremely Flammable. Do not use or store near fire, sparks or heated surfaces. Turn off pilot lights in gas appliances and unplug or turn off electrical equipment in the use area. After airing out phase is completed, relight pilot lights and reconnect electrical current. Do not smoke in the use area. Contents under Pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Incineration of container may cause explosion.

PESTICIDE AND CONTAINER DISPOSAL

Replace cap. Securely wrap original container in several layers of newspaper and discard it in trash.

LIMITED WARRANTY AND DISCLAIMER

"NOTICE: BUYER SHALL BE SOLELY RESPONSIBLE FOR ANY AND ALL INJURY, LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNING OR CAUTIONS."