

PM 25 264-437

19/3



RHÔNE-POULENC AG COMPANY

PO BOX 12014 27A ALEXANDER DRIVE
RESEARCH TRIANGLE PARK NC 27709
(919) 549 2000
INTERNATIONAL TELEX NUMBER 4999378 ANSWERBACK APC RTP
INTERNATIONAL DISTRIBUTION SERVICES TELEX NUMBER 4999377 ANSWERBACK APC DS

SUPPLEMENTAL LABEL

BUCTRIL HERBICIDE


EPA Reg. No. 359-564

Use on seedling alfalfa

Revised 4/29/88

ACCEPTED
AUG 15 1988
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. ~~359-564~~

264-437



10/3

RESTRICTIONS AND PRECAUTIONS (cont.)

Do not apply when alfalfa is under moisture, temperature, insect or disease stress.

Do not add a surfactant or crop oil because increased alfalfa injury will occur.

Do not cut for feed or graze spring treated alfalfa within 30 days following treatment.

Do not cut for feed or graze fall or winter treated alfalfa until spring, at least 60 days following treatment

Total BUCTRIL applied to a seedling alfalfa crop should not exceed 2 pints/A.

Follow all restrictions and precautions on the 2,4-DB label when a BUCTRIL + 2,4-DB tank mixture is used.

Do not apply BUCTRIL through automated sprinkler irrigation systems in California.

Do not apply BUCTRIL + 2,4-DB tank mixture through automated sprinkler irrigation systems.

