

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) Ariel Ries Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460 EPA Reg. Number: Date of lasuance:

264-469

SEP 2 5 2006

Term of issumoc:

Name of Pesticide Product:

Mocap 20% Granular Lock'n Load Nematicide-Insecticide

NOTICE OF PESTICIDE:

Registration

X Reregistration (under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Bayer CropScience

2 T.W. Alexander Drive

Research Triangle Park, NC 27709

Note: Changes in labeling differing in substance from that accepted in consection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above BPA registration mumber.

On the basis of information furnished by the registrant, the above named posticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodersticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Ethoprop Reregistration Eligibility Decision (RED), EPA has reregistered the product listed above. This action is taken under the authority of section 4(g)(2)(C) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Reregistration under this section does not eliminate the need for continual reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product.

Generic data requirements that have been identified in the RED as confirmatory data for the active ingredient contained in the subject product will continue to be tracked and assessed in the Agency's continual reassessment of pesticides.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you make the following changes and submit two copies of your final printed labeling before you release the product for shipment.

Add the phrase, "to the extent consistent with applicable law" to the beginning of the first and third sentences in the paragraph headed Disclaimer of Warranties. Some states or localities may not allow certain disclaimers of liability or damages; therefore, the user/buyer may have a remedy under other law governing warranties.

Signature of Approving Official:

Date:

SEP 25 200

reflecting Jaws

2/7

Page 2 EPA Reg. No. 264-469

A stamped copy of the label is enclosed for your records.

You are advised that use of this product in certain portions of California, Oregon and Washington is subject to the January 22, 2004 Order for injunctive relief in Washington Toxics Coalition, et al. v. EPA, CO1-0132C, (W.D. WA). For further information, please refer to the following EPA website: http://www.epa.gov/espp/wtc/uselimitation.htm.

The Agency has completed the cumulative assessment for the organophosphate pesticides (OPs) and finalized the Interim Reregistration Eligibility Decisions (IREDs) for the OP pesticides. The assessment and supporting documents may be found on the Agency's web site at www.epa.gov/pesticides/cumulative and in the docket (EPA-HQ-OPP-2006-0618).

Meredith F. Laws, Chief

Insectidide-Rodenticide Branch Registration Division (7504P)

3/1

RESTRICTED USE PESTICIDE

1.00 (1.17) 日本元獻**漢**作品

DUE TO ACUTE ORAL AND DERIMAL TOXICITY

For retail sale to and use only by Certified Applicators or persons under the direct supervision of a Certified Applicator, and only for those uses covered by the Certified Applicator's certification.

MOCAP® 20% Granular Lock 'n Load®

Nematicide-Insecticide

CLOSED LOADING SYSTEM

For Use on Sugarcane Only

ACTIVE INGREDIENTS:

Ethoprop: (O-Ethyl S, S-Dipropyl Phosphorodithioate).....

.20%

INERT INGREDIENTS

EPA Est. No.



DANGER POISON PELIGRO



Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7677
For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

FIRST AID

	Ethoprop is an organ	Mr. CCDn	
	IF SWALLOWED:	 Immediately call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person. 	and and another
	IF ON SKIN OR CLOTHING:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or dector for treatment advice.	Ted under the periods
	IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Ramove contact lenses, if present, after the first 5 minutes, then continue rinsin Call a poison control center or doctor for treatment advice. 	10. No.
		Earlie Michigan Company And Marine A Print Control 7577	

For MEDICAL Emergencies Call 24 Hours A Day 1-800-334-7577.

Have the product container or label with you when calling a poison control center or dector or going for treatment.

NOTE TO PHYSICIAN: This product is a cholinesterase inhibitor. Severe symptoms and signs include diarrhea, pinpoint and non-reactive pupils, respiratory difficulty, pulmonary edema, cyanosis, loss of sphincter control, convulsions, and coma: Support respiration as needed. Measures should include removal of secretions, maintenance of a patent airway, and if necessary, artificial ventilation.

If cyanosis is absent, give ATROPINE 2-4 mg intravenously (0.05 mg/kg for children). Repeat atropine at 5-10 minute intervals until atropine atropine atropine atropine atropine atropine intramuscularly and start measures to improve ventilation.

Start 2-PAM (PROTOPAM, Ayerst) at the same time. Give 1-2 grams PROTOPAM (20-40 mg/kg for children) in 100cc saline over 15-30 minutes. If pulmonary edema is present, give intravenously slowly as a 5% solution in water over a period of at least 5 minutes. A second dose may be given after one hour if muscle weakness persists. Additional doses may be given cautiously for persistent muscle weakness. May be given by intramuscular or subcutaneous routes if intravenous administration is not feasible.

In case of skin contact, wash patient with soep and water followed by wash with 95% ethyl alcohol. Keep patient under constant observation for 24-36 hours. Symptoms may persist for one month.

The use of theophylline, morphine, barbiturates, phenothiazines, reservine, and succinyl choline is contraindicated.

4/7

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS (AND DOMESTIC ANIMALS) DANGER

Fatal if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. Causes irreversible eye damage. Do not breathe dust. Do not contaminate feed or food.

SYMPTOMS OF POISONING: Nausea, vomiting, abdominal cramps, diamea, excessive salivation, headache, dizziness, weakness, blurring or dimness of vision, excessive tearing, loss of muscular coordination, sturring of speech, twitching of muscles (especially of tongue and eyelids), mental confusion, disorientation, drowsiness, difficulty in breathing (chest tightness), runny nose.

PERSONAL PROTECTIVE EQUIPMENT (PPE) FOR LOCK 'N LOAD PACKAGING

Some materials that are chemical-resistant to this product are barrier laminant, butyl rubber (>14 mils), nitrile rubber (>14 mils) or viton (>14 mils). If you want more options, follow the instructions for category F on an EPA chemical-resistant category selection chart.

Loaders, applicators, and other handlers must wear:

- · long-sleeve shirt and long pants, and
- shoes plus socks.

in addition, loaders must wear chemical-resistant gloves.

See engineering controls for additional requirements.

Handlers engaged in those activities for which use of an engineering control is not possible, such as cleaning up a spill or cleaning or repairing contaminated equipment, must wear:

- coveralls over long-sleeve shirt and long pants
- · chemical-resistant gloves,
- · chemical-resistant footwear plus socks,
- · chemical-resistant headgear for overhead exposure, and
- a dust/mist respirator (MSHA/NIOSH) approval number prefix TC-21C, or a NIOSH approved respirator with any N.R.P. or HE filter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

ENGINEERING CONTROLS FOR LOCK 'N LOAD PACKAGING

This product is formulated into a Lock 'n Load® system that meets the definition of a closed loading system in the Worker Protection Standard for Agricultural Pesticides (40 CFR 170.240(d)(4)). In addition, loaders must:

- wear PPE specified in the PPE section of this labeling.
- be provided with, have immediately available and must use, in for use in an emergency, such as a broken package, spill, or equipment breakdown, the PPE specified in the PPE section of this tabeling for handlers engaged in those activities for which use of an engineering control is not possible.

Applicators using motorized ground equipment must use an enclosed cab that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural posticides [40 CFR 170.240(d)(5)] for dermal protection. In addition, applicators must:

- · wear the personal protective equipment required above for applicators,
- either wear the type of respirator specified in the PPE section of this labeling or use an enclosed cab that is declared in writing by the manufacturer or by a government agency to provide at least as much respiratory protection as the type of respirator specified in the PPE section of this labeling.
- be provided have immediately available for use in case of an emergency when they must exit the cab, the PPE specified
 in the PPE section of this labeling for handlers engaged in those activities for which use of an engineering control is not
 possible,
- take off any PPE that was worn in the treated area before reentering the cab, and
- store all such PPE in a chemical-resistant container, such as a plastic bag, to prevent contamination of the inside of the cab.

~ 5/7

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the tollet.

Users should remove clothing/PPE immediately if posticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic organisms (fish and invertebrates), and wildlife and extremely toxic to birds. Birds feeding in treated areas may be killed. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Cover, incorporate or clean up granules that are spitled during loading or are visible on the soil surface in turn areas. Do not contaminate water when disposing of equipment wash water.

This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistant with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not allow this product to drift.

Granules lying on the soil surface in turn areas at row ends must be incorporated to remove possible hazard to birds and other wildlife.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted entry intervals. The requirements in this box only apply to uses of this product that are obvered by the Worker Protection Standard.

Do not enter or allow workers to enter treated areas during the restricted entry interval (REI) of 48 hours. The 48 hour REI is increased to 72 hours in outdoor areas where average rainfall is less than 26 inches a year.

EXCEPTION: If the product is soil injected or soil incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early re-entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- coveralls over long-sleeved shirt and long pants.
- chemical-resistant gloves made of any waterproof material.
- · chemical-resistant footwear plus socks, and
- protective eyewear.

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE

Do not store in or around the home.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL FOR LOCK IN LOAD PACKAGING

Completely empty container into application equipment. Return empty container to point of purchase.

GENERAL PRECAUTIONS AND RESTRICTIONS

Not for Household Consumer use. Do not store or use in or around the home.

APPLICATIONS

For application by ground equipment only. This product is to be soil incorporated or covered with soil to a depth of at least 2 to 4 inches, during or immediately following application by mechanical means, including by disc hitler, rotary titler, rotary hoe or springtooth harrow.

SUGARCANE

APPLICATION TIMING	PESTS CONTROLLED	APPLICATION DIRECTIONS
at planting	nematodes wireworms	BAND: Apply 1.4 to 2.8 pounds of MOCAP® 20% Granular Lock in Load® per 1,000 linear feet of row in 12 to 15 inch bands at-planting. Apply to seed places in opened furrow or bads and immediately cover with soil. Mix the soil with a disc hiller or other suitable equipment as the cane is covered.
		Use the higher rates in fields where nematode and/or wireworm infestations have been especially severe. Minimum 6-foot row spacing.

RESTRICTIONS AND PRECAUTIONS FOR SUGARCANE

- Make only 1 application of this product per growing season.
- . Do not apply in Long Island, NY.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: BAYER CROPSCIENCE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT ALLOWED BY LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

NET CONTENTS:

MOCAP and Lock in Load are registered trademarks of Bayer.

PRODUCED FOR



Bayer CropScience

Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Caroline 27709
1-866-99BAYER (1-866-992-2937)
http://www.bayercropscienceus.com

MOCAP® 20% Granular Lock in Load Nematicide-Insecticide (PENDING) Submitted 02/06/03, Resubmitted 05/19/08