•.	14	264-		16	¥5	
(A) CEEPA United States Environmenta Office of Pesticide Prog Washington, DC Application fo	rams (H7505(20460	gency C)	Registratic Amendme Other			
Sec	tion I			I		
Company/Product Number 264-497	Rob	PA Product Mana ert Forres		3. Proposed Classification		
I. Company/Product (Name) MOCAP brand 10%	FtA	FtAn None X Restricted				
<u>Granular Nematicide-Insecticide</u> 5. Name and Address of Applicant (Include ZIP Code) Rhone-Poulenc Ag Company 2 T. W. Alexander Drive RTP, NC 27709	(b)(i) to: 	14 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product 's similar or identical in composition and labeling to: EPA Reg. No.				
Check if this is a new address	Prod	luct Name				
Section					-	
Amendment - Explain below		Final printed labels in response to Agency letter dated				
Resubmission in response to Agency letter dated		*Me Too* Application.				
X Notification - Explain below.		Other - explain below.				
BEST AVA Sectio 1. Material This Product Will Be Packaged In:	· _ ·					
Child-Resistant Packaging Unit Packaging		le Packaging	2. Type of Con	ntainer etal		
	Yes		Pla	astic		
It "Yes," No. per	If "Yes,"	No. per				
* Certification must be Unit Package wgt. container	Package wgi			her (Specify)	-	
submitteri. 4 Size(s) of F 3. Location of Net Contents Information 4. Size(s) of F	Retail Containe	er l	5. Location of Label	Directions		
Label Container 6. Manner In Which Label Is Affixed To Product Lithogra	ach	<u> </u>		accompanying product	4	
Paper (glued	Other	(
فالمعازي ومكتم المتحد المتحد والمتحد والمتحد القابل القاب المتحد المحد المتحد والمحد والمحد	ion IV					
1. Contact Point (Complete items directly below for identification Name		lo be contacted, i			<u>_</u>	
Patricia L. Kwiatkowski	ne Associate Manager	e Régistra	tion	ephone No. (Include Area Code)19-549-2631**		
Certification I certify that the statements I have made on this form and all at I acknowledge that any knowingly false or misleading stateme both under applicable law.	i Itachments the	ereto are true, ac inishable by fine	curate and complete.	6. Date Application		
Satrice Trivent 18h.		e Registra	tion Manager			
	Date June 25,	1993				
EPA Form 8570-1 (Rev. 12-90) Previous editions are obso	lete.	White - EPA	File Copy (original)	Yellow - Applicant cop		

MOCAP® BRAND 10% GRANULAR NEMATICIDE-INSECTICIDE

Restricted Use Pesticide

Acute Dermai Toxicity

For retail sale to, and use by Certified Applicators or persons under the direct supervision of a Certified Applicator, and only for those uses covered by the Certified Applicator's certification.

EPA Reg. No.: 264-497

· · · · · · ·

EPA Est. No .:

KEEP OUT OF REACH OF CHILDREN

WARNING

ADVISO

PRECAUSCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.

TRANSLATION TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.

FOR ADDITIONAL PRECAUTIONARY STATEMENTS: She Inside Label

For <u>PRODUCT USE</u> Information Call 1-800-334-9745 For <u>EMERGENCY</u> Information <u>ONLY</u> Call 24 Hours A Day 1-800-334-7577		• • • •		
Rhone-Poulenc Ag Company P.O. Box 12014, 2 T. W. Alexander Drive Research Triangle Park, N. C. 27709	·		••••	
MOCAP is a registered trademark of Rhône-Poulenc			• • • • •	



PRECAUTIONARY STATEMENTS WARNING HAZARD TO HUMANS AND DOMESTIC ANIMALS

May be fatal if swallowed, inhaled, or absorbed through skin. Rapidly absorbed through skin. Wear protective clothing including rubber gloves. In case of contact, wash immediately with soap and eater. Do not breathe fumes or dust,. Wear a mask or pesticide respirator jointly approved by the Mining Enforcement & Safety Administration and the National Institute for Occupational Safety and Health. After use, wash hands, arms and face thoroughly with soap and warm water before eating or smoking. Wash all clothing with soap and hot water before reuse. Discard contaminated shoes. Do not contaminate feed or food.

Do not store in or around the home.

SYMPTOMS OF POISONING: Nausea, vomiting, abdominal cramps, diarrhea, excessive salvation, headache, dizziness, weakness, blurring or dimness of vision, excessive tearing, loss of muscular coordination, slurring of speech, twitching of muscles (especially of tongue and eyelids), mental confusion, disorientation, drowsiness, difficulty in breathing (chest tightness), runny nose.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Give 1 or 2 glasses of water and induce vomiting by touching back of throat with finger Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician, Poison Control Center, or hospital emergency room. If not breathing, give mouth to mouth artificial respiration.

IF IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician immediately in all cases of suspected poisoning.

IF ON SKIN: Immediately remove contaminated clothing ,and wash skin with soap and water. Get medical attention. Wash clothing before reuse. Discard contaminated shoes.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration. Get medical attention.

Persons providing first aid should prevent contamination of themselves.

NOTE TO PHYSICIAN

This product is a cholinesterase inhibitor. Severe symptoms and signs include diarrhea, pinpoint and nonreactive pupils, respiratory difficulty, pulmonary edema, cyanosis, loss of sphincter control, convulsions, and coma.Support respiration as needed. Measures should include removal of secretions, maintenance of patent airway, and if necessary, artificial ventilation.

If cyanosis is absent, give Atropine 2-4 mg. intravenously (0.05 mg/kg for children). Repeat Atropine at 5 to 10 minute intervals until atropinization occurs (dry, flushed skin, tachycardia, pupillary dilatation), and maintain for 48 hours. If cyanotic, give initial Atropine intramuscularly and start measures to improve ventilation.

Start 2-PAM (PROTOPAM, Ayerst) at the same time. Give 1-2 grams PROTOPAM (20-40 mg/kg for children) in 100cc saline over 15-30 minutes. If pulmonary edema is present, give intravenously skiwly as a 5% solution in water over a period of at least 5 minutes. A second dose may be given after one hour if muscle weakness persists. Additional doses may be given cautiously for persistent muscle weakress. May be given by intramuscular or subcutaneous routes if intravenous administration is not feasible,

In case of skin contact, wash patient with soap and water followed by wash with 95% ethyl alcokok. Keep patient under constant observation for 24-36 hours. Symptoms may persist for one month. The use of theophylline, morphine, barbiturates, phenothiazines, reservine, and succinyl choline is contraind cated.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms (fish and invertebrates), and wildlife. Birds feeding in treated areas may be killed. **However, do not apply directly if** water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Cover or incorporate granules that are spilled during loading or are visible on soil surface in turn areas. Do not contaminate water when disposing of equipment wash water.

BEST AVAILABLE COPY

• • •

••••

Sato

DIRECTIONS FOR USE

---- *****

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Do not apply in Long Island, New York.

INCORPORATION INFORMATION

NOTE: Immediately after application, apply 1/2 inch of water to treated grass. Failure to apply water may result in hazard to animals, poor pest control, injury to grass and longer presence of chemical odor. Do not allow unprotected humans or animals to walk on treated areas until grass and soil surface are dry.

HOME LAWNS (DOMESTIC TURF)

NEMATODES CONTROLLED

INSECTS CONTROLLED

Lesion Nematodes Root-Knot Nematodes Spiral Nematodes Sting Nematodes Ring Nematodes Stunt Nematodes Stubby Root Nematodes Pin Nematodes

(Pratylenchus spp.) (Meloidogyne spp.) (Helicotylenchus spp.) (Belonolaimus longicaudatus) (Criconemoides spp.) (Tylenchorhynchus spp.) (Trichodorus spp.) (Paratylenchus spp.) Japanese Beetle European Chafer Black Turfgrass Ataenius Chinchbug Bluegrass Billbug Sod Webworm

Mole Crickets

(Popillia japonica) (Rhizotrogus majalis) (Ataenius spretulus) (Blissus leucopterus) (Sphenophorus parvulus) (Crambus spp.) (Herpetogramma spp.) (Scapteriscus vicinus) (Scapteriscus acletus)

4045

For Nematode Control (Bahia, Bermuda, Centipede, Fescue, Kentucky Blue, St. Augustine, and Zoysia grasses).

Use 4... to 6.9 pounds of MOCAP® 10% Granular Nematicide-Insecticide per 1,000 square feet (200 to 300 pounds per acre) of established turf. Apply uniformly with a fertilizer spreader or other suitable equipment. Severe infestations may require retreatment after 6 months.

For Insect Control (Bent, Bahla, Bermuda, Centipede, Fescue, Kentucky Blue, Perennial Rye, St. Augustine, and Zoysia grasses).

Use 2.3 pounds of MOCAP® 10% Granular Nematicide-Insecticide per 1,000 square feet (100 pounds per acre) of established turf to control mole crickets. Use 1.15 pounds per 1,000 square feet (50 pounds per acre) of established turf to control chinch bugs and larvae of Japanese beetle. European chafer, black turfgrass ataenius beetle, bluegrass billbug, and sod webworms. Apply uniformly with a fertilizer spreader or other suitable equipment.

Do not apply with equipment carried on the chest. Do not use cyclone or rotary-type applicators which are likely to throw the granules to areas outside the lawn area to be treated. Any granules on non-lawn areas, such as walkways and driveways, must be removed immediately by sweeping or washing the granules onto the lawn.

Do not use on newly seeded areas until plants are well established. Do not apply to wet foliage. Do not cut sod or handle treated turf for 21 days after treatment, Birds and other wildlife in treated areas may be killed. Do not apply where run-off is likely to occur.

STORAGE AND DISPOSAL

STORAGE

Do not contaminate water, food, or feed by storage or disposal. Do not store in or around the hunded

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

111

CONTAINER DISPOSAL

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

BEST AVAILABLE COPY

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use when it is used in accordance with such directions; and (c) that the directions, warnings and other statements of this label are based upon responsible expert's evaluation of reasonable tests of effectiveness of toxicity to laboratory animals and to plants, and of residues on food crops, and upon reports of field experience. Tests have not been made on all varieties or in all states or under all conditions. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOP. ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR THE QUALITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

NOTICE TO BUYER

• • • •

Purchase of this material does not confer any rights under patents governing this product or the use thereof in countries outside of the United States.

11.1

Rhône-Poulenc Ag Company P.O. Box 12014, 2 T.W. Alexander Drive

Research Triangle Park, North Carolina 27709

MOCAP is a registered vademark of Rhône-Poulenc.

MOCAP® BRAND 10% GRANULAR NEMATICIDE-INSECTICIDE (MASTER) Notification 6/25/93.

BEST AVAILABLE COPY