



ROOTONE® F brand Rooting Hormone
For Rooting Cuttings

ACTIVE INGREDIENTS

1-Naphthaleneacetamide	0.20%
Thiram (tetramethylthiuramdisulfide)	4.04%

INERT INGREDIENTS	95.76%
--------------------------------	---------------

EPA Reg. No. 264-499

EPA Est. No. 57062-OH-001

KEEP OUT OF REACH OF CHILDREN

CAUTION

For PRODUCT USE information Call 1-800-334-9745

For EMERGENCY Information ONLY Call 24 Hours A Day
1-800-334-7577

RHONE-POULENC AG COMPANY
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, N.C. 217709

Rootone is a registered trademark of Rhône-Poulenc.

CONTENTS: 1 lb. and 50 lb.

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes eye and skin irritation. Harmful if swallowed, inhaled or absorbed through the skin. Wear goggles or face shield and rubber gloves when handling. Avoid inhalation of dust.

Consumption of alcoholic beverages increases the toxic effects of Thiram.

STATEMENT OF PRACTICAL TREATMENT

If on Skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

If in Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide product is toxic to fish. Do not contaminate water when disposing of equipment washwaters. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or wetlands.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Select cuttings (slips) from vigorous healthy plants. For most house plants, use tips 2 inches to 6 inches long from stems that break easily. For most shrubs, summer cuttings of half-ripened wood root best.

Remove any leaves or flowers at the base of the cutting. Dip the base into ROOTONE® about 1/4 inch deeper than it will be set in the rooting medium. Tap off any excess powder and insert cutting in a hole in the rooting

medium with at least one node covered. Make holes wide enough so that no ROOTONE® is scraped off during planting,. Firm medium around cutting to avoid air pockets.

Shade to keep the cuttings and medium moderately moist until they are rooted. This is 3 to 5 weeks or longer, depending on plant species.

AMONG THE MANY PLANTS THAT CAN BE ROOTED ARE:

Azalea, Barberry, Begonia, Boxwood, Chrysanthemum, Crepe Myrtle, Euonymus, Forsythia, Fuchsia, Geranium, Holly, Ivy, Juniper, Lilac, Pachysandra, Privet, Pyracantha, Rhododendron, Rose, Spiraea, Taxus (yew), and Viburnum.

STORAGE AND DISPOSAL

STORAGE

Do not store near fertilizers, seed, insecticides, or fungicides.

PESTICIDE DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Wastes resulting from the use of the product may be disposed on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Completely empty canister into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants that this product conforms to the chemical description on the label; that this product is reasonably fit for the purposes set forth in the directions for use when it is used in accordance with such directions; and that the directions, warnings and other statements on this label are based upon responsible experts' evaluation of

reasonable tests of effectiveness, of toxicity to laboratory animals and to plants, and of residues on food crops and upon reports of field experience. Tests have not been made on all varieties or in all states or under all conditions. THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE, ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS, OR CAUTIONS.

BUYER'S EXCLUSIVELY REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

NOTICE TO BUYER

Purchase of this material does not confer any rights under patents governing this product or the use thereof in countries outside of the United States.

21025

2-4-199

527

ROOTONE - Package Label for 0.4 oz. and 2 oz. containers

FRONT OF PACKAGE

ROOTONE® brand F Rooting Hormone

Faster, healthier rooting from cuttings

With Fungicide for control of seedling diseases

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

(SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON BACK PANEL)

47

BACK OF PACKAGE

ACTIVE INGREDIENTS

1-Naphthaleneacetamide	0.20%
Thiram (tetramethylthiuramdisulfide)	4.04%
INERT INGREDIENTS	95.76%

EPA Reg. No. 264-499

EPA Est. No. 57062-OH-001

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

Consumption of alcoholic beverages increases the toxic effects of Thiram.

STATEMENT OF PRACTICAL TREATMENT

If on Skin: Wash with plenty of soap and water. Get medical attention.

If in Eyes: Flush eyes with plenty of water. Call a physician.

STORAGE

Do not store near food, fertilizers, seed, insecticides, or fungicides.

PESTICIDE AND CONTAINER DISPOSAL

(For 2.0 oz. jar): Do not reuse container. Rinse thoroughly and discard in trash.

(For 0.4 oz. pouch): Do not reuse container, discard in trash.

RHONE-POULENC AG COMPANY

P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, N.C. 27709

Rootone is a registered trademark of Rhone-Poulenc.

DIRECTIONS FOR USE

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING.**

Select cuttings (slips) from vigorous healthy plants. For most house plants, use tips 2 inches to 6 inches long from stems that break easily. For most shrubs, summer cuttings of half-ripened wood root best.

Remove any leaves or flowers at the base of the cutting. Dip the base into ROOTONE® about 1/4 inch deeper than it will be set in the rooting medium. Tap off any excess powder and insert cutting in a hole in the rooting medium with at least one node covered. Make holes wide enough so that no ROOTONE® is scraped off during planting. Firm medium around cutting to avoid air pockets.

Shade to keep the cuttings and rooting medium moderately moist until they are rooted. This is 3 to 5 weeks or longer, depending on plant species.

LIMITED WARRANTY AND DISCLAIMER

NOTICE: Buyer shall be solely responsible for any and all injury, loss, or damage which results from the use of this product in any manner which is inconsistent with the label directions, warnings, or cautions.

In case of emergency, telephone collect (24 hours a day) in the U.S.A.
1-800-334-7577.

Net Weight: 0.4 oz. or 2.0 oz.