, 264-723

4-20-2006

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

April 20, 2006

Sherry Movassaghi, Ph.D Registration Product Manager Bayer CropScience LP P. O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, NC 27709

Subject: Required label revision per DCI dated February 23, 2004 EPA Reg. No. 264-723 Di-Syston 15% Granular Systemic Insecticide Your submissions dated February 23 and April 13, 2005

Dear Dr. Sherry Movassaghi:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable provided you address the following issues:

- Front panel, above the ingredient statement: Revise the statement "For effective systemic crop protection" to read "For effective systemic protection of coffee trees in Puerto Rico, and fir grown for Christmas trees".
- Under Note to Physician, add "Probable mucosal damage may contraindicate the use of gastric lavage".
- Revise the Hazard to Humans and Domestic Animals Section to read "Fatal if swallowed, inhaled, or absorbed through skin. Corrosive. Causes irreversible eye damage. Causes skin burns. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse".
- Add "Protective eye ware (goggles, face shield or safety glasses)" to the PPE statements.

CONCURRENCES						
SYMBOL · 7505C						
SURNAME + 4 TUNSOLU						
DATE + 4 W 06						
				OFFICIAL FILE COPY		

• Under the Engineering Controls text add:

"Applicators using motorized ground-equipment (except for motorcycles) must use and maintain an enclosed cab for dermal protection in a manner that is consistent with the WPS for Agricultural Pesticides [40 CFR 170.240(d)(4)]. In addition, applicators using an enclosed cab must:

Wear long-sleeved shirt and long pants, shoes, and socks; and Either wear a NIOSH-approved dust-mist filtering respirator with any N R, P, or HE filter or use an enclosed cab that is declared in writing by the manufacturer or by a government agency to provide at least as much respiratory protection as the type of respirator specified in the PPE section of this labeling; Be provided and have immediately available for use in case of an emergency when they must exit the cab, the following PPE:

Coveralls over long-sleeved shirt and long pants, chemical-resistant gloves, chemicalresistant footwear plus socks, chemical-resistant headgear (if overhead exposure), and a NIOSH-approved dust-mist respirator with any N R, P, or HE filter."

Applicators re-entering the enclosed cab after spending time in the treated area must:

Take off any PPE that was worn in the treated area before reentering the cab, and Store all such PPE in a chemical-resistant container, such as a plastic bag, to prevent contamination of the inside of the cab."

• Under Restrictions:

t

- Revise the statement "Not for home garden use" to read "Not for residential use".
- Delete "Do not use on other crops for food or forage" since the only label crops are Christmas trees and coffee.
- Add "Do not apply by air".

In Directions for Use section:

- Add "Restricted Use Pesticide" directly under the heading Directions for Use.
- Under Application Restrictions:

You may delete "*Product must be either soil incorporated or watered in*" under . This statements is repeated three times on the label.

Delete the statement, "Application by hand held equipment is prohibited for all sites except coffee and Christmas trees" since the product is only labeled for coffee and Christmas trees.

- In Recommended Applications table:

Add "Spruce spider mite and Balsalm wooly algedid" to the list of insects for Christmas trees, and change "Fruit Coffee" to "Coffee Trees" in the crop column.

Delete "For use by commercial growers or professional applicators only" in the Remarks column for Christmas trees. The product is restricted use and limited to application by certified applicators.

Please revise the labeling accordingly, and submit two copies of the final printed label to the Agency. A copy of the stamped label is enclosed for your records. If you have any questions concerning this action, contact Dr. B. A. Akinlosotu at (703) 605-0653.

Sincerely,

George T. LaRocca, Product Manager 13 Insecticide Branch Registration Division (7505C)

enclosure:

RESTRICTED USE PESTICIDE

Due to acute toxicity

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification. ACCEPTED with COMMENTS

Di-Syston[®] 15%

Granular Systemic Insecticide

APR 2 0 2006 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the perticide registered under

Rey No.

100%

In EPA Letter Dated:

For effective systemic crop protection.

ACTIVE INGREDIENT:

Disulfoton, O,O-Diethyl S-[2-(ethylthio)ethyl]phosphorodithioate	15%
INERT INGREDIENTS:	<u>85%</u>

EPA Reg. No. 264-723

EPA Est. No.



STOP - Read the label before use. **KEEP OUT OF REACH OF CHILDREN** DANGER POISON PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577 For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

	FIRST AID	•••• • • • •			
Contains an organoph					
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor Do not give anything by mouth to an unconscious person. 	• • • • • • • • • • • • • • •			
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. 	с. с. с. С. с. с.	4 1 1		
If in eyes	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. 				
If inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. 				
	Call a poison control center or doctor for further treatment advice. I toll free the Bayer CropScience Emergency Response Telephone No. 1-800-334-7577. when calling a poison control center or doctor.	Have a pro	Juct		

Note To Physician: ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Poisonous if swallowed, inhaled, or absorbed through the skin. Rapidly absorbed through the skin. Wear protective clothing and gloves. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Do not get in eyes, on skin, or on clothing. Remove contaminated clothing and wash before reuse. Do not breathe dust.

Personal Protective Equipment: Some materials that are chemical-resistant to this product are (natural rubber, nitril rubber, butyl rubber, and neoprene rubber). If you want more options, follow the instructions for category F on an EPA chemical-resistance category selection chart.

Handlers and applicators must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves
- Shoes plus socks

.

A NIOSH-approved dust mist filtering respirator with any N, R, P or HE filter.

Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Engineering controls

This product is packaged in a closed hand-held applicator system (select-A-Feed) and all loaders/applicators must use and maintain this system in a manner that is consistent with the WPS for Agricultural Pesticides [40 CFR 170.240(d)(4)]. In addition, loaders/applicators must:

- wear long-sleeved shirt and long pants, chemical-resistant gloves, footwear plus socks;
- be provided and have immediately available for use in an emergency, such as a broken package, spill, or equipment breakdown the following PPE:
 - Coveralls over long-sleeved shirt and long pants, chemical-resistant gloves, chemical-resistant footwear plus socks, chemicalresistant headgear (if overhead exposure), and a NIOSH-approved dust-mist filtering respirator with any N, R, P, or HE filter.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to birds, mammals, fish and aquatic invertebrates. Collect any granules spilled during loading or application. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas.

This product has a high potential for runoff for several months. Poorly draining soils and soils with shallow watertables are more prone to product runoff that contains this product.

A level, well maintained 25 foot vegetative buffer strip between areas to which this product is applied to permanent surface water features such as ponds, streams, and springs will reduce the potential for contamination of water from rainfall-runoff. Refer to the March 2000 USDA Natural Resources Conservation Service document: *Conservation Buffers to Reduce Pesticide Losses* for additional guidance. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

Disulfoton is known to leach through soil into ground water under certain conditions as a result of label use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground-water contamination.

RESTRICTIONS

Not for home garden use. Do not use on other crops used for food or forage. Use only according to label directions. Application at rates above those shown may result in illegal crop residues. Do not use in greenhouses. Do not apply in any manner not specified on the label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

A level, well maintained 25 foot vegetative buffer strip between areas to which this product is applied and permanent surface water features such as ponds, streams, and springs will reduce the potential for contamination of water from rainfall-runoff. Refer the the March 2000 USDA Natural Resources Conservation Service document: *Conservation Buffers to Reduce Pesticide Losses* for additional guidance. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

Application Restrictions

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Product must be either soil incorporated or watered in.

Do not enter or allow people or pets to enter until after product is soil incorporated or watered in. Application by hand-held equipment is prohibited for all sites except coffee and Christmas trees. Product must be either soil.

incorporated, watered in or applied to areas with permanent ground cover.

AGRICULTURAL USE REQUIREMENTS

Jse this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval.

The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow workers to enter into treated areas during the restricted entry interval (REI) of 48 hours.

The REI is 72 hours in outdoor areas where average rainfall is less than 25 inches a year.

Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated areas without restriction if there will be no contact with anything that has been treated.

The following PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls worn over long-sleeved shirt and long pants
- Chemical-resistant gloves made of any waterproof material
- Chemical-resistant footwear plus socks, and
- Chemical-resistant headgear (if overhead exposure)
- Protective eyewear

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If container is leaking invert to prevent leakage. If the container is leaking or material spilled for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as directed for pesticides below. In spill or leak incidents, keep unauthorized people away. You may contact the Bayer CropScience Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer CropScience Emergency Response Telephone No. is 1-800-334-7577.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Completely empty container then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

DI-SYSTON 15% Granular systemic insecticide enters the plant through the root system. The insecticide when placed near the roots, is picked up and moves in the sap stream to all parts of the plant where it kills insects as they feed on the plant.

As a preplant treatment for trees apply granules evenly to seed bed and mix into soil; seeds or transplants are then placed in the normal manner. Established plants may be treated by distributing granules uniformly under foliage canopy. Work the granules uniformly into top soil and water thoroughly. The active ingredient will move into the root zone and be taken up by the root system.

Do not contaminate feed or food.

RESTRICTIONS

•

l

Do not use on other crops used for food or forage. Use only according to label directions. Application at rates above those shown may result in illegal crop residues. Do not use in greenhouses.

Do not apply this product with a knapsack or other equipment that is placed on the user's body.

		RECOMMENDED	APPLICATIONS
CROP	INSECT	DOSAGE DI-SYSTON 15% G	REMARKS
Christmas trees (For use on Firs only)	Aphids* Mites Nantucket Pine Tip Moth Scales	TREES 30 lb/A	TREES For use on Firs only. Product must be either soil incorporated, watered in, or applied to areas with permanent groundcover. Broadcast: Spread granules in the root zone of the trees at the dripline and work into soil and water thoroughly within 48 hours of application. Not for use in bare-ground plantations. For use by commercial growers or professional applicators only.
FRUIT Coffee (For use in Puerto Rico only)	Leaf miner	2 to 4 grams/ft of tree height	Distribute granules uniformly under the tree canopy. Do not apply more than twice per year. Make no more than one pre- harvest and one post-harvest application. Do not make the pre- harvest application within 90 days of harvest.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: BAYER CROPSCIENCE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

NET WEIGHT:

Equivalent Measures of DI-SYSTON 15% Granular

1 level teaspoonful = 3 grams 10 level teaspoons = 1 ounce

Bayer CropScience

Bayer CropScience LP P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709 1-866-99BAYER (1-866-992-2937)

Di-Syston 15% Granular Systemic Insecticide (PENDING) Submitted 02/21/05, Resubmitted 04/11/05.