



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg.
Number:
264-813

Date of Issuance:
OCT 16 2003

NOTICE OF PESTICIDE:
 Registration
 Reregistration

Term of Issuance: Conditional
From: OCT 16 2003
To: OCT 16 2006

(under FIFRA, as amended)

Name of Pesticide Product:
Aztec 2.1% Granular
Insecticide

Name and Address of Registrant (include ZIP Code):

Bayer CropScience LP
2 t.w. Alexander Drive
Research Triangle Park, NC 27709

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(C) provided that you:

1. Make the following label change before you release the product for shipment:

Add the designation, "EPA Reg. No. 264-813".

2. Submit the data listed below, conducted in accordance with the specified Guideline number and in conformance with the Good Laboratory Practice Rule and submitted in the format described in PR Notice 86-5 no later than the dates specified below.

a. Within 24 months from the date of this Notice, submit the results of residue field trials consisting of five trials at 10 X the registered application rate on field corn with the following number of trials in the specified regions as specified in the OPPTS series 860 guidelines: 3 trials in region 5, 1 trial in region 1, and 1 trial in region 11.

Signature of Approving Official:

Date:


OCT 16 2003

You should note that, regardless of whether you satisfy all applicable conditions, this conditional registration will expire automatically on October 16, 2006. Sale and distribution of the subject product after October 16, 2006 will be illegal.

Once the required data are both submitted and evaluated, and upon submittal of an appropriate request from Bayer, EPA will reassess the registration of the subject product, and, if appropriate considering statutory and regulatory criteria for such decisions, will issue an unconditional registration without any special restrictions on the length of the registration.

A stamped copy of the label is enclosed for your records.

Sincerely,



Daniel C. Kenny
Product Manager Team 4A
Insecticide-Rodenticide Branch
Registration Division (7504C)

3 7 8

RESTRICTED USE PESTICIDE

Due to Toxicity to Aquatic Invertebrates

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

Aztec[®] 2.1% Granular Insecticide

For control of corn rootworms, cutworms and other soil insect pests in corn.

ACTIVE INGREDIENTS:

O-[2-(1,1-Dimethylethyl)-5-pyrimidinyl]-O-ethyl O-(1-methylethyl) phosphorothioate 2.0%

Cyfluthrin,

Cyano(4-fluoro-3-phenoxyphenyl)-methyl 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate 0.1%

INERT INGREDIENTS: 97.9%

100.0%

EPA Reg. No. 264-XXX

EPA Est. No. 3125-MO-1

**STOP - Read the label before use
Keep out of reach of children**

WARNING AVISO

PRECAUCION AL USUARIO: Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(TO THE USER: If you do not understand the label, find someone to explain it to you in detail.)

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

FIRST AID

Contains an organophosphate that inhibits cholinesterase

If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.

In case of emergency call toll free the Bayer Emergency Response Telephone No. 1-800-334-7577. Have a product container or label with you when calling a poison control center or doctor, or going for treatment.

Note To Physician: ANTIDOTE: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine. Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 24-48 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

ACCEPTED

OCT 16 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 264-813

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed. Harmful if inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing vapor or dust. Avoid contact with skin, eyes or clothing.

Personal Protective Equipment (PPE).

Some materials that are chemical-resistant to this product are any water proof materials. For more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

Loaders, applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical resistant gloves such as or made out of any waterproof material
- Shoes plus socks

Loaders must wear the following additional PPE:

- A NIOSH-approved dust mist filtering respirator with MSHA/NIOSH approval number prefix TC-21C or a NIOSH-approved respirator with any N, R, P, or HE filter.

Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering controls statements:

- When applicators use enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Keep out of the reach of children.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

When used on erodible soils, best management practices for minimizing runoff should be employed. Consult your local Soil Conservation Service for recommendations in your use area. For applications made within 20 yards of water (lakes, reservoirs, rivers, permanent streams, marshes, estuaries, natural ponds, or ponds used for commercial fishing), apply as an in-furrow application only.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours. The REI is 72 hours where average rainfall is less than 25 inches per year.

Exception: If the product is soil injected or soil incorporated, the Worker Protection Standard under certain circumstances, allows workers to enter the treated area without restrictions if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas (that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water), is:

- Coveralls over long-sleeved shirt and long pants,
- Chemical resistant gloves such as or made out of any waterproof material,
- Chemical resistant footwear plus socks,
- Protective eye wear

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

STORAGE AND DISPOSAL

Product Storage: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handling and Spillage: Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Do not walk through spilled material. In spill or leak incidents, keep unauthorized people away. Dispose of pesticide as directed in the Pesticide Disposal section. Refer to Precautionary Statements on label for hazards associated with the handling of this material. You may contact the Bayer CropScience Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer CropScience Emergency Response Telephone No. is 1-800-334-7577.

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

For use only in the states of: Arkansas, Colorado, Idaho, Illinois, Indiana, Iowa, Kansas, Kentucky, Michigan, Minnesota, Missouri, Montana, Nebraska, Nevada, New Mexico, North Dakota, Ohio, Oklahoma, Pennsylvania, South Dakota, Tennessee, Utah, Vermont, West Virginia, Wisconsin, and Wyoming.

Do not use on other crops grown for food or forage.

Corn may be replanted anytime after application of Aztec® 2.1% Granular Insecticide. All other crops may be planted 30 days after application.

Aztec® 2.1% Granular Insecticide is not systemic and will not interact with corn herbicides. It will not affect seed germination and crop emergence when applied in-furrow.

RECOMMENDED APPLICATIONS																
CROP	PEST	DOSAGE														
FIELD CROPS Field Corn Sweet Corn Popcorn Corn grown for seed or silage	Corn rootworm larvae (Northern, Western, Southern, Mexican) Cutworms Wireworms Seedcorn maggot Seedcorn beetle White grubs	6.7 Ounces Per 1000 Feet of Row														
<p>REMARKS: BAND - Apply specified dosage at planting as a 7-inch band over the row behind the press wheel. Granules must be incorporated into the top one inch of soil using tines, chains, or other suitable equipment.</p> <p>T-BAND - Apply specified dosage at planting as a T-Band over the row behind the planter shoe and in front of the press wheel. Incorporation into the soil surface may also be accomplished with a drag chain or other suitable equipment.</p> <p>IN-FURROW - Apply specified dosage at planting directly into the seed furrow behind the planter shoe and in front of the press wheel.</p> <p>A maximum of 7.3 pounds Aztec® 2.1% Granular Insecticide may be applied per acre per crop season.</p> <table> <thead> <tr> <th>Row Spacing (inches)</th> <th>Pounds per Acre</th> </tr> </thead> <tbody> <tr> <td>30</td> <td>7.3</td> </tr> <tr> <td>32</td> <td>6.9</td> </tr> <tr> <td>34</td> <td>6.5</td> </tr> <tr> <td>36</td> <td>6.1</td> </tr> <tr> <td>38</td> <td>5.8</td> </tr> <tr> <td>40</td> <td>5.5</td> </tr> </tbody> </table> <p>OPTIMUM CONTROL - Optimum control of cutworm is achieved when Aztec® 2.1% Granular Insecticide is applied as a Band or T-Band. Optimum control of wireworms, seedcorn maggot, seedcorn beetle and white grubs is achieved when Aztec® 2.1% Granular Insecticide is applied as a T-Band or In-Furrow.</p> <p>For no-till corn where runoff drains into adjacent or neighboring aquatic sites (lakes, reservoirs, rivers, permanent streams, marshes, estuaries, natural ponds, or ponds used for commercial fishing), apply Aztec® 2.1% Granular Insecticide as an in-furrow or T-band application only.</p> <p>For applications made within 20 yards of aquatic sites (lakes, reservoirs, rivers, permanent streams, marshes, estuaries, natural ponds, or ponds used for commercial fishing), apply as an in-furrow application only.</p> <p>Cover or incorporate spills (including end row spillage).</p>			Row Spacing (inches)	Pounds per Acre	30	7.3	32	6.9	34	6.5	36	6.1	38	5.8	40	5.5
Row Spacing (inches)	Pounds per Acre															
30	7.3															
32	6.9															
34	6.5															
36	6.1															
38	5.8															
40	5.5															

EQUIPMENT CALIBRATION					
Application equipment should be accurately calibrated prior to application of Aztec® 2.1% Granular. The settings suggested below should be used as starting points to calibrate for 6.7 oz per 1000 row ft. Check and monitor the flow based on the length of row and acreage and adjust settings as necessary for proper calibration.					
APPLICATION EQUIPMENT	SPEED IN MPH				
	4	5	6	7	8
John Deere Max-Emerge 2 (Models 7200 - 7300)	20	25	26	33	38
John Deere Max-Emerge (Models 7000 and 7100) (Odd Notches 5-15-25-35)	12	13	15	17	19
John Deere Max-Emerge (Models 7000 and 7100) (Even Notches 10-20-30-40)	16	19	23	26	29
John Deere 71 Flex Planter (With 3 Range Settings and Dial)	1/31	2/6	2/10	2/14	2/16
John Deere Max-Emerge Plus	19	23	27	33	38
Gandy	21	23	24	27	29
Kinze (old)	11	12	14	16	18
Kinze (new)	16	20	24	28	32
International Harvester (Old)	2/8	2/9	3/1	3/8	3/9
International Harvester (New)	1/6	1/8	2/1	2/4	3/1
White (Series 6100) (Odd Notches 5-15-25-35)	14	16	17	18	20
White (Series 5100)	8	12	14	16	19
Allis Chalmers (78 - 79 Series)	2/8	2/9	3/1	3/8	3/9
Allis Chalmers (385 Series)	10	12	14	16	18
Buffalo (10-20-30-40)	10	12	15	17	19
Buffalo (Fluted Rolled)	All Speeds 5-1/4 Revolution Hexagon Nut				
Nobel - New (Rectangular Opening)	9	11	13	15	17
Nobel - Old (Round Opening)	13	16	19	22	24

8 7 8

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: BAYER CROPSCIENCE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

NET WEIGHT:



Bayer CropScience

**Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)**

Aztec 2.1 Granular Insecticide (PENDING) Submitted 7/16/03.