11/7/2005

Form Approved. OMB No. 2070-0060

riease read instructions on reverse before completing form.

Ì	16	

⇔EPA Env	vironmental	nited States Protection Agreement, DC 20460	ency			Registra Amendr Other		OPP Identifier Number	
		Application for	Pastici	de - Seci	X ion			<u> </u>	
1. Company/Product Number 264-931		Application for	2. EPA	Product Man			r	oposed Classification	
4. Company/Product (Name) Gustafson Captan 400 Seed	Protectant Ag	ricultural Eupoicide	PM#	cations			x_	None Restricted	
5. Name and Address of Applicant BayerCropScience 2 T.W. Alexander Drive Research Triangle park.	t (Include ZIP Cod		6. Exp (b)(i), n to:	edited Rev	s sim	ilar or identi		FIFRA Section 3(c)(3) mposition and labeling	
Check if this is a new address			Produ	Product Name					
		Sec	ction -	<u> </u>					
Amendment Explain below Resubmission in response to	to Agency letter o	dated	_ [_]	Final printed Agency lette "Me Too" A	er dati Applica	ition.	to	NOTIFICATION NOV 1 7 2005	
<u>X</u>									
Notification to change from Gustafsc regulations at 40 CFR 152.46, and na violation of 18 U.S.C. Sec. 1001 to Notice 98-10 and 40 CFR 152.46, th FIFRA." Resubmission of notification dated 9.	o other changes h willfully make any is product may be حصر بداً براً	ave been made to the life false statement to EPA in violation of FIFRA an	abeling or t	he confidential inderstand that	l stater t if this	ment of formul notification is	a of this pr	oduct, I understand that it is stent withe the terms of PR	
		Sec	tion - I	ı					
1. Material This Product Will Be Pa	ckaged In:								
	Packaging	Water	Soluble P	ackaging		2. Type of	1		
No No	Yes No		Yes No				Metal Plastic Glass		
* Certification must Unit be submitted	es" Packaging wgt.	No. per ontainer lf "Ye Packa	s" ge wgt	No. per container			Paper Other (S	pecify)	
3. Location of Net Contents Inform		4. Size(s) Retail Conte	iner		5. Loc	cation of Lab	el Directio	ns	
6. Manner in Which Label is Affixe		Lithograph Paper glued Stenciled		Other		and the state of t			
		Sec	tion - l'	/					
1. Contact Point (Complete items	directly below for	r identification of indiv	ridual to b	contacted, i	if nece	essary, to pro	cess this	application.)	
Dennis McFadder	١	Titte Reg. M	/lgrSee	ed Treatm	ent F	ſ		No. (Include Area Code) 549-2427	
I certify that the statements I acknowledge that any knowledge that any knowledge between the control of the co							,	6. Detc Application Received (Stainped)	
2. Signature	 	3. Title							
£111(Ca)	1.4		MgrS	Seed Tre	eatm	nent Pro	ducts		
4. Typed Name Dennis McFadden		5. Date	/01/	200	5				

NOV 1 7 2005

Gustafson

CAPTAN 400 Seed Protectant Agricultural

Fungicide

Contains 4 lbs. Captan and related derivatives per U.S. gallon	at 68°F.
ACTIVE INGREDIENTS (% by weight):	
*Captan	
Related Derivatives	
INERT INGREDIENTS:	
	TOTAL 100.00%
*N-trichloromethylthio-4-cyclohexene-1,2-dicarboximide	101112 10010070

E.P.A Reg. No. 264-931

E.P.A Est.

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577 For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

FIRST AID

IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person
IF INHALED:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
	Call a poison control center or doctor for treatment advice.
IF ON SKIN OR	Take off contaminated clothing.
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.
-	Call a poison control center or doctor for treatment advice.
Note to Physician:	Probable mucosal damage may contraindicate the use of gastric lavage.

In case of emergency call toll free the BayerCropScience Emergency Response telephone No. 1-800-334-7577. Have a product container or label with you when calling a poison control center or doctor, or going for treatment. See additional precautionary statements.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS **DANGER**

Corrosive, Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Remove and separately launder clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

IMPORTANT:

The Federal Government and most states have seed laws or regulations requiring an appropriate caution statement be affixed to bags containing treated seeds, such as:

Treated Seed: Do not Use for Food, Feed or Oil Purposes.

When using formulations that do not contain dye, to comply with 21 CFR chapter 1, Section 2.25, all grain seed treated with an economic poison must be colored to distinguish and prevent subsequent inadvertent use as a food for man or feed for animals.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use on agricultural establishments in hopper-box-planter-box, slurry-box or other seed-treatment applications at or immediately before planting.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE STORAGE

Store in a cool, dry location. Do not store in direct hot sunlight. After prolonged storage in intense cold, allow product to return to approximately 25°F before using.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance

CONTAINER DISPOSAL

Contact Gustafson or your chemical supplier for container return instructions. If container is not returned in accordance with instructions, triple rinse (or equivalent). Then offer for recycling or reconditioning, or by incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

TREATED SEED DISPOSAL

To dispose of out-of-date or otherwise unmarketable seed which has been treated with captan for seed protectant purposes: Broadcast and lightly incorporate seed into field soils using disc or other suitable implement. If rate of captan contained on the seed is unknown, have seed analyzed by a qualified analytical laboratory to determine. Do not plant seed at a seeding rate which will result in the application of more than 32 pounds of captan per acre per year. Any resulting crop may be destroyed by chemical or mechanical means, or, if useful for food or feed purposes, may be harvested for that use.

Read all directions before using and use only as specified on this label.

DIRECTIONS: Thoroughly mix the recommended amount of Captan 400 Seed Protectant into the required amount of water for the slurry treater equipment and dilution rate to be used. Clean equipment thoroughly between operations.

IMPORTANT: Before using - stir thoroughly to mix contents or use entire container at one time. Do not combine colloidal suspensions, wettable powder or emulsifiable concentrates unless previous experience assures compatibility.

PRODUCT INFORMATION:

Captan 400 Seed Protectant is a flowable concentrate especially formulated for the treatment of seed prior to storage and planting to protect seed from molds and other fungi causing storage loss and to protect seed from seedborne and soilborne fungi which cause seed decay, damping-off and seedling blights.



CAPTAN 400 Approved Application Rate Fl. Oz. Captan 400 per 100 lbs. of Seed

SEED	RANGE
Alfalfa, clover, lespedeza, trefoil	5-8
Beans (snap, dry, cowpeas)	2-3
Beets (garden)	8 – 12
Cereal grains (for seed and seedling rots – not for bunt, smut)	
Barley, rye	2 – 3
Oats	2-4
Wheat	1 1/2 - 4
Cole crops (broccoli, Brussels sprouts, cabbage, cauliflower)	1-2
Corn	
Field	11/4-23/8
Sweet	2-4
Cotton	
Acid delinted	2 1/2 - 5
Reginned, fuzzy	3 1/2 - 7
Cucumber, cantaloupe	2 1/2 - 3
Crucifers (mustard, radish, rape, tumips)	1-2
Flax	2-33/4
Grasses	5-81/4
Peanuts	3-6
Peas, lentils	2 1/2
Peppers	2-3
Sorghum (hulled) for kernel smut	1 3/4 - 4 1/2
Soybeans	1 1/2 - 2 1/2
Spinach	4-6
Squash, pumpkin, watermelon, muskmelon	1 1/2 - 2
Sugarbeet	
West	6
East	12
Sunflowers	2-4
Swiss chard	10 - 12

USER PRECAUTIONS

Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse.

Mixers/loaders when mixing and loading this product must wear a long-sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves made of any waterproof material, goggles or a face shield and a chemically resistant apron.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.



IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, disclaimer of Warranties and Limitations of Liability.

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Bayer CropScience, no claims are made to guarantee germination of carry-over seed.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience.

DISCLAIMER OF WARRANTIES: BAYER CROPSCIENCE MAKES NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

NOTICE TO BUYER

Purchase of this material does not confer any rights under patents governing this product or the use thereof in countries outside of the United States.

NET CONTENTS:

y bear

Bayer CropScience LP P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709 1-866-99BAYER (1-866-992-2937)

Bayer CropScience



November 1, 2005

Joyce Edwards, Notifications Office of Pesticide Programs Document Processing Desk(NOTIF) Room 266A, Crystal Mall 2 1801 S. Bell St. Arlington, VA 22202

Subject: Gustafson Captan 400 Seed Protectant Agricultural Fungicide, 264-931

Dear Ms. Edwards,

We are submitting a notification to change from Gustafson to Bayer CropScience emergency phone numbers and warranty statement, per PR Notice 98-10.

Resubmission of notification dated 9/28/05 with PR 98-10 certification.

Bayer CropScience 2 T.W. Alexander Drive Research Triangle Park, NC 27709 Phone: 919 549-2000

Sincerely,

Dennis McFadden

Reg. Mgr.-Seed Treatment Products

Dereies Netadden