GROUP 4A INSECTICIDE

GAUCHO® 75 ST FS INSECTICIDE

FOR COMMERCIAL SEED TREATMENT OF SEED DESTINED FOR EXP	PORT ONLY	
ACTIVE INGREDIENT: 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine		75.0%
OTHER INGREDIENTS:		25.0%
	TOTAL	100.0%
EPA Reg. No. 264-963	EPA Est.	

KEEP OUT OF REACH OF CHILDREN CAUTION

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577
For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

FIRST AID

ACCEPTED MAR 1 6 2007 With plenty of water for 15-20 minutes. enter or doctor for treatment advice. ACCEPTED MAR 1 6 2007 Under the Federal Insecticide, Fundicide, and Endomticide Act as atmosphered under EPA Rac No. 2007
clothing. Under the Federal Insecticity with plenty of water for 15-20 minutes
with plenty of water for 15-20 minutes 65 amount 1000000000000000000000000000000000000
n air. rtificial respiration, preferably mouth-to-mouth.
se slowly and gently with water for 15-20 minutes. s, if present, after the first 5 minutes, then continue rinsing eye. enter or doctor for treatment advice.
se s

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, absorbed through skin or inhaled. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to birds and aquatic invertebrates. For terrestrial uses, do not apply directly to water, at to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing or equipment washwaters. Cover or incorporate spilled treated seeds.

Resistance Management

Some insects are known to develop resistance to insecticides after repeated use. As with any insecticide, the use of this product should conform to resistance management strategies established for the use area.

Gaucho 75 ST FS contains a Group 4A insecticide. Insect biotypes with acquired or inherent resistance to Group 4A insecticides may eventually dominate the insect population if Group 4A insecticides are used repeatedly as the predominant method of control for targeted species.

The active ingredient in Gaucho 75 ST FS is a member of the neonicotinoid chemical class. Insect pests resistant to other chemical classes have not shown cross-resistance to Gaucho 75 ST FS. In order to maintain susceptibility to this class of chemistry in insect species with high resistance development potential, it is recommended that for each crop season: 1) only a single seed application of

Gaucho or other soil applied neonicoti. J product be made to a crop; 2) foliar application is of products from this same class not be made following a soil application of other neonicotinoid products.

O'her Group 4A, neonicotinoid products used as foliar treatments include: Actara, Assail, CALYPSO, Centric, Clutch, Couraze, Gallant, Impulse, Intruder, LEVERAGE, Nuprid, Pasada, PROVADO, TRIMAX PRO and Venom.

O'her Group 4A, neonicotinoid products used as soil/seed treatments include: Advise, Alias, Belay, Couraze, Cruiser, ADMIRE PRO, Macho, Macho Max, Nuprid, Platinum, Venom and Widow.

Contact your Cooperative Extension specialist, certified crop advisor and/or product manufacturer for additional insect resistance management recommendations. Also, for more information on Insect Resistance Management (IRM), visit the Insecticide Resistance Action Committee (IRAC) on the web at http://www.irac-online.org.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For use in commercial seed treaters only.

This product is to be used in treaters designed for pelleting or coating seed. Mix thoroughly before use or use entire container at one time. All mixes should be pre-tested to determine physical compatibility between formulations. Observe all cautions and limitations on labeling of all products used in mixtures.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage, disposal, or by cleaning of equipment. Do not reuse empty container. Open dumping is prohibited...

STORAGE

Store in a cool place. Do not store in direct sunlight. Protect from freezing temperatures.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Completely empty container into application equipment by tapping sides to dislodge residues. Then dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

SEED LABELING

- Treated seed must be labeled "For Export Only-Not to be sold or offered for sale in the United States."
- Seed commercially treated with GAUCHO 75ST FS must be labeled in accordance with all applicable requirements of the Federal Seed Act.
- Treated seed must not be used for or mixed with food or animal feed or processed for oil.

NCTE: The purchaser of this product is responsible for ensuring that all seed treated with this product are adequately dyed with a suitable color to prevent its accidental use as food for man or feed for animals. Refer to 21CFR, Part 2.25. Any dye of colorant added to treated seed must be cleared for use under 40CFR, Part 180.1001.

For treatment of squash seed destined for export to Israel

Squash:

To provide early season protection of seedlings against injury by early season thrips, aphids and whiteflies, apply 28 grams per one kilcgram of seed prior to planting as a slurry treatment so far as to ensure thorough coverage.

For treatment of cucurbit seed destined for export to Mexico

Cucurbits:

To provide early season protection of seedlings against injury by early season whitefly (Bemisia tabaci), apply 47 grams per one kilogram of seed prior to planting as a slurry treatment so far as to ensure thorough coverage.

For treatment of tomato and pepper seed destined for export to Mexico

Tomato and Pepper:

To provide early season protection of seedlings against injury by early season whitefly (*Bemisia tabaci*), apply 65.3 grams per one kilogram of seed prior to planting as a slurry treatment so far as to ensure thorough coverage.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, disclaimer of Warranties and Limitations of Liability.

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Bayer CropScience, no claims are made to guarantee germination of carry-over seed.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OF: BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

NOTICE TO BUYER

Purchase of this material does not confer any rights under patents governing this product or the use thereof in countries outside of the United States.

NET CONTENTS:

GAUCHO is a registered trademark of Bayer

Produced for



Bayer CropScience LP P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709 1-866-99BAYER (1-866-992-2937)

GAIJCHO 75 ST FS (PENDING) SUBMITTED 01-23-07