

### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

AUG 1 3 2009

Jamin Huang, Ph.D.
Bayer CropScience
2 T.W. Alexander Drive
P.O. Box 12014
Research Triangle Park, NC 27709

Subject: Amendment Container Disposal Statement per PRN 2007-4

Dear Dr. Huang:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated July 7&8, 2009 for:

EPA Registration 264-984 EPA Registration 264-846

# **Titan Flowable Insecticide and Fungicide Seed Treatment AE 1283742**

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, at 703 305-5409 or electronically at daniel.dani@epa.gov

Sincerely,

Dani Daniel Registration Division (7505P)

Insecticide/Rodenticide Branch

2008

Please read instructions on reverse before com Form Approve MB No. 2070-0060 Approvel expir United States **OPP Identifier Number** Registration **Environmental Protection Agency Amendment** Washington, DC 20460 Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 264-984 Venus Eagle None Restricted 4. Company/Product (Name) Titan Flowable Insecticide and Fungicide Seed Treatment Team 01 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling Bayer CropScience P.O. Box 12014, 2 T.W. Alexander Drive EPA Reg. No. Research Triangle Park, NC 27709 Check if this is a new address **Product Name** Section - II Amendment - Explain below. Final printed labels in repsonse to Agency letter dated "Me Too" Application. Resubmission in response to Agency letter dated\_ Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) REGFEE: Fast track label amendment, Fee amount due: \$ 0 Justifications: Submit an amended Titan Flowable Insecticide and Fungicide Seed Treatment label to update container disposal statement per PRN 2007-4. The verbatim used for the container disposal statement in the amended labeling is the same as the one already reviewed and approved by the Agency for Poncho 600 (EPA Reg. No. 264-789) dated 03/12/2009. No new data needed to be reviewed by the Agency. CONTACT: Jamin Huang, jamin.huang@bayercropscience.com Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging **Unit Packaging** Water Soluble Packaging 2. Type of Container Yes Yes Metal Yes Plastic No No No Glass Paper If "Yes" No. per \* Certification must Unit Packaging wgt. Other (Specify) be submitted 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions 30 gallon 6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name Telephone No. (Include Area Code) Jamin Huang, Ph.D. (919) 549-2634, , , , Product Registration Manager, Insecticides 333333 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. l acknowledge that any knowlinglly false or misleading statement may be punishable by fine or imprisonment of (Stamped) both under applicable law. 2. Signature Product Registration Manager, Insecticides 4. Typed Name 5. Date Jamin Huang, Ph. D. July 7, 2009

## Bayer CropScience



July 7, 2009

Document Processing Desk (AMEND) Office of Pesticide Programs (7505P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, Virginia 22202-4501

ATTENTION: Venus Eagle (PM 01, RD, Insecticide-Rodenticide Branch)

Re: Amendment of Container Disposal Statement per PRN 2007-4 for Titan Flowable Insecticide and Fungicide Seed Treatment (EPA Reg. No. 264-984)

Dear Ms. Eagle,

Bayer CropScience is herein submitting an amendment to update the container disposal statement per PR Notice 2007-4 on the 09/24/2008 latest EPA approved labeling for Titan Flowable Insecticide and Fungicide Seed Treatment. Three copies of the amended labeling dated 07/02/2009 are attached. I certify that no other changes in text have been made except for those marked by yellow shade on the amended labelling.

The verbatim used for the container disposal statement in the amended labeling is the same as the one already reviewed and approved by the Agency for Poncho 600 (EPA Reg. No. 264-789) dated 03/12/2009.

Please let me know at <u>jamin.huang@bayercropscience.com</u> or at 919-549-2634 if you have any questions regarding this submission.

Sincerely,

Jamin Huang, Ph.D.

Product Registration Manager

Attachment

2 T.W. Alexander Drive P. O. Box 12014 Research Triangle Park, NC 27709 Tel: 919 549-2000

Bayer CropScience

# $TITAN^{\mathsf{TM}}$

## NC IFICATION AUG 13 2009

## Flowable Insecticide and Fungicide Seed

#### **Treatment**

For sale to and use by professional applicators only. Not for sale to or use by homeowners/consumers.

TITAN FL contains the following amount of active ingredient per gallon:

1 lb. clothianidin; 1 lb. thiram; 0.47 lb. carboxin; 0.033 lb. metalaxyl.

**ACTIVE INGREDIENTS:** 

ALCOHOL MONEDIEM O.	
Clothianidin: [(C(E)]-N-(2-chloro-5-thiazolyl)methyl]-N'-methyl-N"-nitroguanidine	9.49%
Thiram: tetramethylthiuram disulfide	
Carboxin: 5,6-dihydro-2-methyl-N-phenyl-1,4-oxathiin-3-carboxamide	
Metalaxyl: N-(2,6-dimethylphenyl)-N-(methoxyacetyl)alanine methyl ester	
OTHER INGREDIENTS:	
	TOTAL 100.00%

EPA Reg. No. 264-984

**EPA Est.** 

# KEEP OUT OF REACH OF CHILDREN CAUTION

For <u>MEDICAL</u> And <u>TRANSPORTATION</u> Emergencies <u>ONLY</u> Call 24 Hours A Day 1-800-334-7577 For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)

#### **FIRST AID**

IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.		
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.		
	Call a poison control center or doctor for treatment advice.		
IF INHALED:	Move person to fresh air.		
	• If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.		
	Call a poison control center or doctor for further treatment advice.		
IF ON SKIN OR	Take off contaminated clothing.		
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.		
	Call a poison control center or doctor for treatment advice.		

In case of emergency call toll free the Bayer CropScience Emergency Response Telephone No. 1-800-334-7577. Have a product container or label with you when calling a poison control center or doctor, or going for treatment.

#### PRECAUTIONARY STATEMENTS

#### **CAUTION**

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if inhaled or absorbed through the skin. Avoid breathing vapor or spray mist. Avoid contact with eyes or skin.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are barrier laminate, nitrile rubber, neoprene rubber. If you want more options, follow the instructions for category C and E on an EPA chemical-resistance category selection chart.

All mixers, loaders, applicators and other handlers must wear:

- -long-sleeved shirt and long pants
- -socks plus shoes
- -chemical resistant gloves,
- -chemical resistant aprons when mixing, loading, or participating in dip treatments.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

NOTE: Persons involved in bagging treated seed, sewing or moving bags of seed, or cleaning up bagging areas or seed treatment equipment are pesticide handlers and must wear the PPE required on this label for pesticide handlers.

#### **USER SAFETY RECOMMENDATIONS**

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon

as possible, wash thoroughly and change into clean clothing.

#### **ENGINEERING CONTROLS**

When handlers use closed systems designed by the manufacturer to enclose the pesticide to prevent it from contacting handlers or other people and the system is functioning properly and is used and maintained in accordance with the manufacturer's written operating instructions, the handlers need not wear the chemical-resistant apron. However, the chemical-resistant gloves must be immediately available for use in an emergency, such as a spill or equipment breakdown.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, aquatic inbertebrates, oysters, and shrimp. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

Treated seeds are toxic to fish, birds, and mammals. Do not plant treated seed by broadcasting to the soil surface. Ensure that all seeds are thoroughly covered with soil, especially in turn areas. If seeds are not thoroughly incorporated by the planer during planting, additional incorporation may be required to thoroughly cover exposed seeds.


#### **Endangered Species**

This product may have effects on federally listed threatened or endangered species or their critical habitat in some counties. It is a violation of federal law to kill, harm or harass listed animal species without authorization. To limit the potential for such impacts when using this product, consult and follow the instructions provided in the EPA Endangered Species Bulletin for the County or Parish in which you are applying the seed. To determine whether your County or Parish has a Bulletin consult <a href="http://www.epa.gov/espp">http://www.epa.gov/espp</a> before each season's use of this product.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use by commercial treaters only. Not for use on agricultural establishments in hopper-box, slurry-box, or other seed treatment applications at, or immediately before, planting. Do not apply this product in a way that will contact workers or other persons. Only protected handlers may be in the area during application.



Page 2 of 5

6400

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

#### **PESTICIDE STORAGE**

Storage at low temperatures is not recommended. Do not store above 95°F. Do not store in direct sunlight.

#### PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

#### CONTAINER DISPOSAL

Rigid, Non-refillable containers small enough to shake (i.e., with capacities equal to or less than 5 gallons)

Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Dispose of rinsed empty container in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned stay out of smoke.

Rigid Non-refillable containers that are too large to shake (i.e., with capacities greater than 5 gallons or 50 lbs)

Non-refillable container. Do not reuse or refill this container. After emptying product from container, contact Bayer

CropScience Customer Service Center (1-800-527-4781) with return authorization for container return instructions.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Offer for recycling, if available. Dispose of rinsed empty container in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned stay out of smoke.

#### **LABELING OF TREATED SEED**

Seed that has been treated with this product that is then packaged or bagged for future use must contain the following labeling on the outside of the seed package or bag:

- This seed has been treated with clothianidin, trifloxystrobin, carboxin, and metalaxyl.
- Dispose of seed packaging in accordance with local requirements.
- This product may have effects on federally listed threatened or endangered species or their critical habitat in some counties. It is a violation of federal law to kill, harm or harass listed animal species with out authorization. To limit the potential for such impacts when using this product, consult and follow the instructions provided in the EPA Endangered Species Bulletin for the County or Parish in which you are applying the seed. To determine whether your County or Parish has a Bulletin consult <a href="http://www.epa.gov/espp">http://www.epa.gov/espp</a> before each season's use of this product.
- Treated seed exposed on soil surface may be hazardous to birds. Cover or collect spilled seeds.
- When opening this bag or loading/pouring the treated seed, wear long-sleeved shirt, long pants, shoes, socks, and chemical resistant gloves.
- Treated Seed- Do Not Use for Food, Feed, or Oil Purposes.
- After seeds have been planted, do not enter or allow worker entry into treated areas during the restricted-entry
  interval (REI) of 24 hours. Exception: Once the seeds are planted in soil or other planting media, the Worker
  Protection Standard allows workers to enter the treated area without restriction if there will be no worker contact
  with the soil/media subsurface.
- Rapeseed greens and seed grown or harvested from TITAN FL -treated seed must not be used for feed or human consumption. Rapeseed grown and harvested from TITAN FL -treated seed is only for industrial uses and cannot be used for edible oil or any other human/feed consumption.
- Areas planted with treated seed may be replanted immediately with canola, rapeseed and corn. These areas may also be replanted after 30 days with cereal grains, grasses, non-grass animal feeds, soybeans, and dried beans. Do not plant any other crop in the treated area for at least four months after treated seeds are planted.

#### **GENERAL INFORMATION**

TITAN FL is a systemic insecticide and fungicide seed treatment for use on canola and rapeseed for control of seed rot, damping off, seedling blight and early season root caused by Pythium, Rhizoctonia, Fusarium and Alternaria. Also controls seedborne Blackleg. For protection of seeds and emerging seedlings only.

For use in commercially available equipment designed for seed treatment only. Not for use in hopper-box, slurgy-box, or


For use in commercially available equipment designed for seed treatment only. Not for use in hopper-box, sluggy-box, or similar seed treatment applications used at planting. This product is to be used in liquid or slurry treaters. Mix thoroughly before use or use entire container at one time. All tank mixes should be pre-tested to determine physical compatibility between formulations. Observe all cautions and limitations on labeling of all products used in mixtures.

All seed treated with this product must be conspicuously colored at the time of treatment. If this product contains no colorant, an appropriate colorant must be added to distinguish seed and to prevent subsequent inadvertent use as a food for man or a feed for animals. Regulations pertaining to coloration of treated seed enforced by 40 CFR 153.155 must be strictly adhered to when using this product.

Prior to and during application, TITAN FL must be thoroughly agitated to ensure uniform mixing.

Canola and Rapeseed: Apply 19.2 to 25.6 fl oz of TITAN FL to 100 lbs. of seed using commercial seed treatment equipment. For longer season control of flea beetles, and for areas where flea beetle populations are often high TITAN FL can be tank mixed with Poncho™ 600 according to the directions in the table below. Do not apply more than a total of 6.4 fl oz of clothianidin active ingredient per 100 pounds (400 g. a.i./100 kg.) of canola or rapeseed.

TITAN™ FL Application Rate	Poncho™ 600 Application Rate
19.2 fl oz/100 lbs. of seed	Up to 6.4 fl oz/100 lbs of seed
25.6 fl oz/100 lbs. of seed	Up to 5.12 fl oz/100 lbs. of seed



Page 4 of 5



#### IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, disclaimer of Warranties and Limitations of Liability.

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Bayer CropScience, no claims are made to guarantee germination of carry-over seed.

**CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE MAKES NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

#### **NOTICE TO BUYER**

Purchase of this material does not confer any rights under patents governing this product or the use thereof in countries outside of the United States.

#### **NET CONTENTS:**


TITAN and PONCHO are registered trademarks of Bayer

Produced for



Bayer CropScience LP P.O. Box 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709 1-866-99BAYER (1-866-992-2937)

TITAN Flowable Insecticide and Fungicide Seed Treatment (PENDING) 07/02/09



Page 5 of 5