 <p style="text-align: center;">U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460</p> <p style="text-align: center;">NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> Registration <input type="checkbox"/> Reregistration</p> <p>(under FIFRA, as amended)</p>	<p>EPA Reg. Number:</p> <p style="text-align: center;">264-1034</p>	<p>Date of Issuance:</p> <p style="text-align: center;">NOV 14 2006</p>
	<p>Term of Issuance:</p> <p style="text-align: center;">Conditional</p>	
	<p>Name of Pesticide Product:</p> <p style="text-align: center;">PROSPER T400 Insecticide and Fungicide Seed Treatment</p>	
<p>Name and Address of Registrant (include ZIP Code):</p> <p>Bayer CropScience 2 TW Alexander Drive Research Triangle Park, North Carolina, 27709</p>		
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> 1. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data. 2. Make the following label changes before you release the product for shipment: <ol style="list-style-type: none"> a. Revise the EPA Registration Number to read, "EPA Reg. No. 264-1034". b. After the heading "PERSONAL PROTECTIVE EQUIPMENT (PPE)", include the following statement (see Acute Toxicity review for further detail): <i>"Some materials that are chemical-resistant to this product are (insert correct material). If you want more options, follow the instructions for category [insert A,B,C,D,E,F,G, or H] on an EPA chemical-resistance category selection chart."</i> 		
<p>Signature of Approving Official:</p> <p style="text-align: center;"><i>Venus Eagle</i></p> <p>Venus Eagle, Acting Product Manager (01) Insecticide-Rodenticide Branch, Registration Division (7505P)</p>	<p>Date:</p> <p style="text-align: center;">NOV 14 2006</p>	

- c. Within the "**PERSONAL PROTECTIVE EQUIPMENT (PPE)**", rephrase the statement "Long-sleeved shirt and long pants, shoes plus socks." to read:
- long sleeved shirt and long pants,
 - socks plus shoes,
 - chemical resistant gloves, except when bagging or sewing bags of treated seeds,
 - chemical resistant aprons when mixing/loading
- d. Rephrase the "**USER SAFETY RECOMMENDATIONS**" section of the label to read as follows:
- "Wash thoroughly with soap and water after handling. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.*
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.*
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing."*
- e. Within the "**DISCLAIMER OF WARRANTIES:**" section of the label, rephrase the sentence "**BAYER CROPSCIENCE DISCAIMS ANY LLABILITY WHATSOEVER...**" to read "**TO THE EXTEND ALLOWED BY APPLICABLE LAW, BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER...**".
3. The data requirements for storage stability (830-6317) and corrosion characteristics (830- 6320) have not been satisfied, and must be submitted within eighteen months of the date of this letter.
4. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Venus Eagle
Acting Product Manager (01)
Insecticide-Rodenticide Branch
Registration Division (7505P)

3/5

PROSPER® T400 Insecticide and Fungicide Seed

Treatment

PROSPER T400 contains the following amount of active ingredient per gallon:
2.38 lb. clothianidin; 0.06 lb. trifloxystrobin; 0.42 lb. carboxin; 0.045 lb. metalaxyl.

ACTIVE INGREDIENTS:

Clothianidin: [(C(E))-N-(2-chloro-5-thiazolyl)methyl]-N'-methyl-N"-nitroguanidine	21.75%
Trifloxystrobin	0.544%
Carboxin: 5,6-dihydro-2-methyl-N-phenyl-1,4-oxathiin-3-carboxamide.....	3.81%
Metalaxyl: N-(2,6-dimethylphenyl)-N-(methoxyacetyl)alanine methyl ester	0.408%
OTHER INGREDIENTS:	73.488%
TOTAL	100.00%

EPA Reg. No. 264-XXX

EPA Est.

KEEP OUT OF REACH OF CHILDREN CAUTION

For **MEDICAL** And **TRANSPORTATION** Emergencies **ONLY** Call 24 Hours A Day 1-800-334-7577
For **PRODUCT USE** Information Call 1-866-99BAYER (1-866-992-2937)

FIRST AID

IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
--------------------	---

In case of emergency call toll free the Bayer CropScience Emergency Response Telephone No. 1-800-334-7577.
Have a product container or label with you when calling a poison control center or doctor, or going for treatment.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: Long-sleeved shirt and long pants, shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Contain any product spills or equipment leaks and dispose of wastes according to disposal instructions on this label. Do not contaminate water when disposing of equipment washwaters.

ACCEPTED
with COMMENTS
In EPA Letter Dated:

NOV 14 2006

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.

264-1034

4/5

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use by commercial treaters only. Not for use on agricultural establishments in hopper-box, slurry-box, or other seed treatment applications at, or immediately before, planting.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal, or by cleaning of equipment.

PESTICIDE STORAGE

Storage at low temperatures is not recommended. Do not store above 95°F. Do not store in direct sunlight.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Contact Bayer CropScience or your chemical supplier for container return instructions. If container is not returned in accordance with instructions, triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

LABELING OF TREATED SEED

Seed commercially treated with PROSPER T400 must be labeled in compliance with the Federal Seed Act.

All bags containing treated seed must be labeled or tagged as follows:

- This seed has been treated with clothianidin, trifloxystrobin, carboxin, and metalaxyl.
- Do not use treated seed for feed, food or oil processing.
- Store away from feeds and other foodstuffs.
- Rapeseed greens and seed grown or harvested from PROSPER T400-treated seed must not be used for feed or human consumption. Rapeseed grown and harvested from PROSPER T400-treated seed is only for industrial uses and cannot be used for edible oil or any other human/feed consumption.
- Store away from feeds and other foodstuffs.
- Cover or incorporate spilled treated seeds.
- Wear long-sleeved shirt, long pants and waterproof gloves when handling treated seed.
- Dispose of all excess treated seed. Leftover treated seed may be doublesown around the headland or buried away from water sources in accordance with local requirements. Do not contaminate water bodies when disposing of planting equipment washwaters.
- Dispose of seed packaging in accordance with local requirements.
- Treated seeds exposed on soil surface may be hazardous to wildlife. Cover or collect treated seeds spilled during loading.
- Areas planted with treated seed may be replanted immediately with canola, rapeseed and corn. These areas may also be replanted after 30 days with cereal grains, grasses, non-grass animal feeds, soybeans, and dried beans. Do not plant any other crop in the treated area for at least four months after treated seeds are planted.

GENERAL INFORMATION

PROSPER T400 is a systemic insecticide and fungicide seed treatment for use on canola and rapeseed for control of certain insect pests and for control of seed rot, damping off, seedling blight and early season root rot caused by *Pythium*, *Rhizoctonia*, *Fusarium* and *Alternaria*. Also controls seedborne Blackleg. For protection of seeds and emerging seedlings only.

For use in commercially available equipment designed for seed treatment only. Not for use in hopper-box, slurry-box, or similar seed treatment applications used at planting. This product is to be used in liquid or slurry treaters. Mix thoroughly before use or use entire container at one time. All tank mixes should be pre-tested to determine physical compatibility between formulations. Observe all cautions and limitations on labeling of all products used in mixtures.

All seed treated with this product must be conspicuously colored at the time of treatment. If this product contains no colorant, an appropriate colorant must be added to distinguish seed and to prevent subsequent inadvertent use as a food for man or a feed for animals. Regulations pertaining to coloration of treated seed enforced by 40 CFR 153.155 must be strictly adhered to when using this product.

DIRECTIONS FOR USE

Prior to and during application, PROSPER T400 must be thoroughly agitated to ensure uniform mixing.

Canola and Rapeseed: Apply 21.5 fl. oz. of PROSPER T400 to 100 lbs. of seed using commercial seed treatment equipment.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Bayer CropScience, no claims are made to guarantee germination of carry-over seed.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: BAYER CROPSCIENCE MAKES NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. BAYER CROPSCIENCE DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT ALLOWED BY LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.


NOTICE TO BUYER

Purchase of this material does not confer any rights under patents governing this product or the use thereof in countries outside of the United States.

NET CONTENTS:

PROSPER is a registered trademark of Bayer

PRODUCED FOR



Bayer CropScience LP
P.O. Box 12014, 2 T.W. Alexander Drive
Research Triangle Park, North Carolina 27709
1-866-99BAYER (1-866-992-2937)

PROSPER T400 (PENDING) Submitted 05/16/06